

FORERUNNER PELMET

SLIDING DOOR TRACK SYSTEM | MEDIUM DUTY | 50KG PER DOOR



WARDROBES

DIVIDER WALLS

INTERNAL DOORS



FORERUNNER





PELMET

SMOOTHER RETENTION & ANTI-BOUNCE DOOR TRACK

The Forerunner Pelmet Door Track system is an internal sliding door system suitable for doors up to a maximum of 50kg.

Available to suit doors up to 915mm and 1220mm, with options of mill finish and powdercoat white. This system offers a ZZ bearing carriage with an anti-bounce clip stop, allowing a smoother door retention.







Clear Anodised

FORERUNNER PELMET



SLIDING DOOR SYSTEM WITH PELMET

An internal sliding door system suitable for doors up to a maximum of 50kg. Available to suit doors up to 915mm and 1220mm, with options of mill finish and powdercoat white.

FEATURES



ANTI-BOUNCE CLIP STOP

Anti-bounce clip stop allows a smoother door retention as it takes hold of the hanger and prevents the panel from bouncing back when door is in the opened or closed position.

HIGH-SPEED PRECISION BEARINGS

Forerunners quality hanger consist of 4 nylon tyred, stainless steel high-speed precision bearings for a smoother operation.

SMOOTH & QUIET OPERATION

Bearings combined with the unique track profile offers years of silent, smooth operation and superior rolling performance every time.

FEATURED COMPONENTS

FLAWLESS CONCEALED FINISH

For a flawless, concealed finish, easy clip on pelmets are available in both mill and clear anodised finish to suit multiple styles and aesthetics.






CLIP STOP


Mounted clip stop allows controlled door retention. It takes hold of the hanger and prevents the panel from bounching back when opened or closed, for improved functionality.



ARCHITECTURAL DRAWINGS



FRONT VIEW



| 28 43 | • | Included Feature Optional Extra | | |
|-------|-----------|--|---|--------|
| | - primery | - | - | |
| / | | | | 10.000 |

TECH SPECS

| - Provider | | | | | | | |
|------------------|------------|--------------|---------------|----------------|--------------|---|--------|
| | | - | | dia da se | ٠ | | |
| | | | reads. | | | | |
| | | - | - | | ٠ | | |
| and the second | | | animating and | | | | |
| THE MER | | | | | | | |
| | 1999 - C | | | - and a get | | | |
| | ang Barras | | | - Sec | ÷ | • | |
| | | | • | Ny p ie | | | |
| | | | | | | | |
| | | | - Million | | | | |
| | | | | | | | |
| | | | | and a | | • | |
| a prime | | | abia | ating. | - | • | aiting |
| - yeke 1111 j | | | | | | | 1 |
| | * | | | - | | | |
| | * | | ning ning | | - | | • |
| | * | ••• 4 | | •**• •• | ••• | | 1 |
| | | ••• ••••• | | | ••1 ••••• | | 1 |

WHITE 1220MM WIDE

P16126:

Packaged Set for Single Door up to 1220mm wide -White track

END VIEW



Cowdroy is an Australian company supplying industry leading products across residential and commercial properties.

Established in 1890, Cowdroy specialises in door tracking systems, weather seals, insect screen, replacement wheels & rollers and more products for a wide range of applications.

For all our product information visit the Cowdroy website at: www.cowdroy.com.au

HEAD OFFICE SYDNEY

38 Redfern St Wetherill Park, NSW 2164 Phone: (02) 9604 3000 Fax: (02) 9604 8129 Sales Fax: (02) 9609 3694

Perth

1 Modal Crescent Canning Vale, WA 6155 Ph: (08) 9455 5354 Fax: (08) 9455 5461

WEBSITE www.cowdroy.com.au www.cowdroy-insectscreen.com.au

EMAIL sales@cowdroy.com.au

NATIONAL CALL 1800 COWDROY (1800 269 376)

Christchurch NZ

56 Treffers Road, Sockburn Christchurch 8042 Phone: (03) 943 2060 Fax: (03) 943 2061

Auckland NZ

18 Kerwyn Ave, East Tamaki Auckland 2013 Phone: (09) 274 7279 Fax: (09) 274 4453



Forerunner_Brochure_30.08.22



