

cowdroy

PRODUCT RANGE

2022



COWDROY

COWDROY

DOOR TRACKS - WEATHERSEALS - SHELVT
REPLACEMENTS - BARRIER DOORS - INSECT SCREEN

The Cowdroy name has been associated with firsts as long as it has existed. The company has come a long way since launching as an advertising company in 1890.

Since then, Cowdroy has consistently pioneered in a number of industries, including producing the first illustrated advertisement in the Sydney Morning Herald and the world's first sliding glass aluminium track. It was in fact the latter creation that helped steer Cowdroy in a new direction towards the Australian hardware industry.



TRUSTED BY AUSTRALIANS SINCE 1890

Since that decisive move, Cowdroy has cemented itself as one of Australia's leading manufacturers of track and seal products across residential and commercial properties. The group has expanded in the past four decades to become a multinational family-owned business supplying innovative products and services around the globe. It was in 1999 that Cowdroy joined the Alchin Long Group. The Group's extensive knowledge in the construction hardware industry proved a perfect match for Cowdroy as it joined the likes of Doric and Colonial Castings. The company now offers a large catalogue of door track systems, stops, guides and spare parts, door furniture, glass shelving systems and shopfitting products and showcases. Producing this impressive product range for a wide scope of applications is no easy feat. With an emphasis on innovative research and development, Cowdroy has achieved the highest standard with its products and will no doubt continue to maintain that excellence in the future.

But Cowdroy has really become what it is today by putting people first. Empowering its staff to create innovative solutions and supporting them by building testing capabilities to ensure products meet the highest possible quality and performance parameters. Through fiercely independent design and painstaking research and development, Cowdroy has been constantly at the head of the field. The company has been completely dedicated to consistently upgrading products and systems to meet the increasingly varied needs of the market and consumer demands. Throughout product testing, manufacturing processes and personnel training, Cowdroy has led the way.

Cowdroy's industry-leading methodologies have ensured they keep ahead of their competitors and set the benchmark for excellence.

As dominant innovators in the door track systems and accessories industry, Cowdroy has been responsible for other major inventions such as the highly successful ball bearing sliding glass track, a sashless sliding window and a sliding door track system featuring ball bearings on a top race section, which was patented and sold under manufacturing license around the world.

KEEPING YOU ON TRACK

For the past century, Cowdroy has maintained extremely high standards in the design and manufacturing of its products. From door seals to door tracks and weather seals, this renowned standard is still evident in each product today.


Cowdroy products are available from leading hardware and home improvement stores across Australia, with the brand continually researching, designing and developing new and exciting products with Australian market demands in mind. Through considered expansion, Cowdroy products can now also be found in New Zealand, Malaysia, across the rest of Asia Pacific and North America.

Looking ahead, the founders and senior management of Cowdroy know that the next century will be even more challenging than the last, but that's exactly what motivates this Australian-owned and operated company to strive for even greater success.



MILESTONES

TRUSTED BY ALL SINCE 1890



CONTENTS



SECTION ONE DOOR TRACK SYSTEMS

7	ARROW	19	INDUSTRO	32	CABINETMAKER
8	CENTURUION	20	BARRACUDA	33	TUDOR
9	QUAD-BALL	21	TRIUMPH STEALTH	34	EASY ROLLER
11	FORERUNNER PELMET	22	OVERLAY BI-FOLD	35	JOINERY SHEAVE
12	TRIUMPH	23	TRIUMPH FOLDING	36	HORIZON
13	BARN DOOR	24	ALLWEATHER INTERNAL	37	COASTLINE
14	EXPOSED	25	ALLWEATHER EXTERNAL	38	TWIN-ROLL
15	TROJAN	27	QUICK-FIX	39	TIMBERLINE
16	LOW CLEARANCE 175	28	MANHATTAN	40	MAXI ROLLER
17	ALLWEATHER SLIDING	29	ROBEMAKER	41	OPTIONAL EXTRAS
18	GLIDEMASTER	31	MIRROR ROBE		



SECTION TWO REPLACEMENT PARTS

46	CATEGORY INDEX	73	DO IT YOURSELF
46	INTRODUCTION	73	DEFINITIONS
49	DOORS	73	GUIDELINES
61	SCREENS		
66	SHOWER		
67	WARDROBE		
70	WINDOWS		
72	CAPPING TRACKS		



SECTION THREE WEATHER SEALS

75	CM1	76	CM7	78	CM11B
75	CM2A	77	CM14	78	CM11C
75	CM2P	77	CM14A	78	CM11D
75	CM3	77	CM14B	78	CM15
75	CM4	77	CM14C	78	CM16
76	CM5	77	CM48	78	CM18
76	CM17	77	CM59	78	CM19
76	CM54	77	CM61		
76	CM60	78	CM11A		



SECTION FOUR INSECT SCREEN

80	MESH SELECTION	82	SCREENVIEW APP
80	FIBREGLASS MESH	83	SPLINE RANGE
80	CLEARVIEW MESH	83	SPLINE ROLLERS
81	PETGUARD MESH	84	FRAME & CORNERS
81	SMALL INSECT MESH	84	BUTTONS
81	POLLENPROOF MESH	85	FLYSCREEN REPAIR
81	ALUMINIUM MESH	85	ACCESSORIES
82	ULTRATOUGH MESH	87	DOOR CURTAINS
82	STAINLESS STEEL MESH	88	RANGE PLANOGRAM LAYOUT



SECTION FIVE GLASS TRACK SYSTEMS

90	PLASTIC TRACK	93	ROLLER BEARING 10
91	BALL BEARING	94	MKII SASHLESS WINDOW
92	ROLLER BEARING 6	95	ACCESSORIES



SECTION SIX SHELVING SYSTEMS

97	WALL STRIPPING	98	DOUBLE SHELF BRACKETS & STRIPPING
97	SHELF BRACKETS	98	AHP PRODUCT RANGE
97	BRACKET ADAPTORS	98	EASY TO FIX
97	RING BRACKETS		
97	SHELVIT SHELF RESTS		
97	TIMBER SHELVES		



SECTION SEVEN BARRIER DOORS

100	DOOR TYPES	101	MEASURE & RECORD
100	OPTIONAL EXTRAS	101	RE-ORDER CODES
100	HOW TO ORDER	102	ORDER FORM HINGED
100	COLOURS	102	ORDER FORM SLIDING

103	INDEX
121	WARRANTY & TRADING TERMS
121	CONTACT INFORMATION

SECTION ONE

DOOR TRACK SYSTEMS

SLIDING | BIFOLD | FOLDING | DOUBLE & TRIPLE SLIDING | CUPBOARD | BOTTOM ROLLING | TOP HUNG



DOOR TRACK SELECTION

External door	Internal door	Glass door	Wardrobe doors	Cupboard doors	Glass Cabinet doors	Wall mounted track	Top mounted track	Floor fixed track	Top hung wheel	Bottom rolling wheel	Door side fix	End pivoting	Centre pivoting	Bottom guide	Top guide	End stop	Soft-close	Pelmet	System
	○					○			○					○	○		●		ARROW
	○					○			○					○	○		●		CENTURION (Heavy Duty Arrow)
	○					○			○					○	○		●		QUAD BALL
	○					○			○	●				○	○		○		FORERUNNER PELMET
	○		○	○		○	○		○	●				○	○		●	●	TRIUMPH SLIDING
	○		○			○			○	○				○	○		●		BARN DOOR
○	○	○	○			○			○	○				○	○		●		EXPOSED
	●		●			●	●		●	●				●		●			TROJAN
	●	●	●			●	●		●					●					TROJAN (GLASS)
	○		○				○					○		○	○				BARRACUDA BIFOLD
	○		○				○		○			○	●	○					TRIUMPH FOLDING
			○	○			○		○					○					QUICK-FIX
			○	○			○		○					○		●			ROBEMAKER
			○	○			○		○					○		●			ROBEMAKER MULTI
			○				○		○					○					CABINETMAKER
			○	○			○							○					PLASTIC TRACK
	●					○	●		●					●	●				LOW CLEARANCE 175
●	●	○				○	●		●	○				●	●				ALLWEATHER SLIDING
●	●					●			●					●	●				GLIDEMASTER
●	●					○	●		●					●	●				INDUSTRO
			●	●			●			●	●								TRIUMPH STEALTH
			●	●			●		●	●	●			○					OVERLAY CONCEALED BI-FOLD
●	●						●		○	○	○	○	○	●					ALLWEATHER INTERNAL FOLDING
●	●						●		●			●		●					ALLWEATHER EXTERNAL FOLDING
			●	●			●		●					●					MANHATTAN
			●	●				●	●						●				MIRROR ROBE
			●	●			●		●	●				●					TUDOR
				●			●		●					●					EASY ROLLER
●	●						●		●					●					JOINERY SHEAVE
	●		●	●			●		●					●					HORIZON
●	●						●		●					●					COASTLINE
●	●						●		●					●					TWIN-ROLL
●	●						●		●					●					TIMBERLINE
●	●						●		●					●					MAXI ROLLER
				●	●		●							●					BALL BEARING
				●	●		●							●					ROLLER BEARING 6
				●	●		●							●					ROLLER BEARING 10
				●	●		●							●					MKII SASHLESS WINDOW

System Type	Max. Weight Door/Panel	Door/Panel width (mm)	Door Thickness (mm) min.	Track Length (mm)	Suits No. of doors	Track Type	Page #
Sliding	35kg	Up to 915	25	1700	1	Galvanised steel - open "J"	7
Sliding	60kg	Up to 1220	30	1700-2310	1	Galvanised steel - open "J"	8
Sliding	50kg	Up to 920	25	1750	1	Aluminium - open "J" mill finish	9
Sliding	50kg	Up to 1220	22-35	1850-2450	1	Aluminium - enclosed white/mill	11
Sliding	80kg	Up to 1500	18	Up to 5560	1	Aluminium - enclosed mill/anodised	12
Sliding	90kg	Up to 1500	34-44	2000-3200	1	Steel - P/C Black	13
Sliding	110kg	Up to 1500	34-44 (timber) 6-12 (glass)	2440-3000	1	Stainless steel / Black	14
Sliding	120kg	Up to 1500	28	6000	1	Aluminium - enclosed mill finish	15
Sliding	80kg	Up to 1200	8-12	6000	1	Aluminium - enclosed mill finish	15
Bi-Folding	13kg	Up to 450	19-35	915	2/4 panels	Aluminium - enclosed mill finish	20
Multi-Folding	25kg	Up to 820	25	5560	Up to 8 panels	Aluminium - enclosed anodised	23
Multi-Sliding	25kg	Up to 950	19	Up to 3700	2 to 3	Aluminium - double "J" mill finish	27
Multi-Sliding	50kg	Up to 820	30-40	Up to 3240	2 to 4	Aluminium - white/anodised	29
Multi-Sliding	50kg	Up to 820	30-40	5000	2 to 4	Aluminium - white/anodised	30
Multi-Sliding	20kg	Up to 650	15-18	4900	2 to 3	Aluminium - white/anodised	32
Multi-Sliding	6kg	Up to 950	5	1800	2	Plastic - brown/white	90
Sliding	175kg	Up to 2500	32	6000	1	Aluminium - enclosed mill finish	16
Sliding	240kg	Up to 3000	30	6000	1	Aluminium - enclosed anodised	17
Sliding	272kg	Up to 2500	38	5000	1	Aluminium - open "J" mill finish	18
Sliding	450kg	Up to 2900	32	5800	1 to 2	Galvanised steel - enclosed	19
Bi-Folding	22kg	Up to 600	16-25	5560	2 panels	Aluminium - enclosed mill/anodised	21
Bi-Folding	25kg	Up to 500	16-25	3000	2 panels	Aluminium - open "J" white/mill	22
Multi-Folding	90kg	Up to 900	32	6000	2/8 panels	Aluminium - enclosed anodised	24
Multi-Folding	90kg	Up to 900	35	6000	8 panels	Aluminium - enclosed anodised	25
Multi-Sliding	50kg	Up to 1500	19-40	4900	2 to 4	Aluminium - double "J" mill finish	28
Multi-Sliding	50kg	Up to 900	19 (timber) 4-6 (mirror)	5000	2 to 4	Aluminium - white	31
Sliding	20kg	Up to 650	16	4900	1+	Aluminium - enclosed mill finish	33
Sliding	25kg	Up to 800	12	4500	1+	Aluminium - anodised/mill finish	34
Sliding	60kg	Up to 1500	22	6000	1+	Brass/bronze - mill finish	35
Sliding	120kg	Up to 2500	25 - 45	6000	1+	Aluminium/brass/bronze	36
Sliding	100kg	Up to 2500	30-50	6000	1+	Brass/bronze - mill finish	37
Sliding	200kg	Up to 2500	30-50	6000	1+	Brass/bronze - mill finish	38
Sliding	200kg	Up to 3000	35-50	6000	1+	Brass/bronze - mill finish	39
Sliding	227kg	Up to 3000	30-50	6000	1+	Brass/bronze - mill finish	40
Multi-Sliding	22kg	Up to 1000	6-6.38	4500	2	Aluminium - anodised/mill finish	91
Multi-Sliding	60kg	Up to 2000	6-6.38	4500	2	Aluminium - anodised/mill finish	92
Multi-Sliding	200kg	Up to 2000	10-10.38	4500	2	Aluminium - anodised/mill finish	93
Multi-Sliding	52kg	Up to 2000	6-6.38	4500	2	Aluminium - anodised/mill finish	94

35kg
PER DOOR

ARROW

SLIDING DOOR TRACK SYSTEM
FOR SINGLE INTERNAL DOORS

ARROW

cowdroy

An entry level top-hung track system designed for single internal doors. The open “J” track design allows for quick and easy installation in a wall mount application.

FEATURES

Track: Rust resistant galvanised steel “J” track
Wheel assembly: Nylon tyred wheel assembly with sealed ZZ ball bearings

Key features: Anti-lift bracket and height adjustment slot
Door Guide: Nylon door guide - slimline & unobtrusive
Door Stop: Anti-bounce door stop
Optional: Optional aluminium pelmet with ribbed face (1830mm & 3660mm white)



TRACK VIEW



GUIDE VIEW



TECH SPECS

- Included Feature
- Optional Extra

System Type	Sliding	External door	
Max. Weight Door/Panel	35kg	Internal door	○
Door/Panel width (mm)	Up to 915	Wardrobe doors	
Door Thickness (mm) min.	25	Cupboard doors	
Track Length (mm)	1700	Glass Cabinet doors	
Suits No. of doors	1	Wall mounted track	○
Track Type	Galvanised steel open “J”	Top mounted track	
		Floor fixed track	
		Top hung wheel	○
		Bottom rolling wheel	
		Door side fix	
		End pivoting	
		Centre pivoting	
		Bottom guide	○
		Top guide	
		End stop	○
		Soft-close	
		Pelmet	●

ARROW
PACK / SET

UP TO
915MM
WIDE

P68000:
Packaged Set for Single Door up to 915mm wide

TRADE
BOX

TR68010:
Trade box of 15 Sets for Single Door Trade up to 915mm wide

COMPONENTS & REPLACEMENT PARTS



S68100:
Wheel with Axle & Nut Pk 2



TT68200:
Wheel Assembly



S20800:
Door Guide



S64900:
Door Stop

OPTIONAL EXTRAS



P67710:
Aluminium Pelmet Set
1830mm




P67720:
Aluminium Pelmet Set
3660mm




TT34600:
Adjustment Spanner
8 & 10mm

ARCHITECTURAL DRAWINGS



FRONT VIEW



END VIEW

An entry level top-hung system designed for single internal doors in a wall mount application. The open “J” track design and ratchet adjustment mechanism allows for easy installation.

FEATURES

- Track:

Wheel assembly:

Key features:

Door Guide:

Door Stop:

Optional:
- Rust resistant galvanised steel “J” track

Nylon tyred wheel assembly with sealed ZZ ball bearings

Anti-lift bracket and ratchet height adjustment mechanism

Nylon door guide - slimline & unobtrusive

Anti-bounce door stop

Optional aluminium pelmet with ribbed face (1830mm & 3660mm white)



TRACK VIEW



GUIDE VIEW



TECH SPECS

<div><div></div>Included Feature</div> <div><div></div>Optional Extra</div>		External door	
		Internal door	<div></div>
		Wardrobe doors	
		Cupboard doors	
		Glass Cabinet doors	
		Wall mounted track	<div></div>
		Top mounted track	
		Floor fixed track	
		Top hung wheel	<div></div>
		Bottom rolling wheel	
		Door side fix	
		End pivoting	
		Centre pivoting	
		Bottom guide	<div></div>
		Top guide	
		End stop	<div></div>
		Soft-close	
		Pelmet	<div></div>
System Type	Sliding		
Max. Weight Door/Panel	60kg		
Door/Panel width (mm)	Up to 1220		
Door Thickness (mm) min.	30		
Track Length (mm)	1700-2310		
Suits No. of doors	1		
Track Type	Galvanised steel open “J”		

CENTURION
PACK / SET

- UP TO 915MM WIDE

P10010:
Packaged Set for Single Door up to 915mm wide
- UP TO 1220MM WIDE

P10020:
Packaged Set for Single Door up to 1220mm wide


COMPONENTS & REPLACEMENT PARTS

- S10400:
Wheel with Axle & Nut Pk 2
- TT10000:
Wheel Assembly
- S64900:
Door Stop
- S20800:
Door Guide

OPTIONAL EXTRAS

- P67710:
Aluminium Pelmet Set 1830mm
- P67720:
Aluminium Pelmet Set 3660mm

ARCHITECTURAL DRAWINGS



50kg
PER DOOR

QUAD-BALL

SLIDING TRACK SYSTEM
SINGLE INTERNAL DOORS

QUAD-BALL



A smooth and quiet top-hung system designed for single internal doors in wall-mount applications. Ideal for bedrooms and ensuites.


FEATURES

Track: Aluminium track and aluminium door carrier
Wheel assembly: Four balls clipped into two ball carriages


Key features: Thumb-nut height adjustment
Door Guide: Nylon door guide - slimline & unobtrusive
Door Stop: Anti-bounce door stop
Optional: Optional aluminium pelmet with ribbed face (1830mm & 3660mm white)



TRACK VIEW



GUIDE VIEW



TECH SPECS

<div><div></div>Included Feature</div> <div><div></div>Optional Extra</div>		External door	
		Internal door	<div></div>
		Wardrobe doors	
		Cupboard doors	
		Glass Cabinet doors	
		Wall mounted track	<div></div>
		Top mounted track	
		Floor fixed track	
		Top hung wheel	<div></div>
		Bottom rolling wheel	
		Door side fix	
		End pivoting	
		Centre pivoting	
		Bottom guide	<div></div>
		Top guide	
		End stop	<div></div>
		Soft-close	
		Pelmet	<div></div>
System Type	Sliding		
Max. Weight Door/Panel	50kg		
Door/Panel width (mm)	Up to 920		
Door Thickness (mm) min.	25		
Track Length (mm)	1750		
Suits No. of doors	1		
Track Type	Aluminium open "J" mill finish		

QUAD-BALL PACK / SET

UP TO 920MM WIDE

P75020: Packaged Set for Single door 760-920mm wide

COMPONENTS & REPLACEMENT PARTS



P75500: Carrier Assembly with Balls Pk 1



P75600: End Stop Pk 1



S20800: Door Guide

OPTIONAL EXTRAS





P67710: Aluminium Pelmet Set 1830mm




P67720: Aluminium Pelmet Set 3660mm


ARCHITECTURAL DRAWINGS



UNIVERSAL CLIP-ON PELMET



CLIP-STOP DOOR STOP



An internal sliding door system suitable for doors up to a maximum of 50kg. Available to suit doors up to 915mm and 1220mm, with options of mill finish and powdercoat white.

FEATURES

- Track:

Wheel assembly:

Key features:

Door Guide:

Door Stop:

Colour Options:
- Enclosed Aluminium wall mount track with integrated pelmet

Nylon tyred 4-wheel carriage with ZZ bearings

Height adjustment screw in wheel assemblies

Nylon door guide - slimline & unobtrusive

Easily adjustable clip-stop door stop

Choice of Mill finish or Powder Coated White track



TRACK VIEW



GUIDE VIEW



TECH SPECS

- Included Feature

○ Optional Extra

System Type	Sliding
Max. Weight Door/Panel	50kg
Door/Panel width (mm)	Up to 1220
Door Thickness (mm) min.	22-35
Track Length (mm)	1850-2450
Suits No. of doors	1
Track Type	Aluminium enclosed white/mill

External door	
Internal door	●
Wardrobe doors	
Cupboard doors	
Glass Cabinet doors	
Wall mounted track	●
Top mounted track	
Floor fixed track	
Top hung wheel	●
Bottom rolling wheel	
Door side fix	●
End pivoting	
Centre pivoting	
Bottom guide	●
Top guide	
End stop	●
Soft-close	
Pelmet	●

FORERUNNER PELMET
PACK / SET

MILL 915MM WIDE	P16110: Packaged Set for Single Door up to 915mm wide - Mill Finish track	WHITE 915MM WIDE	P16116: Packaged Set for Single Door up to 915mm wide - White track
MILL 1220MM WIDE	P16120: Packaged Set for Single Door up to 1220mm wide - Mill Finish track	WHITE 1220MM WIDE	P16126: Packaged Set for Single Door up to 1220mm wide - White track


COMPONENTS & REPLACEMENT PARTS

	S331CS: Wheel Assembly Pk 2		TT32700: Clip Stop Assembly		S20800: Door Guide
--	--------------------------------	--	--------------------------------	--	-----------------------

OPTIONAL EXTRAS

	TT32500: Door Side Fix Bracket		TT34600: Adjustment Spanner 8 & 10mm
--	-----------------------------------	--	---

ARCHITECTURAL DRAWINGS



A slimline sliding door track system with an 80kg rating, making it an ideal, all-round product. Available in both top mount and wall mount options.

FEATURES

- Track:

Wheel assembly:

Key features:

Door Guide:

Door Stop:

Optional:

Optional:
- Enclosed Aluminium track in clear anodised - wall mount or top mount

Nylon tyred 4-wheel carriage with ZZ bearings

Quick release mechanism on wheel assemblies

Nylon door guide - slimline & unobtrusive


Clip stop door stop

Optional clip-on pelmet - 5660mm Clear Anodised and White

Optional Soft-Close adapter - top mounted applications only



TRACK VIEW



GUIDE VIEW



TECH SPECS

<div><div></div>Included Feature</div> <div><div></div>Optional Extra</div>		External door	<div></div>
System Type	Sliding	Internal door	<div></div>
Max. Weight Door/Panel	80kg	Wardrobe doors	<div></div>
Door/Panel width (mm)	Up to 1500	Cupboard doors	<div></div>
Door Thickness (mm) min.	18	Glass Cabinet doors	<div></div>
Track Length (mm)	Up to 5560mm	Wall mounted track	<div></div>
Suits No. of doors	1	Top mounted track	<div></div>
Track Type	Aluminium enclosed anodised	Floor fixed track	<div></div>
		Top hung wheel	<div></div>
		Bottom rolling wheel	<div></div>
		Door side fix	<div></div>
		End pivoting	<div></div>
		Centre pivoting	<div></div>
		Bottom guide	<div></div>
		Top guide	<div></div>
		End stop	<div></div>
		Soft-close	<div></div>
		Pelmet	<div></div>

TRIUMPH SLIDING
PACK / SET

<div>WALL MOUNTED SYSTEM</div>	<p>P30110:</p> <p>Set for Single Door up to 915mm wide - Wall mounted Clear Anod. Track</p>	<div>TOP MOUNTED SYSTEM</div>	<p>P30610:</p> <p>Set for Single Door up to 915mm wide - Top mounted Clear Anod. Track</p>	<div>THE COMPONENTS PACK</div>	<p>P315CS:</p> <p>Components Set for Single Door - excludes track</p>
--------------------------------	--	-------------------------------	---	--------------------------------	---

COMPONENTS & REPLACEMENT PARTS


Other track sizes may be available to order

	<p>S337CS:</p> <p>Quick Release Wheel Assembly Pk 2</p>		<p>TT32700:</p> <p>Clip Stop Assembly</p>		<p>TT35604:</p> <p>Track End Cap</p>
	<p>S20800:</p> <p>Door Guide</p>		<p>TT31021:</p> <p>Top Mount Track 2500mm Mill</p>		<p>TT31321:</p> <p>Wall Mount Track 2500mm Mill</p>
			<p>TT31041:</p> <p>Top Mount Track 4500mm Mill</p>		<p>TT31341:</p> <p>Wall Mount Track 4500mm Mill</p>
			<p>TT31072:</p> <p>Top Mount Track 5560mm Clear Anod.</p>		<p>TT31372:</p> <p>Wall Mount Track 5560mm Clear Anod.</p>

OPTIONAL EXTRAS

	<p>TT33800:</p> <p>Door Side Fix Bracket</p>		<p>TT33600:</p> <p>Rubber Bumper 26mm</p>		<p>TT35700:</p> <p>Soft-Close Actuator for Triumph</p>
	<p>TT59800:</p> <p>Soft-Close kit</p>		<p>TT31472:</p> <p>Universal Pelmet 5560mm Clear Anod.</p>		<p>TT31502:</p> <p>Universal Pelmet Cap Grey</p>
			<p>TT31476:</p> <p>Universal Pelmet 5560mm White</p>		<p>TT31506:</p> <p>Universal Pelmet Cap White</p>

ARCHITECTURAL DRAWINGS



90kg
PER DOOR

BARN DOOR

SLIDING TRACK SYSTEM
SINGLE INTERNAL DOORS

BARN DOOR

cowdroy

Featuring a steel, two-piece track, large rollers and quiet performance, this system boasts an industrial look and will make a great feature door for pantries, bedrooms and hallways. With an optional jigsaw-fitting extension track, this system will cater for doors up to 1500mm wide.

FEATURES

- Track:

Wheel assembly:

Key features:

Door Guide:

Door Stop:

Optional:

Optional:
- Powder Coat Black pre-drilled steel track with wall mount fittings

Robust hangers with large ergonomic wheels

Fixing hardware and easy-to-follow instructions

Floor-mounted door guide - slimline & unobtrusive

Adjustable track-mounted door guides with rubber bumpers

Optional 1200mm Track Extension kit with fittings

Optional Soft-Close kit - Black



TRACK VIEW



GUIDE VIEW



TECH SPECS

- Included Feature
- Optional Extra

System Type	Sliding
Max. Weight Door/Panel	90kg
Door/Panel width (mm)	Up to 1500
Door Thickness (mm) min.	34-44
Track Length (mm)	2000-3200
Suits No. of doors	1
Track Type	Steel P/C Black

External door	
Internal door	○
Wardrobe doors	○
Cupboard doors	
Glass Cabinet doors	
Wall mounted track	○
Top mounted track	
Floor fixed track	
Top hung wheel	○
Bottom rolling wheel	
Door side fix	○
End pivoting	
Centre pivoting	
Bottom guide	○
Top guide	
End stop	○
Soft-close	●
Pelmet	

BARN DOOR PACK / SET

UP TO
1000MM
WIDE

TT25028:
Packaged Set for Single Door up to 1000mm wide - Black

COMPONENTS & REPLACEMENT PARTS

AVAILABLE
TO
ORDER

Components may be available to order

OPTIONAL EXTRAS




TT25008:
Extension Kit with fixing
hardware 1200mm - Black




TT25210:
Barn Door Soft-Close kit - Black


ARCHITECTURAL DRAWINGS



TRACK EXTENSION



HOLE CUT OUT DETAILS



A close-up photograph of a sliding door system. It shows a light-colored wooden door panel with a vertical grain. The door is mounted on a silver-colored metal track. Two black rollers are visible, one at the top and one at the bottom, which allow the door to slide smoothly along the track. The track is secured with screws.

A close-up photograph of a light-colored wooden surface, possibly a door or cabinet, showing a vertical grain. A small metal fastener or hinge is visible at the bottom left corner.

External door	<input type="radio"/>
Internal door	<input type="radio"/>
Wardrobe doors	<input type="radio"/>
Cupboard doors	
Glass Cabinet doors	
Wall mounted track	<input type="radio"/>
Top mounted track	
Floor fixed track	
Top hung wheel	<input type="radio"/>
Bottom rolling wheel	
Door side fix	<input type="radio"/>
End pivoting	
Centre pivoting	
Bottom guide	<input type="radio"/>
Top guide	
End stop	<input type="radio"/>
Soft-close	<input checked="" type="radio"/>
Pelmet	

TT26038:
Packaged Set for Single Door up to 1500mm wide -
Black

Components may be available to order

TT268SS:
Track Joining Kit - **Stainless steel**

Technical Drawing of a Timber Door Assembly

Labels:

- Wheel Assembly
- Track (6.3mm x 40mm)
- Wall Spacer
- 40mm
- $\phi 5.5$ HOLE x 50 DEEP TO SUIT FIXED SCREWS
- 34
- 16 MAX
- 7 MIN
- APPROXIMATE WALL CLEARANCE
- 35 MIN WOOD DOOR THICKNESS
- 44 MAX WOOD DOOR THICKNESS
- DOOR HEIGHT
- 90
- 40
- 33
- 98
- 60
- 20
- 7
- $\phi 13$
- 10
- 20.5
- 20
- Wood Door Guide
- $\phi 4.5$ x 30 DEEP
- TRACK FIXING HEIGHT = DOOR HEIGHT + 43
- TIMBER DOORS

Dimensions:

- 60
- 98
- 33
- 40
- 90
- 20
- 7
- 10
- 20.5
- 20

Notes:

- 40mm
- $\phi 5.5$ HOLE x 50 DEEP TO SUIT FIXED SCREWS
- 16 MAX
- 7 MIN
- APPROXIMATE WALL CLEARANCE
- 35 MIN WOOD DOOR THICKNESS
- 44 MAX WOOD DOOR THICKNESS
- DOOR HEIGHT
- 90
- 40
- 33
- 98
- 60
- 20
- 7
- $\phi 13$
- 10
- 20.5
- 20
- Wood Door Guide
- $\phi 4.5$ x 30 DEEP
- TRACK FIXING HEIGHT = DOOR HEIGHT + 43
- TIMBER DOORS

A heavy, top-hung system with smooth and quiet performance, designed for single internal doors in top mount and wall mount applications. The enclosed slim line aluminium track design allows for a more secure system since the wheels can't jump off the track.

FEATURES

- Track:** Enclosed aluminium track Mill finish - top mount
- Wheel assembly:** Nylon tyred 4-wheel carriage with ZZ bearings
- Key features:** Quick release mechanism on wheel assemblies
- Door Guide:** Floor mounted aluminium guide - slimline & robust
- Door Stop:** Concealed end stop with door retention clip
- Optional:** Optional wall mount bracket available
- Optional:** Optional Glass Clamps pack available (80kg per door)



TRACK VIEW



GUIDE VIEW



TECH SPECS

<div><div></div>Included Feature</div> <div><div></div>Optional Extra</div>		External door	
		Internal door	<div></div>
		Wardrobe doors	<div></div>
		Cupboard doors	
		Glass Cabinet doors	
		Wall mounted track	<div></div>
		Top mounted track	<div></div>
		Floor fixed track	
		Top hung wheel	<div></div>
		Bottom rolling wheel	
		Door side fix	<div></div>
		End pivoting	
		Centre pivoting	
		Bottom guide	<div></div>
		Top guide	
		End stop	<div></div>
		Soft-close	
		Pelmet	
System Type	Sliding		
Max. Weight Door/Panel	120kg (timber) 80kg (glass)		
Door/Panel width (mm)	Up to 1500		
Door Thickness (mm) min.	28 (timber) 8-12 (glass)		
Track Length (mm)	Up to 6000mm		
Suits No. of doors	1		
Track Type	Aluminium enclosed mill finish		

TROJAN PACK / SET

UP TO
1500MM
WIDE

P53030:
Packaged Set for Single Door up to 1500mm Wide

THE
COMPONENTS
PACK

P53100:
Component Set for Single Door - excludes track

COMPONENTS & REPLACEMENT PARTS



TT21600:
Aluminium Door Guide - 150mm



TT53011:
Top Mount Track 4500mm -
Mill finish



TT53061:
Top Mount Track 6000mm -
Mill finish

OPTIONAL EXTRAS



P54000:
Component Set for Single
Glass Door - excludes track




TT52500:
Door Side Fix Bracket




AW82200:
Track Wall Mount bracket
w/nut & screw

ARCHITECTURAL DRAWINGS



FRONT VIEW



END VIEW

This system keeps the clearance between the door and the top track to just 3.5mm, concealing the hardware and creating a seamless look from door to header. The two-piece, low clearance bracket set allows for easy installation and a simple slide-in end fitting makes mounting your doors easy. The 175kg door capacity will easily cater for large, heavy doors while the enclosed track provides security for the wheel assembly.

Ideal for heavy domestic and commercial applications, including room dividers, movable walls, cavity doors and internal shop fronts.

FEATURES

- Track:

Wheel assembly:

Key features:

Door Guide:

Door Stop:

Optional:

Optional:
- Enclosed aluminium track Mill finish - top mount

Nylon tyred 4-wheel carriage with ZZ bearings

Low Clearance mounting brackets with easy door installation

Door mounted roller guide with aluminium & PVC guide channel


Concealed rubber end stop with bracket

Optional wall mount brackets available


Optional Clip-on rest for false ceilings



TRACK VIEW



GUIDE VIEW



TECH SPECS

<div><div></div>Included Feature</div> <div><div></div>Optional Extra</div>		Internal door	<div></div>	
		Wardrobe doors		
		Cupboard doors		
		Glass Cabinet doors		
System Type	Sliding	Wall mounted track	<div></div>	
Max. Weight Door/Panel	175kg	Top mounted track	<div></div>	
Door/Panel width (mm)	Up to 2500	Floor fixed track		
Door Thickness (mm) min.	32	Top hung wheel	<div></div>	
Track Length (mm)	Up to 6000mm	Bottom rolling wheel		
Suits No. of doors	1	Door side fix		
Track Type	Aluminium enclosed mill finish	End pivoting		
		Centre pivoting		
		Bottom guide	<div></div>	
		Top guide		
		End stop	<div></div>	
		Soft-close		
		Pelmet		

LOW CLEARANCE 175
COMPONENTS & REPLACEMENT PARTS

TT83100:
Wheel Assembly

TT32100:
Door Stop bracket

TT84762:
Aluminium Guide Channel 6.5m
Clear Anod.

TT82500:
Door Mount Bracket set of 2

AW21600:
Roller Guide - Stainless steel

TT84618:
PVC Guide Channel Insert
6.5m Black

S81760:
Metal Bracket Door Stop

TT82021:
Top Mount Track 6000mm Mill


OPTIONAL EXTRAS

TT21600:
Aluminium Door Guide -
150mm

AW82200:
Track Wall Mount bracket
w/nut & screw

TT81922:
Clip-On Rest 6000mm
Clear Anod.

ARCHITECTURAL DRAWINGS



With Stainless steel components and a 240kg door capacity, the Allweather Sliding can be used for large, heavy doors internally and externally. The robust, enclosed track provides added wheel assembly security and longevity. Ideal for heavy domestic, commercial and architectural applications including room dividers, moveable walls, patio doors, shutter screens and shopfronts.

FEATURES

- Track:

Wheel assembly:

Key features:

Door Guide:

Door Stop:

Optional:

Optional:
- Enclosed aluminium track Clear Anodised - top mount

Nylon tyred 4-wheel carriage with ZZ bearings

Stainless steel components

Door mounted roller guide with aluminium & PVC guide channel


Concealed end stop

Optional wall mount brackets available

Optional track end caps



TRACK VIEW



GUIDE VIEW



TECH SPECS

<div><div></div>Included Feature</div> <div><div></div>Optional Extra</div>		Internal door	<div></div>	
		Wardrobe doors		
		Cupboard doors		
		Glass Cabinet doors		
System Type	Sliding	Wall mounted track	<div></div>	
Max. Weight Door/Panel	240kg	Top mounted track	<div></div>	
Door/Panel width (mm)	Up to 3000	Floor fixed track		
Door Thickness (mm) min.	30	Top hung wheel	<div></div>	
Track Length (mm)	Up to 6000mm	Bottom rolling wheel		
Suits No. of doors	1	Door side fix	<div></div>	
Track Type	Aluminium enclosed mill finish	End pivoting		
		Centre pivoting		
		Bottom guide	<div></div>	
		Top guide		
		End stop	<div></div>	
		Soft-close		
		Pelmet		


ALLWEATHER SLIDING
COMPONENTS & REPLACEMENT PARTS

- AW83100:
Wheel Assembly Stainless steel
- AW21600:
Roller Guide - Stainless steel
- AW82600:
Door Stop Black
- TT84762:
Aluminium Guide Channel
6.5m **Clear Anod.**
- AW82062:
Top Mount Track 6000mm
Clear Anod.
- TT84618:
PVC Guide Channel Insert
6.5m **Black**


OPTIONAL EXTRAS

- AW85000:
Door Side Fix bracket
- AW81200:
Brush Seal 3000mm Black
- AW82200:
Track Wall Mount bracket
w/nut & screw
- AW80600:
Perimeter Seal Q48
2-3mm gaps White/Black
- AW83600:
Track End Cap
- AW80800:
Perimeter Seal Q21
5-7.5mm gaps Black

ARCHITECTURAL DRAWINGS



FRONT VIEW



END VIEW

A sliding door track system capable of supporting up to 272kg per door. With an aluminium single track, large high quality roller and adjustable anti-lift roller, the system is suitable for exposed conditions, with temperatures ranging from -30 degrees to 120 degrees. Ideal for large barn doors and coolroom doors.

FEATURES

- Track:

Wheel assembly:

Key features:

Door Guide:

Door Stop:

Optional:
- Robust aluminium "J" track Clear Anodised

High quality tyre on a heavy duty aluminium hanger

Rack and pinion height adjustment

Floor mounted aluminium "T" guide

Track mounted end stop


Optional bottom rolling guide and guide channel



TRACK VIEW



GUIDE VIEW



TECH SPECS

<div><div></div>Included Feature</div> <div><div></div>Optional Extra</div>		External door	
		Internal door	<div></div>
		Wardrobe doors	
		Cupboard doors	
		Glass Cabinet doors	
		Wall mounted track	<div></div>
		Top mounted track	
		Floor fixed track	
		Top hung wheel	<div></div>
		Bottom rolling wheel	
		Door side fix	<div></div>
		End pivoting	
		Centre pivoting	
		Bottom guide	<div></div>
		Top guide	
		End stop	<div></div>
		Soft-close	
		Pelmet	
System Type	Sliding		
Max. Weight Door/Panel	272kg		
Door/Panel width (mm)	Up to 2500		
Door Thickness (mm) min.	38		
Track Length (mm)	5000mm		
Suits No. of doors	1		
Track Type	Aluminium open "J" mill finish		

GLIDEMASTER
COMPONENTS & REPLACEMENT PARTS

TT22510:
Wheel Assembly

TT22610:
Door Stop with Rubber Bumper

TT21551:
Wall Mount Track 5000mm Mill

TT21600:
Aluminium Door Guide - 150mm


OPTIONAL EXTRAS

AW21600:
Roller Guide - Stainless steel

TT84762:
Aluminium Guide Channel
6.5m Clear Anod.

TT84618:
PVC Guide Channel Insert
6.5m Black

ARCHITECTURAL DRAWINGS



450kg
PER DOOR

INDUSTRO

SLIDING DOOR TRACK SYSTEM
FOR INTERNAL & EXTERNAL DOORS

INDUSTRO

cowdroy

Constructed using robust steel components, the Industro can be used both internally and externally for doors up to 450kg. The robust enclosed track also provides added wheel assembly security and longevity.

Ideal for rural, commercial and industrial applications, as well as fire door use (when constructed and installed in accordance with regulations).

FEATURES

- Track:

Wheel assembly:

Key features:

Door Guide:

Door Stop:

Optional:

Optional:
- Enclosed Galvanised Steel track - top mount

Full steel construction in 2-wheel and 4-wheel carriage options

Caters for a variety of installation options

Door mounted roller guide with galvanised guide channel


Track mounted end stop

Optional track mounting brackets for top and wall-mount applications

Optional track joiner for bi-parting door applications



TRACK VIEW



GUIDE VIEW



TECH SPECS

<div><div></div>Included Feature</div> <div><div></div>Optional Extra</div>		Internal door	<div></div>	
		Wardrobe doors		
		Cupboard doors		
		Glass Cabinet doors		
System Type	Sliding	Wall mounted track	<div></div>	
Max. Weight Door/Panel	450kg	Top mounted track	<div></div>	
Door/Panel width (mm)	Up to 2900	Floor fixed track		
Door Thickness (mm) min.	32	Top hung wheel	<div></div>	
Track Length (mm)	5800mm	Bottom rolling wheel		
Suits No. of doors	1 to 2	Door side fix		
Track Type	Galvanised steel - enclosed	End pivoting		
		Centre pivoting		
		Bottom guide	<div></div>	
		Top guide		
		End stop	<div></div>	
		Soft-close		
		Pelmet		

INDUSTRO
COMPONENTS & REPLACEMENT PARTS

OM51100:
2-Wheel Carriage with M12 x 60mm stem

OM51200:
4-Wheel Carriage with M12 x 110mm stem

OM51300:
4-Wheel Carriage with M12 x 60mm stem

OM51400:
2-Wheel Carriage with bracket & M16 bolt

OM51500:
4-Wheel Carriage with bracket & M16 bolt

OM54100:
Door Stop with Rubber Bumper

OM56111:
Top Mount Track 5800mm Galvanised

OM55100:
Roller Guide with Brass roller

OM57111:
Guide Channel 5800mm Galvanised

OPTIONAL EXTRAS

OM52200:
Suspension Bracket with M12 thread

OM52100:
Suspension Bracket with M16 thread


OM53100:
Single Wall Mount Bracket w/screws

OM53200:
Single Top Mount Bracket w/screws


OM53300:
Dual Wall Mount Bracket w/screws

OM53400:
Single Track Joiner w/screws

ARCHITECTURAL DRAWINGS



WALL MOUNT



TOP MOUNT

13kg
PER PANEL

BARRACUDA

BI-FOLDING TRACK SYSTEM
FOR INTERIOR DOORS

BARRACUDA

cowdroy

The Barracuda is a simple bi-fold door tracking system suitable for two-panel internal door arrangements, either as a single door folding in one direction or as bi-parting doors folding in the opposite directions.

The simple design caters for light-weight doors and easy installation.

FEATURES

Track:	Aluminium Guide track - top mount
Pivot Set:	End fixed, Top & Bottom pivot
Key features:	Simple lateral adjustment to top & bottom pivots
Hinges:	75mm Fast-fix hinges - chrome plated
Door Guide:	Door mounted guide block - spring loaded



TRACK VIEW



GUIDE VIEW



TECH SPECS

●	Included Feature
○	Optional Extra

System Type	Bi-Folding	External door	
Max. Weight Door/Panel	13kg	Internal door	○
Door/Panel width (mm)	Up to 450	Wardrobe doors	○
Door Thickness (mm) min.	19-35	Cupboard doors	
Track Length (mm)	915	Glass Cabinet doors	
Suits No. of doors	2/4 Panels	Wall mounted track	
Track Type	Aluminium enclosed mill finish	Top mounted track	○
		Floor fixed track	
		Top hung wheel	
		Bottom rolling wheel	
		Door side fix	
		End pivoting	○
		Centre pivoting	
		Bottom guide	○
		Top guide	○
		End stop	
		Soft-close	
		Pelmet	

BARRACUDA PACK / SET

UP TO
915MM
WIDE

P42210:
2-Leaf Packaged Set 915mm Mill

COMPONENTS & REPLACEMENT PARTS



S31100:
Top Pivot Pack



S31200:
Bottom Pivot Pack



S31500:
Top Guide



D003CH:
Fast-Fix Hinge 75mm w/
screws Chrome

OPTIONAL EXTRAS



S31000:
Spring Loaded guide pack




D32141:
Top Guide Channel 4500mm
Mill




TT34600:
Adjustment Spanner
8 & 10mm

ARCHITECTURAL DRAWINGS



FRONT VIEW



END VIEW

22kg
PER PANEL

TRIUMPH STEALTH

BI-FOLDING
CUPBOARD DOORS

TRIUMPH STEALTH



The Triumph Stealth is a concealed bi-folding cabinet door track system for doors up to 1000mm high. The door track system features an enclosed aluminium track and specially designed centre hinges for accurate door alignment.

The Triumph Stealth is ideal for use on cabinets for kitchens, laundries and bathrooms.

FEATURES

- Track:

Pivot Set:

Key features:

Hinges:

Door Guide:
- Enclosed Aluminium Guide track - top mount

Jamb fixed concealed hinges

Suits industry-standard hinge cutouts

Adjustable cabinet hinges - chrome plated

Door mounted wheel assembly with clip-on hinge



TRACK VIEW



GUIDE VIEW



TECH SPECS

<div><div></div>Included Feature</div> <div><div></div>Optional Extra</div>		External door	
		Internal door	
		Wardrobe doors	<div></div>
		Cupboard doors	<div></div>
		Glass Cabinet doors	
		Wall mounted track	
		Top mounted track	<div></div>
		Floor fixed track	
		Top hung wheel	
		Bottom rolling wheel	
		Door side fix	<div></div>
		End pivoting	<div></div>
		Centre pivoting	
		Bottom guide	
		Top guide	
		End stop	
		Soft-close	
		Pelmet	
System Type	Bi-Folding		
Max. Weight Door/Panel	22kg		
Door/Panel width (mm)	Up to 600		
Door Thickness (mm) min.	16-25		
Track Length (mm)	5560mm		
Suits No. of doors	2 Panels		
Track Type	Aluminium enclosed mill /anodised		

TRIUMPH STEALTH PACK / SET

- THE COMPONENTS PACK

P38500:
Component Set for Single 2-leaf Door

COMPONENTS & REPLACEMENT PARTS


Other track sizes may be available to order

- TT38200:
Adjustable Intermediate Hinge
- TT38500:
Wheel Assembly
- TT38700:
Concealed Hinge with backplate
- TT31021:
Top Mount Track 2500mm Mill
- TT31041:
Top Mount Track 4500mm Mill
- TT31072:
Top Mount Track 5560mm Clear Anod.



OPTIONAL EXTRAS

- TT34600:
Adjustment Spanner 8 & 10mm

ARCHITECTURAL DRAWINGS



END VIEW



BACK VIEW

The Overlay Bi-Fold is a bi-folding door track system designed for wardrobe doors, large cupboard doors, pantries, closets and concealed rooms in confined areas such as laundries.

A built-in quick-release mechanism assists with trouble-free fitting aswell as allowing the doors to easily be opened out for access to internal adjustable shelves.

FEATURES

- Track:

Pivot Set:

Key features:

Hinges:

Door Guide:

Optional:
- Aluminium "J" track with built-in Guide channel - top mount

Jamb fixed concealed hinges
Components suit both LH and RH openings

Adjustable cabinet hinges - chrome plated

Door mounted wheel assembly with quick-release guide roller

Optional bottom rolling guide and aluminium guide angle



TRACK VIEW



GUIDE VIEW



TECH SPECS

<div><div></div>Included Feature</div> <div><div></div>Optional Extra</div>		External door	
		Internal door	
		Wardrobe doors	<div></div>
		Cupboard doors	<div></div>
		Glass Cabinet doors	
		Wall mounted track	
		Top mounted track	<div></div>
		Floor fixed track	
		Top hung wheel	<div></div>
		Bottom rolling wheel	
		Door side fix	<div></div>
		End pivoting	<div></div>
		Centre pivoting	
		Bottom guide	<div></div>
		Top guide	
		End stop	
		Soft-close	
		Pelmet	
System Type	Bi-Folding		
Max. Weight Door/Panel	25kg		
Door/Panel width (mm)	Up to 500		
Door Thickness (mm) min.	16-25		
Track Length (mm)	3000mm		
Suits No. of doors	2 Panels		
Track Type	Aluminium open "J" white/mill		

OVERLAY BIFOLD
COMPONENTS & REPLACEMENT PARTS

TT39600:
Double Wheel Assembly with hinges

TT38200:
Adjustable Intermediate Hinge

TT39032:
Top Track 3000mm Clear Anod.

TT39036:
Top Track 3000mm White


TT38700:
Concealed Hinge with backplate

OPTIONAL EXTRAS

TT39800:
Double Roller Guide with hinge

TT41332:
Bottom Guide Angle 3000mm Clear Anod.

ARCHITECTURAL DRAWINGS



The Triumph Folding Door Track System combines an enclosed track with a 4-wheel carriage and sturdy steel pivot sets for a reliable folding door system. The fully sealed ZZ ball bearing wheels make for a quiet and smooth operation whilst the steel and brass pivots account for durability and reliability.


The Triumph system is ideal for 2-4 doors in one direction but may also be used for up to 8 doors with the use of a bottom guide system.

FEATURES


Track:	Enclosed Aluminium track in clear anodised - top mount
Pivot Set:	Top and Bottom mounted pivots
Key features:	End pivoting - up to 18kg per panel
Key features:	Centre pivoting - up to 25kg per panel
Hinges:	75mm Fast-fix hinges - chrome plated
Door Guide:	Door mounted wheel assembly with quick-release mechanism
Optional:	Optional bottom guide and aluminium guide channel



TRACK VIEW



GUIDE VIEW



TECH SPECS

- Included Feature
- Optional Extra

System Type	Multi-Fold
Max. Weight Door/Panel	25kg
Door/Panel width (mm)	Up to 8200
Door Thickness (mm) min.	25
Track Length (mm)	Up to 5560mm
Suits No. of doors	Up to 8 Panels
Track Type	Aluminium enclosed anodised







External door	
Internal door	○
Wardrobe doors	○
Cupboard doors	
Glass Cabinet doors	
Wall mounted track	
Top mounted track	○
Floor fixed track	
Top hung wheel	○
Bottom rolling wheel	
Door side fix	●
End pivoting	○
Centre pivoting	●
Bottom guide	●
Top guide	
End stop	
Soft-close	
Pelmet	

TRIUMPH FOLDING PACK / SET

2 PANELS 1220MM WIDE	P36020: Packaged Set for 2 panels - 1220mm track - Clear Anod.	4 PANELS 1830MM WIDE	P36030: Packaged Set for 4 panels - 1830mm track - Clear Anod.
STARTER PACK	P370CH: Starter Pack - Set for first 2 panels - no track	ADD-ON PACK	P372CH: Add-on Pack - Set for additional 2 panels - no track

COMPONENTS & REPLACEMENT PARTS


Other track sizes may be available to order

	<p>S33700: Quick Release Wheel Assembly Pk 2</p>		<p>D003CH: 75 x 47mm Fast-fix hinge w/ screws - Chrome</p>		<p>TT31021: Top Mount Track 2500mm Mill</p>
	<p>TT37000: Top Pivot Set</p>		<p>TT37100: Bottom Pivot Set</p>		<p>TT31041: Top Mount Track 4500mm Mill</p>
			<p>TT31072: Top Mount Track 5560mm Clear Anod.</p>		

OPTIONAL EXTRAS

	TT34600: Adjustment Spanner 8 & 10mm		TT33800: Door Side Fix bracket		S31000: Spring Loaded guide pack
	D32141: Aluminium Guide Channel		TT337SS: Quick Release Wheel Assembly Stainless steel		

ARCHITECTURAL DRAWINGS



The Allweather internal folding system is a robust multifolding system designed for heavy doors, up to 90 kgs, in a folding application. Constructed using Stainless steel components, this system can be used both internally and externally where non-sealed doors are suitable. Ideal for heavy domestic, commercial and architectural applications including room dividers, moveable walls, patio doors, shutter screens and shop fronts.

FEATURES

- Track:

Pivot Set:

Key features:

Hinges:

Door Guide:

Optional:

Optional:
- Enclosed aluminium track Clear Anodised - top mount

Top track and bottom sill mounted, non-handed pivot sets

Stainless steel components

100mm Stainless steel butt hinges with D-handle option

Door mounted wheel assembly and floor fixed guide channel set

Optional brush and perimeter seals available

Optional door side-fix brackets available



ALLWEATHER INTERNAL
PACK / SET

2 DOORS
3000MM
WIDE

MAWI220:
Easy-order kit - 2 doors (one way) - 3000mm opening

6 DOORS
6000MM
WIDE

MAWI642:
Easy-order kit - 6 doors (4+2) - 6000mm opening
MAWI660:
Easy-order kit - 6 doors (one way) - 6000mm opening

4 DOORS
6000MM
WIDE

MAWI422:
Easy-order kit - 4 doors (2+2) - 6000mm opening
MAWI440:
Easy-order kit - 4 doors (one way) - 6000mm opening

COMPONENTS & REPLACEMENT PARTS



AW87000:
Top Pivot Set - S/Steel



AW87100:
Bottom Pivot Set - S/Steel



AW83500:
Wheel Assembly & hanger bracket
- S/Steel



AW482SS:
Hinge Set of 3 - S/Steel



TT84618:
PVC Guide Channel Insert
6.5m Black



AW82062:
Top Mount Track 6000mm
Clear Anod.



TT84762:
Aluminium Guide Channel
6.5m Clear Anod.

OPTIONAL EXTRAS



AW82200:
Track Wall Mount bracket w/nut
& screw



AW85000:
Door Side Fix bracket



AW83600:
Track End Cap

AW80800:
Perimeter Seal Q21
5-7.5mm gaps Black

AW81200:
Brush Seal 3000mm Black

AW80600:
Perimeter Seal Q48
2-3mm gaps White/Black

TRACK VIEW




GUIDE VIEW



TECH SPECS

<div><div></div>Included Feature</div> <div><div></div>Optional Extra</div>		Internal door	<div></div>	
		Wardrobe doors		
		Cupboard doors		
		Glass Cabinet doors		
System Type	Multi-Folding	Wall mounted track		
Max. Weight Door/Panel	90kg	Top mounted track	<div></div>	
Door/Panel width (mm)	Up to 900	Floor fixed track		
Door Thickness (mm) min.	32	Top hung wheel	<div></div>	
Track Length (mm)	6000mm	Bottom rolling wheel		
		Door side fix	<div></div>	
Suits No. of doors	Up to 8 Panels	End pivoting	<div></div>	
		Centre pivoting	<div></div>	
Track Type	Aluminium enclosed anodised	Bottom guide	<div></div>	
		Top guide		
		End stop		
		Soft-close		
		Pelmet		

ARCHITECTURAL DRAWINGS



The Allweather external folding system is a robust multifolding system designed for heavy doors in external folding applications. The system is packed with features such as complete adjustment capabilities at every hanger and pivot point, unique rack and pinion lateral adjustment, top pivot and Stainless steel components, suitable for both left and right hand openings.

The robust aluminium track allows for a 90kg weight capacity whilst the aluminium & polypropylene guide channel set makes operation smooth and quiet. With optional seals and locks, the AllWeather External folding system is suitable for external applications including patio doors and alfresco entertaining areas.

FEATURES

- Track:

Pivot Set:

Key features:

Hinges:

Top Hanger:

Door Guide:

Optional:

Optional:
- Enclosed aluminium track Clear Anodised - top mount

Top track and bottom sill mounted, reversible pivot sets

Complete adjustment capabilities at every hanger & pivot point

100mm Stainless steel butt hinges with D-handle & offset options

Door mounted wheel assembly with concave tyres

Bottom roller guide and floor fixed guide channel set

Optional brush and perimeter seals available


Optional door locks available




ALLWEATHER EXTERNAL
PACK / SET

3 DOORS 3000MM 2+1	MAWE321: Easy-order kit - 3 doors (2+1) - 3000mm opening	3 DOORS 300MM ONE WAY	MAWE330: Easy-order kit - 3 doors (one way) - 3000mm opening
4 DOORS 6000MM 2+2	MAWE422: Easy-order kit - 4 doors (2+2) - 6000mm opening	4 DOORS 6000MM 3+1	MAWE431: Easy-order kit - 4 doors (3+1) - 6000mm opening
4 DOORS 6000MM ONE WAY	MAWE440: Easy-order kit - 4 doors (one way) - 6000mm opening	5 DOORS 600MM 3+2	MAWE532: Easy-order kit - 5 doors (3+2) - 6000mm opening
5 DOORS 6000MM ONE WAY	MAWE550: Easy-order kit - 5 doors (one way) - 6000mm opening	6 DOORS 6000MM 3+3	MAWE633: Easy-order kit - 6 doors (3+3) - 6000mm opening
6 DOORS 6000MM ONE WAY	MAWE660: Easy-order kit - 6 doors (one way) - 6000mm opening	7 DOORS 6000MM 4+3	MAWE743: Easy-order kit - 7 doors (4+3) - 6000mm opening
7 DOORS 6000MM ONE WAY	MAWE770: Easy-order kit - 7 doors (one way) - 6000mm opening	8 DOORS 6000MM ONE WAY	MAWE880: Easy-order kit - 8 doors (one way) - 6000mm opening

TRACK VIEW



GUIDE VIEW



TECH SPECS

<div><div></div>Included Feature</div> <div><div></div>Optional Extra</div>		Internal door	<div></div>	
		Wardrobe doors		
		Cupboard doors		
		Glass Cabinet doors		
System Type	Multi-Folding	Wall mounted track		
Max. Weight Door/Panel	90kg	Top mounted track	<div></div>	
Door/Panel width (mm)	Up to 900	Floor fixed track		
Door Thickness (mm) min.	35	Top hung wheel	<div></div>	
Door Length (mm)	6000mm	Bottom rolling wheel		
Suits No. of doors	Up to 8 Panels	Door side fix		
Track Type	Aluminium enclosed anodised	End pivoting	<div></div>	
		Centre pivoting		
		Bottom guide	<div></div>	
		Top guide		
		End stop		
		Soft-close		
		Pelmet		

COMPONENTS & REPLACEMENT PARTS



	AW883SS: Top & Bottom Pivot Set - S/Steel		AW885SS: End Hanger & Guide Set - S/Steel		AW886SS: Intermediate Hanger & Guide Set - S/Steel
	AW888SS: Meeting Door Hanger & Guide Set - S/Steel		AW482SS: Intermediate Hinge Set (3) - S/Steel		AW483SS: Int. D Handle Hinge Set (3) - S/Steel
	AW487SS: Offset Hinge Set (3) - S/Steel		AW488SS: Offset D Handle Hinge Set (3) - S/Steel		AW82062: Top Mount Track 6000mm Clear Anod.
	TT84762: Aluminium Guide Channel 6.5m Clear Anod.		TT84618: PVC Guide Channel Insert 6.5m Black		

OPTIONAL EXTRAS

	AW81200: Brush Seal 3000mm Black		AW80600: Perimeter Seal Q48 2-3mm gaps White/Black		AW80800: Perimeter Seal Q21 5-7.5mm gaps Black
	FLUSH BOLTS: a range of sizes, keyed and non-keyed		DOOR LOCKS: a range of options		


DOOR CONFIGURATIONS

Kit Code	Total No. of Leaves	DOOR CONFIGURATIONS			COMPONENT BREAKDOWN PER CONFIGURATION					
		Doors One Way	Doors Opp. Way	Doors Opening Floating	AW883SS Pivot Set	AW885SS End Set	AW886SS Intermed Set Standard	AW888SS Meeting Set LH + RH	AW483SS Handle Hinge Set Standard	AW488SS Handle Hinge Set Offset
MAWE220	2	2			1	1			1	
MAWE330	3	3			1		1			1
MAWE321	3	2	1		1	1			1	
MAWE440	4	4			1	1	1			2
MAWE431	4	3	1		2		1			1
MAWE422	4	2	2		2			1	2	
MAWE440FL	4			4		2	1			2
MAWE550	5	5			1		2		1	1
MAWE541	5	4	1		2	1	1			2
MAWE532	5	3	2		2	1	1		1	1
MAWE660	6	6			1	1	2		1	2
MAWE651	6	5	1		2		2		1	1
MAWE642	6	4	2		2		1	1	1	2
MAWE633	6	3	3		2		2			2
MAWE770	7	7			1		3		2	1
MAWE761	7	6	1		2	1	2		1	2
MAWE752	7	5	2		2	1	2		2	1
MAWE743	7	4	3		2	1	2			3
MAWE880	8	8			1	1	3		2	2
MAWE871	8	7	1		2		3		2	1
MAWE862	8	6	2		2		2	1	2	2
MAWE853	8	5	3		2		3		1	2
MAWE844	8	4	4		2		2	1		4
MAWE880FL	8			8		2	3		2	2



Door track, guide channel and seals requirements are dependent on width and height opening sizes.

ARCHITECTURAL DRAWINGS



25kg
PER DOOR

QUICK-FIX

SLIDING DOOR TRACK SYSTEM
FOR MULTIPLE INTERNAL DOORS

QUICK-FIX

cowdroy

The Quick-Fix is a multi-door, sliding wardrobe and cupboard door track system. The system features ball bearing wheel assemblies with height adjustment and lateral adjustment slots. The aluminium double J track allows for easy installation. Suited to 2 and 3 door applications up to 25kg per door.

FEATURES

- Track:

Wheel assembly:

Key features:

Door Guide:
- Aluminium double J track - top mount

Single wheel assemblies with adjustment slots

Easy installation

Floor-mounted door guide - slimline & unobtrusive



TRACK VIEW



GUIDE VIEW



TECH SPECS

- Included Feature
- Optional Extra

System Type	Multi-Sliding
Max. Weight Door/Panel	25kg
Door/Panel width (mm)	Up to 950
Door Thickness (mm) min.	19
Track Length (mm)	Up to 3700mm
Suits No. of doors	2 to 3
Track Type	Aluminium double "J" mill finish

External door	
Internal door	
Wardrobe doors	
Cupboard doors	
Glass Cabinet doors	
Wall mounted track	
Top mounted track	
Floor fixed track	
Top hung wheel	
Bottom rolling wheel	
Door side fix	
End pivoting	
Centre pivoting	
Bottom guide	
Top guide	
End stop	
Soft-close	
Pelmet	

QUICK-FIX
PACK / SET

2 DOORS
1800MM
WIDE

THE
COMPONENTS
PACK


P23030:
Packaged Set for 2 Doors - 1800mm track

3 DOORS
2400MM
WIDE

P23040:
Packaged Set for 3 Doors - 2400mm track

P23200:
Components Set for Single Door - no track

COMPONENTS & REPLACEMENT PARTS



S23300:
Wheel with Axle & Nut -
pack of 2





S03100:
Nylon Door Guide - pack of 1



TT23200:
Wheel Assembly

TT23040:
Double Track with holes -
3700mm

ARCHITECTURAL DRAWINGS



The Manhattan is a multi-door, sliding wardrobe and cupboard door track system. The system features ball bearing wheel assemblies with height adjustment slots. The aluminium double J track incorporates an anti-jump fin. Suited to 2, 3 and 4 door applications up to 50kg per door.

FEATURES

- Track:

Wheel assembly:

Key features:

Door Guide:
- Aluminium double J track - top mount

Single-wheel assemblies with adjustment slots

Anti-jump fin and easy installation

Floor-mounted door guide - slimline & unobtrusive



TRACK VIEW



GUIDE VIEW



TECH SPECS

<div><div></div>Included Feature</div> <div><div></div>Optional Extra</div>		External door	
		Internal door	
		Wardrobe doors	<div></div>
		Cupboard doors	<div></div>
		Glass Cabinet doors	
		Wall mounted track	
		Top mounted track	<div></div>
		Floor fixed track	
		Top hung wheel	<div></div>
		Bottom rolling wheel	
		Door side fix	
		End pivoting	
		Centre pivoting	
		Bottom guide	<div></div>
		Top guide	
		End stop	
		Soft-close	
		Pelmet	
System Type	Multi-Sliding		
Max. Weight Door/Panel	50kg		
Door/Panel width (mm)	Up to 1500		
Door Thickness (mm) min.	19-40		
Track Length (mm)	4900mm		
Suits No. of doors	2 to 4		
Track Type	Aluminium double "J" mill finish		

MANHATTAN
COMPONENTS & REPLACEMENT PARTS


- TT48500:
Wheel Assembly 2.0mm Offset bracket
- TT20800:
Nylon Door Guide
- TT48600:
Wheel Assembly 12.5mm Offset bracket
- TT48348:
Double Track - 4900mm

ADDITIONAL TECH SPECS


Door Thickness (mm)	Front Race Assembly	Rear Race Assembly	Door Gap
19	TT48600	TT48500	7mm
25	TT48500	TT48600	22mm
25*	TT48500	TT48500	11mm
35	TT48500	TT48600	12mm
40	TT48500	TT48600	7mm

* Use same Race Assembly for reduced door gap

ARCHITECTURAL DRAWINGS



BACK VIEW



END VIEW

A bottom rolling system, with smooth and quiet performance, suitable for 2, 3 and 4-door wardrobe applications. The slimline design features concealed wheel assemblies and a screw down bottom track. With a finish choice of white or clear anodised, the Robemaker will suit all decors.

FEATURES


- Track:
- Aluminium top track
Aluminium bottom track
- Wheel assembly:
- Single-wheel assemblies with height
adjustment screw
- Key features:
- Concealed bottom track fitting
- Door Guide:
- Door top-mounted nylon guide
- Optional:
- Optional "Hush" soft-tyre roller assembly available
- Optional:
- Optional Soft Close kit available



TOP TRACK VIEW



BOTTOM TRACK VIEW



TECH SPECS

<div><div></div>Included Feature</div> <div><div></div>Optional Extra</div>		External door	
		Internal door	
		Wardrobe doors	<div></div>
		Cupboard doors	<div></div>
		Glass Cabinet doors	
		Wall mounted track	
		Top mounted track	
		Floor fixed track	<div></div>
		Top hung wheel	
		Bottom rolling wheel	<div></div>
		Door side fix	
		End pivoting	
		Centre pivoting	
		Bottom guide	
		Top guide	<div></div>
		End stop	
		Soft-close	<div></div>
		Pelmet	
System Type	Multi-Sliding		
Max. Weight Door/Panel	50kg (reg. tyre) 40kg (hush tyre)		
Door/Panel width (mm)	Up to 820		
Door Thickness (mm) min.	30-40		
Track Length (mm)	Up to 3240mm		
Suits No. of doors	2 to 4		
Track Type	Aluminium white/ anodised		

ROBEMAKER
PACK / SET

2 DOORS 1620MM C/A	P58112: Packaged Set for 2 Doors - 1620mm track Clear Anod.	2 DOORS 1620MM WHITE	P58116: Packaged Set for 2 Doors - 1620mm track White
3 DOORS 2420MM C/A	P58122: Packaged Set for 3 Doors - 2420mm track Clear Anod.	3 DOORS 2420MM WHITE	P58126: Packaged Set for 3 Doors - 2420mm track White
4 DOORS 3240MM WHITE	P58136: Packaged Set for 4 Doors - 3240mm track White	THE COMPONENTS PACK	P58500: Components Set for Single Door - no track

COMPONENTS & REPLACEMENT PARTS


	S58400: Wheel Assembly - Pack of 1		S58600: Nylon Door Guide - Pack of 2		TT57310: Snap-in Cover Strip 5000mm Charcoal
--	---------------------------------------	--	---	--	--

OPTIONAL EXTRAS


	TT58700: Hush Soft-Tyre Roller Assembly		TT59800: Soft-Close kit
--	---	--	----------------------------

ARCHITECTURAL DRAWINGS

Roller Cut-Out Details:
34mm(H) x 72mm(W) x 19mm(D)



BACK VIEW



END VIEW



A bottom rolling system, with smooth and quiet performance, suitable for multiple doors in wardrobe applications. A unique add-on design feature lets you add additional tracks, allowing for multiple doors, all opening to one end, if desired. Robemaker Multi features concealed wheel assemblies and a screw down bottom track, allowing for easy installation and removal for renovation. Available in either white powder coat or clear anodised.

FEATURES

- Track:
- Aluminium multi top track
- Aluminium multi bottom track
- Wheel assembly:
- Single-wheel assemblies with height adjustment screw
- Key features:
- Concealed bottom track fitting
- Door Guide:
- Door top-mounted nylon guide
- Optional:
- Optional "Hush" soft-tyre roller assembly available
- Optional:
- Add-on track version available
- Optional:
- Optional Soft Close kit available

ROBEMAKER MULTI
PACK / SET

3 DOORS
2420MM
WHITE

P59126:
Packaged Set for 3 Doors - 2420mm Multi track White

THE
COMPONENTS
PACK

P58500:
Components Set for Single Door - no track

COMPONENTS & REPLACEMENT PARTS

TT59112:
Multi Headguide Channel
5000mm Clear Anod.

TT59116:
Multi Headguide Channel
5000mm White

TT59316:
Multi Bottom Track 5000mm
White

S58600:
Nylon Door Guide - Pack of 2

TT57310:
Snap-in Cover Strip 5000mm
Charcoal

TT58912:
Add-on Headguide Channel
5000mm Clear Anod.

TT58916:
Add-on Headguide Channel
5000mm White

TT59312:
Multi Bottom Track 5000mm
Clear Anod.

S58400:
Wheel Assembly - Pack of 1

TT59412:
Add-on Bottom Track 5000mm
Clear Anod.

TT59416:
Add-on Bottom Track 5000mm White

OPTIONAL EXTRAS


TT58700:
Hush Soft-Tyre Roller
Assembly

TT59800:
Soft-Close kit

TOP TRACK VIEW



BOTTOM TRACK VIEW



TECH SPECS

● Included Feature



○ Optional Extra

System Type	Multi-Sliding
Max. Weight Door/Panel	50kg (reg. tyre) 40kg (hush tyre)
Door/Panel width (mm)	Up to 820
Door Thickness (mm) min.	30-40
Track Length (mm)	5000
Suits No. of doors	Multiple
Track Type	Aluminium white/ anodised

External door	
Internal door	
Wardrobe doors	○
Cupboard doors	○
Glass Cabinet doors	
Wall mounted track	
Top mounted track	
Floor fixed track	○
Top hung wheel	
Bottom rolling wheel	○
Door side fix	
End pivoting	
Centre pivoting	
Bottom guide	
Top guide	○
End stop	
Soft-close	●
Pelmet	

ARCHITECTURAL DRAWINGS

Roller Cut-Out Details:
34mm(H) x 72mm(W) x 19mm(D)



A sliding track system designed for mirror and decorative glass panel doors in 2, 3 or 4-door applications. The extruded aluminium mirror door frame includes horizontal rail trims and vertical handle trims with finger grip. It also features rubber bumper inserts for anti-collision and protection for the vertical frame and jamb. All visible extrusions are pre-finished in a durable powdercoat white.

The Mirror Robe system can also be used for 19mm thick timber doors by excluding the mirror framing and fixing the adjustable roller assemblies directly to the rear of the doors.

FEATURES

- Track:

Wheel assembly:

Key features:

Door Guide:
- Aluminium double top track

Aluminium double bottom track

Screw down bottom track fitting

Door top-mounted nylon guide with adjustable anti-lift screw



TRACK VIEW



GUIDE VIEW




TECH SPECS

<div><div></div>Included Feature</div> <div><div></div>Optional Extra</div>		External door	
		Internal door	
		Wardrobe doors	
		Cupboard doors	
		Glass Cabinet doors	
System Type	Multi-Sliding	Wall mounted track	
Max. Weight Door/Panel	50kg	Top mounted track	
Door/Panel width (mm)	Up to 900	Floor fixed track	
Door Thickness (mm) min.	19 (timber) 4-6 (mirror)	Top hung wheel	
Track Length (mm)	5000mm	Bottom rolling wheel	
Suits No. of doors	2 to 4	Door side fix	
Track Type	Aluminium white finish	End pivoting	
		Centre pivoting	
		Bottom guide	
		Top guide	
		End stop	
		Soft-close	
		Pelmet	

MIRROR ROBE
COMPONENTS & REPLACEMENT PARTS

ARCHITECTURAL DRAWINGS



A system designed specifically for 15-18mm thick panels in cupboard and cabinet applications. The slimline design features concealed wheel assemblies and a screw down bottom track. Suitable for 2, 3 and 4-door units, with a choice of white and clear anodised.

FEATURES

- Track:
- Aluminium double top track
- Aluminium double bottom track
- Wheel assembly:
- Single-wheel assemblies with height adjustment screw
- Key features:
- Cover Strip bottom track fitting
- Door Guide:
- Door top-mounted nylon guide



TOP TRACK VIEW



BOTTOM TRACK VIEW



TECH SPECS

<div><div></div>Included Feature</div> <div><div></div>Optional Extra</div>		External door	
		Internal door	
		Wardrobe doors	
		Cupboard doors	
		Glass Cabinet doors	
		Wall mounted track	
		Top mounted track	
		Floor fixed track	
		Top hung wheel	
		Bottom rolling wheel	
		Door side fix	
		End pivoting	
		Centre pivoting	
		Bottom guide	
		Top guide	
		End stop	
		Soft-close	
		Pelmet	

System Type	Multi-Sliding
Max. Weight Door/Panel	20kg
Door/Panel width (mm)	Up to 650
Door Thickness (mm) min.	15-18
Track Length (mm)	4900
Suits No. of doors	2 to 3
Track Type	Aluminium white/ anodised

CABINETMAKER
PACK / SET

3 DOORS
1800MM
C/A

P18152:
Packaged Set for 3 Doors - 1800mm track **Clear Anod.**

3 DOORS
1800MM
WHITE

P18156:
Packaged Set for 3 Doors - 1800mm track **White**

COMPONENTS & REPLACEMENT PARTS



TT18712:
Double Headguide Channel
4900mm **Clear Anod.**



TT18816:
Double Bottom Track
4900mm **White**



TT18600:
Nylon Door Guide



TT18716:
Double Headguide Channel
4900mm **White**



TT57310:
Snap-in Cover Strip 5000mm
Charcoal




TT18812:
Double Bottom Track
4900mm **Clear Anod.**




TT18400:
Wheel Assembly

ARCHITECTURAL DRAWINGS



BACK VIEW



END VIEW

An ultra-slim sliding cupboard door track, designed for 16mm thick doors. The dual-wheel assembly features a door-fix plate with height adjustment slot for accurate door alignment. The enclosed aluminium track allows for a 20kg door capacity. Install back to back to allow for multiple door applications.

FEATURES

- Track:

Wheel assembly:

Key features:

Door Guide:
- Enclosed aluminium top track

Dual-wheel assemblies with door side-fix plate

Ultra-slim design for visual appeal

Floor mounted nylon guide - slimline and unobtrusive



TRACK VIEW



GUIDE VIEW



TECH SPECS

- Included Feature
- Optional Extra

System Type	Sliding
Max. Weight Door/Panel	20kg
Door/Panel width (mm)	Up to 650
Door Thickness (mm) min.	16
Track Length (mm)	4900mm
Suits No. of doors	Single/ Multiple
Track Type	Aluminium enclosed mill finish

External door	
Internal door	
Wardrobe doors	○
Cupboard doors	○
Glass Cabinet doors	
Wall mounted track	
Top mounted track	○
Floor fixed track	
Top hung wheel	○
Bottom rolling wheel	
Door side fix	○
End pivoting	
Centre pivoting	
Bottom guide	○
Top guide	
End stop	
Soft-close	
Pelmet	

TUDOR
COMPONENTS & REPLACEMENT PARTS



TT55000:
Dual-Wheel Assembly




TT55241:
Aluminium Top Track 4500mm Mill



TT03000:
Nylon Door Guide

ARCHITECTURAL DRAWINGS



This system is specifically designed for use with timber cupboard doors with a 12mm minimum thickness. The roller is usually fixed into a rebate beneath a 16mm door panel, but may be rebated into the back of 12mm doors and screwed through the side of roller. The slimline track and guide can be used back to back to allow for multiple door applications.

FEATURES

- Track:

Wheel assembly:

Key features:

Door Guide:
- Slimline aluminium bottom track

Nylon block wheel assemblies with fixing options

Ultra-slim design and easy installation

Top mounted aluminium T guide



GUIDE VIEW



TRACK VIEW



TECH SPECS

<div><div></div>Included Feature</div> <div><div></div>Optional Extra</div>			
System Type	Sliding	External door	
Max. Weight Door/Panel	25kg	Internal door	
Door/Panel width (mm)	Up to 800	Wardrobe doors	
Door Thickness (mm) min.	12	Cupboard doors	<div></div>
Track Length (mm)	4500mm	Glass Cabinet doors	
Suits No. of doors	Single/ Multiple	Wall mounted track	
Track Type	Aluminium anodised/ mill finish	Top mounted track	
		Floor fixed track	<div></div>
		Top hung wheel	
		Bottom rolling wheel	<div></div>
		Door side fix	
		End pivoting	
		Centre pivoting	
		Bottom guide	
		Top guide	<div></div>
		End stop	
		Soft-close	
		Pelmet	

EASY ROLLER
COMPONENTS & REPLACEMENT PARTS



TT03000:
Nylon Door Guide



TT40000:
Wheel Assembly with acetal tyre

TT41621:
Aluminium Track - 2500mm - Mill

TT41651:
Aluminium Track - 5000mm - Mill

TT41652:
Aluminium Track - 5000mm - Clear Anod.



TT41921:
Aluminium Headguide - 2500mm - Mill

TT41951:
Aluminium Headguide - 5000mm - Mill

TT41952:
Aluminium Headguide - 5000mm - Clear Anod.

Where Bi-Passing doors are required, the door thickness determines the track spacing. Calculation of 16mm rebate allows for sheave to operate without having to rebate the full length of the door. That is, wheel sits below the bottom of the door.

ARCHITECTURAL DRAWINGS



The Joinery Sheave is a compact wheel assembly with a 60kg weight rating in a full Stainless steel construction. The compact size and added feature of 6mm height adjustment makes this sheave a popular choice for small to medium windows and doors. Track and guide can be used back to back to allow for multiple door applications.

FEATURES

- Track:

Wheel assembly:

Key features:

Door Guide:

Optional:
- Slimline brass bottom track

Stainless steel wheel assemblies with height adjustment

Compact design to suit window applications

Top mounted aluminium T guide

Alternate guide options available



GUIDE VIEW



TRACK VIEW



TECH SPECS

- Included Feature

○ Optional Extra

System Type	Sliding	External door	○
Max. Weight Door/Panel	60kg	Internal door	○
Door/Panel width (mm)	Up to 1500	Wardrobe doors	
Door Thickness (mm) min.	22	Cupboard doors	
Track Length (mm)	6000	Glass Cabinet doors	
Suits No. of doors	Single/ Multiple	Wall mounted track	
Track Type	Brass/ bronze - mill finish	Top mounted track	
		Floor fixed track	○
		Top hung wheel	
		Bottom rolling wheel	○
		Door side fix	
		End pivoting	
		Centre pivoting	
		Bottom guide	
		Top guide	○
		End stop	
		Soft-close	
		Pelmet	

JOINERY SHEAVE
COMPONENTS & REPLACEMENT PARTS


Other track sizes may be available to order

- TT66300:
Wheel Assembly full Stainless steel
- TT61150:
Brass Track 6000mm
- TT61151:
Brass Track 6000mm **Pre-Drilled**
- TT20852:
Alum. T Guide 6000mm Clear Anod.
- TT20872:
Alum. T Guide 6000mm **Pre-Drilled** Clear Anod.
- TT66900:
Nylon Guide Block for TT208 - Black

OPTIONAL EXTRAS

- TT61800:
Brass Screw 6G x 16mm CSK PH - bag of 100
- TT61900:
Brass Screw 6G x 19mm CSK PH - bag of 100
- TT65834:
Pelmet Guide 6000mm **Bronze Anod.**
- TT65900:
Nylon Guide Block for TT658 - Black
- TT67412:
Door Collector Seal w/pile 3000mm **Clear Anod.**
- TT67414:
Door Collector Seal w/pile 3000mm **Bronze Anod.**
- TT65832:
Pelmet Guide 6000mm **Clear Anod.**
- TT61742:
Flat Bar Guide 32x3mm 4000mm Clear Anod.
- TT65408:
Access Hole Plug for 8mm hole Black

ARCHITECTURAL DRAWINGS



The Horizon is a mid-weight system designed for use on internal doors up to 120kg (steel wheel). The simple-to-install design has a nylon wheel option for noise reduction or a steel wheel option for heavier weight capacity.

FEATURES

- Track:** Slimline aluminium bottom track - for use with nylon tyres
Slimline brass bottom track - for use with nylon tyres
- Wheel assembly:** Steel wheel assemblies with a choice of nylon or steel tyres
- Key features:** Compact and secure
- Door Guide:** Top mounted aluminium T guide
- Optional:** Alternate guide options available



GUIDE VIEW



TRACK VIEW



TECH SPECS

- Included Feature
○ Optional Extra

System Type	Sliding
Max. Weight Door/Panel	120kg
Door/Panel width (mm)	Up to 2500
Door Thickness (mm) min.	25-45
Track Length (mm)	6000mm
Suits No. of doors	Single/ Multiple
Track Type	Aluminium/ brass/ bronze

External door	
Internal door	○
Wardrobe doors	○
Cupboard doors	○
Glass Cabinet doors	
Wall mounted track	
Top mounted track	
Floor fixed track	○
Top hung wheel	
Bottom rolling wheel	○
Door side fix	
End pivoting	
Centre pivoting	
Bottom guide	
Top guide	○
End stop	
Soft-close	
Pelmet	

HORIZON PACK / SET

60KG
NYLON
WHEELS

P66100:
Component Set with **Nylon** wheels for 1 Door - no track

120KG
STEEL
WHEELS

P67100:
Component Set with **Steel** wheels for 1 Door - no track

COMPONENTS & REPLACEMENT PARTS

Other track sizes may be available to order



TT61351:
Alum. Track 6000mm Mill



TT61371:
Alum. Track 6000mm **Pre-Drilled** Mill



TT61150:
Brass Track 6000mm



TT61151:
Brass Track 6000mm **Pre-Drilled**



TT20852:
Alum. T Guide 6000mm Clear Anod.




TT20872:
Alum. T Guide 6000mm **Pre-Drilled** Clear Anod.




TT66900:
Nylon Guide Block for TT208
- Black

OPTIONAL EXTRAS



TT61800:
Brass Screw 6G x **16mm** CSK
PH - bag of 100



TT61900:
Brass Screw 6G x **19mm** CSK
PH - bag of 100



TT65832:
Pelmet Guide 6000mm **Clear Anod.**



TT65834:
Pelmet Guide 6000mm
Bronze Anod.



TT65900:
Nylon Guide Block for TT658
- Black



TT61742:
Flat Bar Guide 32x3mm
4000mm Clear Anod.




TT67412:
Door Collector Seal w/pile
3000mm **Clear Anod.**




TT67414:
Door Collector Seal w/pile
3000mm **Bronze Anod.**

ARCHITECTURAL DRAWINGS



FRONT VIEW

Where Bi-Passing doors are required, the door thickness determines the track spacing.
Minimum door thickness 29mm



END VIEW

Coastline is a reliable single-wheel sheave for internal and external doors combining a 100kg weight capacity with a full 316 grade Stainless steel construction.

With an 8mm height adjustment mechanism this sheave is easily adjusted once the door is in place.

FEATURES

Track: Slimline manganese bronze bottom track
Wheel assembly: Full Stainless steel wheel assembly

Key features: 8mm height adjustment
Door Guide: Top mounted guide channel and roller guide
Optional: Alternate guide options available



GUIDE VIEW



TRACK VIEW



TECH SPECS

●	Included Feature
○	Optional Extra

System Type	Sliding
Max. Weight Door/Panel	100kg
Door/Panel width (mm)	Up to 2500
Door Thickness (mm) min.	30-50
Track Length (mm)	6000mm
Suits No. of doors	Single/ Multiple
Track Type	Brass/ bronze mill finish

External door	○
Internal door	○
Wardrobe doors	
Cupboard doors	
Glass Cabinet doors	
Wall mounted track	
Top mounted track	
Floor fixed track	○
Top hung wheel	
Bottom rolling wheel	○
Door side fix	
End pivoting	
Centre pivoting	
Bottom guide	
Top guide	○
End stop	
Soft-close	
Pelmet	

COASTLINE
COMPONENTS & REPLACEMENT PARTS

Other track sizes may be available to order



TT66500:
S/Steel Wheel Assembly with
S/Steel Tyre



TT61250:
Manganese Bronze Track
6000mm




TT84762:
Aluminium Guide Channel
6.5m Clear Anod.


TT61251:
Manganese Bronze Track
6000mm **Pre-Drilled**

TT84618:
PVC Guide Channel Insert
6.5m Black

OPTIONAL EXTRAS



TT61800:
Brass Screw 6G x 16mm CSK
PH - bag of 100



TT61900:
Brass Screw 6G x 19mm CSK
PH - bag of 100



TT65832:
Pelmet Guide 6000mm **Clear Anod.**



TT65834:
Pelmet Guide 6000mm
Bronze Anod.



TT20852:
Alum. T Guide 6000mm
Clear Anod.



TT20872:
Alum. T Guide 6000mm
Pre-Drilled Clear Anod.



TT61742:
Flat Bar Guide 32x3mm
4000mm Clear Anod.



TT67412:
Door Collector Seal w/pile
3000mm **Clear Anod.**



TT65408:
Access Hole Plug for 8mm
hole Black



TT65900:
Nylon Guide Block for TT658
- Black




TT66900:
Nylon Guide Block for TT208
- Black



TT67414:
Door Collector Seal w/pile
3000mm **Bronze Anod.**

ARCHITECTURAL DRAWINGS



200kg
PER DOOR

TWIN-ROLL

SLIDING DOOR TRACK
FOR INTERNAL DOORS

TWIN-ROLL



Twin-Roll is a dual-wheel sheave with a weight capacity of 200kg per door, it's design offers greater door weight distribution to assist with smooth rolling.

The side-face 8mm height adjustment and full Stainless steel construction make this wheel assembly a popular choice for large doors.

FEATURES

Track: Slimline manganese bronze bottom track
Wheel assembly: Full Stainless steel twin-wheel assembly

Key features: 8mm, side-face height adjustment
Door Guide: Top mounted guide channel and roller guide
Optional: Alternate guide options available



GUIDE VIEW



TRACK VIEW



TECH SPECS

- Included Feature
- Optional Extra

System Type	Sliding
Max. Weight Door/Panel	200kg
Door/Panel width (mm)	Up to 2500
Door Thickness (mm) min.	30-50
Track Length (mm)	6000mm
Suits No. of doors	Single/ Multiple
Track Type	Brass/ bronze mill finish

External door	○
Internal door	○
Wardrobe doors	
Cupboard doors	
Glass Cabinet doors	
Wall mounted track	
Top mounted track	
Floor fixed track	○
Top hung wheel	
Bottom rolling wheel	○
Door side fix	
End pivoting	
Centre pivoting	
Bottom guide	
Top guide	○
End stop	
Soft-close	
Pelmet	

TWIN-ROLL COMPONENTS & REPLACEMENT PARTS

Other track sizes may be available to order



TT65000:
Zinc Steel Wheel Assembly with Nylon Tyres




TT65200:
Stainless steel Twin-Wheel Assembly
TT61250:
Manganese Bronze Track 6000mm
TT61251:
Manganese Bronze Track 6000mm Pre-Drilled



TT65300:
Stainless Steel Wheel Assembly with Nylon Tyres
TT84762:
Aluminium Guide Channel 6.5m Clear Anod.
TT84618:
PVC Guide Channel Insert 6.5m Black

OPTIONAL EXTRAS



TT61800:
Brass Screw 6G x 16mm CSK PH - bag of 100




TT65832:
Pelmet Guide 6000mm Clear Anod.



TT20852:
Alum. T Guide 6000mm Clear Anod.



TT61742:
Flat Bar Guide 32x3mm 4000mm Clear Anod.



TT61900:
Brass Screw 6G x 19mm CSK PH - bag of 100



TT65834:
Pelmet Guide 6000mm Bronze Anod.



TT20872:
Alum. T Guide 6000mm Pre-Drilled Clear Anod.



TT67412:
Door Collector Seal w/pile 3000mm Clear Anod.



TT65408:
Access Hole Plug for 8mm hole Black



TT65900:
Nylon Guide Block for TT658 - Black




TT66900:
Nylon Guide Block for TT208 - Black



TT67414:
Door Collector Seal w/pile 3000mm Bronze Anod.

ARCHITECTURAL DRAWINGS



This system features a 316 Stainless steel housing with a manganese bronze tyre for increased wheel longevity and a 200kg weight capacity. With an 8mm, end height adjustment mechanism, this sheave can be adjusted once the door is in place. Suitable for external use, particularly patio doors and other heavy duty applications.

FEATURES

- Track:
- Slimline manganese bronze bottom track
- Wheel assembly:
- Stainless steel wheel assembly with manganese bronze tyre
- Key features:
- 8mm, end height adjustment
- Door Guide:
- Top mounted guide channel and roller guide
- Optional:
- Alternate guide options available



GUIDE VIEW



TRACK VIEW



TECH SPECS

- Included Feature
- Optional Extra

System Type	Sliding
Max. Weight Door/Panel	200kg
Door/Panel width (mm)	Up to 3000
Door Thickness (mm) min.	35-50
Track Length (mm)	6000mm
Suits No. of doors	Single/ Multiple
Track Type	Brass/ bronze mill finish

External door	<div></div>
Internal door	<div></div>
Wardrobe doors	
Cupboard doors	
Glass Cabinet doors	
Wall mounted track	
Top mounted track	
Floor fixed track	<div></div>
Top hung wheel	
Bottom rolling wheel	<div></div>
Door side fix	
End pivoting	
Centre pivoting	
Bottom guide	
Top guide	<div></div>
End stop	
Soft-close	
Pelmet	

TIMBERLINE
COMPONENTS & REPLACEMENT PARTS


Other track sizes may be available to order

- TT65700:
S/Steel Wheel Assembly w/
Bronze Tyre
- AW21600:
Roller Guide - Stainless steel
- TT61250:
Manganese Bronze Track
6000mm
- TT84762:
Aluminium Guide Channel
6.5m Clear Anod.
- TT61251:
Manganese Bronze Track
6000mm **Pre-Drilled**
- TT84618:
PVC Guide Channel Insert
6.5m Black

OPTIONAL EXTRAS

- TT61800:
Brass Screw 6G x 16mm CSK
PH - bag of 100
- TT65832:
Pelmet Guide 6000mm **Clear Anod.**
- TT20852:
Alum. T Guide 6000mm
Clear Anod.
- TT61742:
Flat Bar Guide 32x3mm
4000mm **Clear Anod.**
- TT61900:
Brass Screw 6G x 19mm CSK
PH - bag of 100
- TT65834:
Pelmet Guide 6000mm
Bronze Anod.
- TT20872:
Alum. T Guide 6000mm
Pre-Drilled Clear Anod.
- TT67412:
Door Collector Seal w/pile
3000mm **Clear Anod.**
- TT65408:
Access Hole Plug for 8mm
hole Black
- TT65900:
Nylon Guide Block for TT658
- Black
- TT66900:
Nylon Guide Block for TT208
- Black
- TT67414:
Door Collector Seal w/pile
3000mm **Bronze Anod.**

ARCHITECTURAL DRAWINGS



The Maxi Roller is a robust, single-wheel assembly, with a 227kg weight capacity. It features a manganese bronze tyre and 316 Stainless steel housing, designed for internal and external use. With its high weight capacity, and easy installation, this system is ideal for heavy timber or framed glass doors.

FEATURES

- Track:
- Slimline manganese bronze bottom track
- Wheel assembly:
- Stainless steel wheel assembly with manganese bronze tyre
- Key features:
- Robust construction for increased reliability
- Door Guide:
- Top mounted guide channel and roller guide
- Optional:
- Alternate guide options available



GUIDE VIEW



TRACK VIEW




TECH SPECS


<div><div></div>Included Feature</div> <div><div></div>Optional Extra</div>		External door	<div></div>
		Internal door	<div></div>
		Wardrobe doors	
		Cupboard doors	
		Glass Cabinet doors	
		Wall mounted track	
		Top mounted track	
		Floor fixed track	<div></div>
		Top hung wheel	
		Bottom rolling wheel	<div></div>
		Door side fix	
		End pivoting	
		Centre pivoting	
		Bottom guide	
		Top guide	<div></div>
		End stop	
		Soft-close	
		Pelmet	
System Type	Sliding		
Max. Weight Door/Panel	227kg		
Door/Panel width (mm)	Up to 3000		
Door Thickness (mm) min.	30-50		
Track Length (mm)	6000mm		
Suits No. of doors	Single/ Multiple		
Track Type	Brass/ bronze mill finish		

MAXI ROLLER
COMPONENTS & REPLACEMENT PARTS


Other track sizes may be available to order




TT65500:
S/Steel Wheel Assembly w/
Bronze Tyre




TT61250:
Manganese Bronze Track
6000mm




TT61251:
Manganese Bronze Track
6000mm **Pre-Drilled**



TT84762:
Aluminium Guide Channel
6.5m Clear Anod.




TT84618:
PVC Guide Channel Insert
6.5m Black




AW21600:
Roller Guide - Stainless steel


OPTIONAL EXTRAS




TT61800:
Brass Screw 6G x 16mm CSK
PH - bag of 100




TT61900:
Brass Screw 6G x 19mm CSK
PH - bag of 100




TT65408:
Access Hole Plug for 8mm
hole Black




TT65832:
Pelmet Guide 6000mm **Clear Anod.**




TT65834:
Pelmet Guide 6000mm
Bronze Anod.




TT65900:
Nylon Guide Block for TT658
- Black




TT20852:
Alum. T Guide 6000mm
Clear Anod.




TT20872:
Alum. T Guide 6000mm
Pre-Drilled Clear Anod.




TT66900:
Nylon Guide Block for TT208
- Black



TT61742:
Flat Bar Guide 32x3mm
4000mm Clear Anod.




TT67412:
Door Collector Seal w/pile
3000mm **Clear Anod.**



TT67414:
Door Collector Seal w/pile
3000mm **Bronze Anod.**

ARCHITECTURAL DRAWINGS



DOOR STOPS

OPTIONAL EXTRAS FOR DOOR TRACKS

DOOR GUIDES



TT64900

GENERAL PURPOSE DOOR STOP

- Suitable for light and standard duty systems
- May be track, wall, floor or door mounted
- Also included in Arrow and Centurion packs



TT22610

GLIDEMASTER RUBBER DOOR STOP

- Designed specifically for use on the Glidemaster track



TT32700

CLIP STOP ASSEMBLY

- Designed specifically for the use in the Triumph track
- Included in packs



AW82600

ALLWEATHER CONCEALED END STOP

- Designed specifically for use in the AllWeather Sliding track



TT32100/TT37500

TRIUMPH DOOR STOP SET WITH BUMPER

- Designed specifically for use in the Triumph track



OM54100


INDUSTRO DOOR STOP

- Designed specifically for use in the Industro track

P20700

ADJUSTABLE DOOR GUIDE PACK


- Weather pile protects surface. No need to groove door
- Fully adjustable interlocking grooves for 19mm to 38mm doors



P21300

ADJUSTABLE WALL MOUNT DOOR GUIDE PACK

- Weather pile protects surface. No need to groove door
- Fully adjustable interlocking grooves for 19mm to 38mm doors



S03100

NYLON ADJUSTABLE DOOR GUIDE


- Pack of 1



S03300

NYLON ADJUSTABLE CAVITY DOOR GUIDE


- Suitable for 19mm to 35mm doors
- Pack of 1



S03500

STEEL ADJUSTABLE WALL MOUNT DOOR GUIDE

- Suitable for 16mm to 45mm doors
- Pack of 1



P20900

NYLON ADJUSTABLE WALL MOUNT DOOR GUIDE PACK


- Guide not visible from front of door
- Fully adjustable slot for 19mm to 51mm doors (Incorporates the TT208 Guide + bracket)



S03000

NYLON LIGHT DUTY DOOR GUIDE


- Pack of 2



S03200

NYLON ADJUSTABLE WALL MOUNT DOOR GUIDE


- Suitable for 30mm to 51mm doors
- Pack of 1



S03400

NYLON SCREEN DOOR GUIDE

- Pack of 2



S20800

STANDARD DOOR GUIDE


- Pack of 1



TT208A

ALUMINIUM DOOR GUIDE


- Also available for use as a headguide
- Available in 2500, 4500mm mill, 6000mm clear anodised undrilled & 6000mm clear anodised pre-drilled



TT21600

ALUMINIUM HEAVY DUTY DOOR GUIDE


- 150mm



S68400

NYLON CAVITY DOOR GUIDE SET


- Pack of 2



TT66900

NYLON HEAD GUIDE BLOCK

- Used when TT208A is used as a continuous guide.



TT419

CONTINUOUS ALUMINIUM DOOR GUIDE


- Also available for use as a headguide
- Available in 2500 and 5000mm in Mill finish and 5000mm in Clear anodised



S31000

SPRING LOADED GUIDE


- Pack of 2



D32141

ALUMINIUM GUIDE CHANNEL


- Available in 4500mm Mill



TT3147

UNIVERSAL PELMET GUIDE


- Extruded Aluminium with flat face for modern aesthetics
- Pelmet Cap available in grey (TT31502) & white (TT31506)
- Clips easily to Triumph & Forerunner systems
- Available in 5560mm clear (TT31472) & white (TT31476)



TT65900

PELMET GUIDE BLOCK

- Top mount anti-rattle guide block for guides 2.5mm thick
- Suits Cowdroy pelmet guide TT658



Pelmet guide block - nylon

TT6583

ALUMINIUM PELMET GUIDE


- Extruded Aluminium with attractive grooved face for aesthetic appeal
- Pelmet Guide Block eliminates rattle and reduces noise
- Helps aid with weatherproofing
- Fits easily to most bottom rolling systems including the Cowdroy "Coastline", "Twin-Roll" "Timberline" and "Maxi Roller"
- Available in 6000mm clear (TT65832) & bronze anodised (TT65834)



P677

ALUMINIUM PELMET GUIDE


- Attractive fluted design Powder Coated White
- End caps and fixing spring clips included
- Both fit easily to the Cowdroy "Arrow", "Centurion", "Quad Ball" and "Triumph" sliding door systems
- Available in sets 1830mm (P67710) and 3660mm (P67720) long



TT3147 - Aluminium Pelmet guide



BOTTOM DOOR GUIDE POSITIONING

Continuous door guides may be used in any sliding door and some folding door situations but are especially recommended for multi-door openings.




Head guides are generally used when doors are bottom rolling


Bottom door guides are generally used when doors are top hung



Pelmet guide block



Spring Fixing Clips



End Caps

SLIDING DOOR FLUSH PULLS

Suitable for all internal sliding door applications - Includes fixing screws



P701 / TT701BK METAL FLUSH PULL - RECTANGLE

- 102mm H x 51mm W x 12.1mm D
- 304 Stainless steel
- Suits sliding, cavity and bi-fold door applications
- Available in: Black



P703SC SLIDING CAVITY DOOR FINGER PULL

- Suitable for all internal sliding door applications
- Available in: Satin chrome



P706 METAL FLUSH PULL - SQUARED END

- 113mm H x 33mm W x 10mm D
- Suitable for all internal sliding door applications
- Available in: Polished chrome, satin chrome, black



P702 / TT702BK METAL FLUSH PULL - ROUND

- 65mm diameter
- 304 Stainless steel
- Suits sliding, cavity and bi-fold door applications
- Available in: Black



P705 METAL FLUSH PULL - ROUNDED END

- 128mm H x 32mm W x 9mm D
- Suitable for all internal sliding door applications
- Available in: Polished chrome, satin chrome, black

SLIDING SCREEN DOOR LATCHES

Sliding screen door latch black plastic latch with external pull, steel keeper (powder coated black) and screws. Keyless latch suitable for most sliding screen doors.



P71600 SCREEN DOOR LATCH

- Latched from the inside only
- Simple lever operation
- May be used in either left or right hand applications
- Includes steel keeper and fixing screws

SLIDING PATIO DOOR LOCKS


Cowdroy Sliding Patio Door Locks can be latched secure for safety. Easy to install and operate simply via the turn of a lever. Locks can be used as either right hand or left hand and can be keyed alike.



P713 / TT713 SLIDING PATIO DOOR DEADLOCK

- Corrosion free polesium handle
- Can be latch-locked or dead-locked
- Pin cylinder operated
- Available in white, primrose and black

POLARIS SLIDING CAVITY DOOR LOCKS, LATCHES AND PULLS



P688SC PRIVACY LATCH

The POLARIS cavity Privacy Latch is suitable for applications such as bedrooms and bathrooms where privacy is the desired function. Contains one latching lever and one emergency egress coin turn.



P689SC PASSAGE PULL


The POLARIS cavity Passage Pull is suitable for bi-parting door applications and may be used with the Privacy Latch, the Connector Latch or as a single passage pull.



P690SC CONNECTOR LATCH

The POLARIS cavity Connector Latch is suitable for all non locking applications where access is required from both sides of the door. Has a lever on each side.

CRESCENT SLIDING CAVITY DOOR LOCKS



TT697 KEYED LATCH LOCK

The CRESCENT cavity keyed latch lock is suitable for applications where keyed locking is the desired function such as garage entry doors or offices. Contains two levers and two cylinders.

SOFT CLOSE

OPTIONAL EXTRAS FOR DOOR TRACKS

A pair of Soft-Close Dampeners and Catches which integrate seamlessly into Robemaker systems rated up to 40kg. The dampeners fit concealed in the top track while the catches locate unobtrusively to the top of the door.

When the doors are closed their travel is slowed to almost a halt and then pulled closed to complete a smooth, silent and soft-closing operation.

INCLUDES

- 2 x Soft-Close Dampeners
- 6 x dampener screws
- 1 x LH & 1 x RH Soft-Close catch
- 4 x Catch screws



SOFT CLOSE

The Triumph Soft-Close Adaptors are able to be retrofitted into pre-existing Overhead Mounted Triumph Sliding Door Track Systems rated up to 40kg.

They are an excellent addition to your sliding door track system, slowing your doors to almost a halt and then pulled closed to complete a smooth, silent and soft-closing operation. To be used with the TT59800 Soft Close Kit.


INCLUDES

- 1 x Adapter plate (2 x TT35700 Adapters required for each TT59800 Soft Close kit.)



ROBEMAKER SOFT CLOSE KIT


TT59800



TRIUMPH SOFT CLOSE ADAPTER BRACKET

TT35700

TO BE USED WITH THE TT59800 SOFT CLOSE KIT.



SECTION TWO

REPLACEMENT PARTS

WHEELS | CAPPING TRACKS | GUIDES | STOPS | PELMETS | HINGES | SOFT-CLOSE | FURNITURE



DO IT YOURSELF

The Cowdroy range of replacement wheels, rollers and parts are ideal for those worn, stubborn or dysfunctional sliding windows and doors.

Common symptoms of malfunctioning sliding components include the following:

- Excessive noise or grinding sound
- Extensive wear and tear on tracks
- Windows or doors do not slide freely
- Windows or doors feel bumpy when sliding
- Windows or doors are jammed

In most cases these worn parts are simple to replace and maintain.

CATEGORY INDEX

DOORS

SCREENS

SHOWER

WARDROBE

WINDOWS

DEFINITIONS

SMALL (CUPBOARDS & WINDOWS)

Up to 27mm diameter

MEDIUM (DOORS)

28mm to 36mm diameter

LARGE (WARDROBES)

38mm diameter and over

SCREEN DOORS

Up to 15kg

PAGE 49 - Rollers
PAGE 50 - Carriages
PAGE 56 - Hangers
PAGE 57 - Guides
PAGE 58 - Stops
PAGE 59 - Sets
PAGE 60 - Accessories

PAGE 61 - Rollers
PAGE 61 - Carriages
PAGE 64 - Hangers
PAGE 65 - Guides
PAGE 65 - Accessories

PAGE 66 - Rollers
PAGE 67 - Carriages
PAGE 67 - Accessories

PAGE 67 - Rollers
PAGE 67 - Carriages
PAGE 69 - Hangers
PAGE 70 - Guides
PAGE 70 - Sets

PAGE 70 - Rollers
PAGE 70 - Carriages
PAGE 71 - Guides
PAGE 72 - Accessories

PAGE 72 - Capping Tracks

ROLLERS

The Cowdroy range of replacement wheels, rollers and parts are ideal for those worn, stubborn or dysfunctional sliding windows and doors. Common symptoms of malfunctioning sliding components include the following:

- Excessive noise or grinding sound
- Extensive wear and tear on tracks
- Windows or doors do not slide freely
- Windows or doors feel bumpy when sliding
- Windows or doors are jammed

It is generally recognised as good maintenance practice to replace components in sets (e.g. pairs of rollers or guides)

Many rollers are adjustable and often actuated by either a screw or a nut. Some roller assemblies are spring loaded.


Replacing your rollers and wheel assemblies

1. Identify the adjustment mechanism (i.e. screws or nuts). Should there be no visible means of adjustment then it may be possible to lift and remove the window/door without altering it's position.

2. Loosen adjustment to allow window/door to lower.
3. With adjustment loose you should be able to lift and manoeuvre the window/door off the track and guides. (See figure a.) In some instances, such as glass patio doors, the removal of a fixed panel may be necessary in order to remove the door.
4. Rollers can be removed from panels quite easily as most are either screwed, bolted, clipped or spring loaded.
5. Assess your track for damage and cleanliness and repair or clean as required.
6. Replace rollers and check that there is no movement. Re-install windows/doors by reversal of the removal procedures.
7. It may be necessary to adjust rollers in order to ensure correct operation of latching/locking mechanism if present.

CAUTION: Take care when handling glass. For large doors a second or third person may be required to assist with removal and installation. Should you not be confident with any aspect of the above procedures we recommend you consult a qualified window or door repairer such as www.lockandroll.com.au

FIGURE A.



HOW IT WORKS

PACK EXAMPLES




HOW IT WORKS

EXAMPLE 1




EXAMPLE 2



Retail packaging shown, available at all leading hardware stores

TRACK SYSTEM COLOUR CODING

Where items in this catalogue are associated with a door track system, they are colour coded accordingly. For example:



The following chart shows the colours associated with the range of door track systems:

ARROW	CENTURION
QUAD BALL	FORERUNNER
TRIUMPH SLIDING	EXPOSED 90
TROJAN	BARRACUDA
TRIUMPH FOLDING	QUICK-FIX
ROBEMAKER	CABINETMAKER

KNOW YOUR ROLLERS

WHAT IS A:

Roller: A roller is generally identified as a wheel which performs a rolling activity. Rollers come in various shapes and sizes and may be used as a stand-alone component or as part of an assembled unit, often referred to as a carriage or a hanger.

Carriage: A carriage is an assembly containing a wheel, or multiple wheels, used at the bottom of sliding window or door. Carriages are usually designed such that they fit into specific extrusions or cut-outs in timber and roll on a bottom track.

Hanger: A hanger is an assembly containing a wheel, or multiple wheels, used at the top of a sliding, window or door. Hangers usually fit onto the face, edge or top of doors which hang from a track.




Both carriages and hangers often (but not always) contain a height adjustment mechanism.


ASSOCIATED PARTS FOR ROLLERS, CARRIAGES AND HANGERS CAN INCLUDE THE FOLLOWING:

- Housing** A housing is generally the carriage without the wheel.
- Bracket** A bracket is generally the hanger without the wheel.
- Axles** A centre shaft or spindle on which the wheel revolves.
- Screws** The fastener for wheels to hangers as well as for adjustment mechanisms and fixing hardware in place.
- Packers** An add-on component used for creating, filling or maintaining a space between two items - such as a carriage inside an extrusion.

Example - Carriage




Example - Hanger



KNOW YOUR ROLLERS


Wheels and rollers can come in a variety of shapes and sizes:

WHEEL PROFILES



Wheels, Rollers and Sheaves will generally contain one of these profiles


WHEEL WITH AXLE & NUT



Some units may also contain a washer(s)

Wheels with axle and nut are generally used on hangers and fix through a hole in a bracket. The nut screws over a threaded axle protruding from the wheel hub.

WHEEL WITH AXLE SCREW



Some units may also contain a washer(s)

Wheels with axle screw are generally used on hangers and fix through a hole in a bracket. The screw tightens into a threaded bore within the wheel hub.


WHEEL WITH BORE



Some units may also contain a washer(s)

Wheels with bore (or hole) are generally used in carriages and fitted to housings via a rivet, a pin, a pressed axle or even a removable axle.

WHEEL WITH FIXED AXLE



Some units may also contain a washer(s)

Wheels with fixed axles are generally used in carriages and fitted to housings via a clip-in axle slot.

ROLLERS



S10400

PACK OF 2

Roller with axle & nut for door hangers

**60KG PER PAIR
CONVEX WHEEL
30MM DIAM**

Suits Cowdroy Centurion & others



S68100

PACK OF 2

Roller with axle & nut for door hangers

**30KG PER PAIR
CONVEX WHEEL
25MM DIAM**

Suits Cowdroy Arrow & others



S84050

PACK OF 1

Roller with bore for door carriages

**30KG EACH
CONCAVE WHEEL
36MM DIAM**

Suits Various Carriages



S84068

PACK OF 1

Corrosion Resistant - Heavy Duty
Roller with bore for door carriages

**35KG EACH
CONCAVE WHEEL
32MM DIAM**

Suits Various Carriages



S84138

PACK OF 1

Corrosion Resistant - Heavy Duty
Roller with axle for door carriages

**35KG EACH
CONCAVE WHEEL
36MM DIAM**

Suits Various Carriages



S84191

PACK OF 1

Corrosion Resistant
S/Steel roller with axle for door carriages

**12KG EACH
CONCAVE WHEEL
14MM DIAM**

Suits Various Carriages



S84200

PACK OF 1

Corrosion Resistant - Heavy Duty
S/Steel roller with bore for door carriages

**40KG EACH
CONCAVE WHEEL
32MM DIAM**

Suits Various Carriages



S84210

PACK OF 1

Corrosion Resistant - Heavy Duty
S/Steel roller with axle for door carriages

**40KG EACH
CONCAVE WHEEL
32MM DIAM**

Suits Various Hangers



S84370

PACK OF 1

Roller with axle for door hangers

**40KG EACH
CONVEX WHEEL
41MM DIAM**

Suits Various Hangers



S92000

PACK OF 2

Roller with axle for door carriages

**50KG PER PAIR
CONCAVE WHEEL
32MM DIAM**

Suits Various Carriages



S84390

PACK OF 1

Roller with axle & nut for door hangers

**30KG EACH
CONVEX WHEEL
31MM DIAM**

Suits Various Hangers



S91200

PACK OF 2

Roller with axle & nut for door hangers

**50KG PER PAIR
FLAT WHEEL
25MM DIAM**

Suits Various Hangers



S91300

PACK OF 2

Roller with axle & nut for door hangers

**60KG PER PAIR
CONVEX WHEEL
31MM DIAM**

Suits Various Hangers



S92100

PACK OF 2

Roller with axle for door carriages

**50KG PER PAIR
CONCAVE WHEEL
36MM DIAM**

Suits Various Carriages



S92200

PACK OF 2

Roller with bore for door carriages

**30KG PER PAIR
CONCAVE WHEEL
25MM DIAM**

Suits Various Carriages



S92300

PACK OF 2

Heavy Duty roller with axle for door carriages

**80KG PER PAIR
CONCAVE WHEEL
32MM DIAM**

Suits Various Carriages

ROLLERS



S92400

PACK OF 2
Roller with bore for
door carriages
50KG PER PAIR
CONCAVE WHEEL
32MM DIAM
Suits Various Carriages



S92500

PACK OF 2
Roller with axle for
door carriages
50KG PER PAIR
CONCAVE WHEEL
32MM DIAM
Suits Various Carriages



S92600

PACK OF 2
Roller with bore for
door carriages
60KG PER PAIR
CONCAVE WHEEL
38MM DIAM
Suits Various Carriages



S93600


PACK OF 2
Roller with axle & nut for
door hangers
70KG PER PAIR
CONVEX WHEEL
28MM DIAM
Suits Various Hangers



S94800


PACK OF 2
Corrosion Resistant - Heavy Duty
S/Steel Roller with axle for
door carriages
50KG PER PAIR
CONCAVE WHEEL
25MM DIAM
Suits Various Carriages

CARRIAGES




P66100

PACK OF 2
Carriage for Internal doors.
Bottom rolling
60KG PER PAIR
CONCAVE WHEEL
32MM DIAM
Suits Cowdroy Track TT613



P67100

PACK OF 2
Heavy Duty
Carriage for Internal doors.
Bottom rolling
120KG PER PAIR
CONCAVE WHEEL
32MM DIAM
Suits Cowdroy Track TT612



P75500


PACK OF 1
Carriage for Internal Sliding Doors. Top Hung
50KG PER PAIR
BALL WHEEL
19MM DIAM
Suits Cowdroy Quad-Ball, Twinball & others



S81018

PACK OF 1
Corrosion Resistant - Heavy Duty
Carriage for Aluminium framed doors. Bottom rolling
40KG EACH
CONCAVE WHEEL
32MM DIAM
Suits Trimview and others

CARRIAGES



S81040

PACK OF 1

Carriage for Aluminium framed doors. Bottom rolling

**25KG EACH
CONCAVE WHEEL
32MM DIAM**

Suits Various Doors



S81078


PACK OF 1

Corrosion Resistant - Heavy Duty

Carriage for Aluminium framed doors. Bottom rolling

**20KG EACH
CONCAVE WHEEL
32MM DIAM**

Suits Alulite, Statesman & others



S81089

PACK OF 1

Corrosion Resistant - Heavy Duty

Carriage for Aluminium framed doors. Bottom rolling

**40KG EACH
CONCAVE WHEEL
32MM DIAM**

Suits Various wardrobes & doors



S81090


PACK OF 1

Carriage for Aluminium framed doors. Bottom rolling

**20KG EACH
CONCAVE WHEEL
32MM DIAM**

Suits Jasons & BGC 2004 onwards

CARRIAGES



S81110

PACK OF 1

Carriage for Aluminium framed doors. Bottom rolling

**25KG EACH
CONCAVE WHEEL
32MM DIAM**

Suits Various Doors


S81120

PACK OF 1

Carriage for Aluminium framed doors. Bottom rolling

**20KG EACH
CONCAVE WHEEL
32MM DIAM**

Suits Various Doors




S81121

PACK OF 1

Carriage for Aluminium framed doors. Bottom rolling

**25KG EACH
CONCAVE WHEEL
32MM DIAM**

Suits Various Doors



S81150

PACK OF 1

Carriage for Aluminium framed doors. Bottom rolling

**20KG EACH
CONCAVE WHEEL
28MM DIAM**

Suits Various Doors

CARRIAGES



S81170

PACK OF 1

Carriage for Aluminium framed doors. Bottom rolling

**25KG EACH
CONCAVE WHEEL
32MM DIAM**

Suits Jasons, Precision & others



S81200

PACK OF 1

Carriage for Aluminium framed doors. Bottom rolling

**25KG EACH
CONCAVE WHEEL
25MM DIAM**

Suits Jasons pre 1982

CARRIAGES



S81241

PACK OF 1

Corrosion Resistant - Heavy Duty

Carriage for Aluminium framed doors. Bottom rolling

**35KG EACH
CONCAVE WHEEL
24MM DIAM**

Suits Boral, Nu-Look & others




S81310

PACK OF 1

Carriage for Aluminium framed doors. Bottom rolling

**20KG EACH
CONCAVE WHEEL
32MM DIAM**

Suits A&L Windows



S81240

PACK OF 1

Carriage for Aluminium framed doors. Bottom rolling

**20KG EACH
CONCAVE WHEEL
24MM DIAM**

Suits Boral, Nu-Look & others




S81319

PACK OF 1

Carriage for Aluminium framed doors.
Bottom rolling

**20KG EACH
CONCAVE WHEEL
32MM DIAM**

Suits A&L Windows



S81361

PACK OF 1

Carriage for Aluminium framed doors.
Bottom rolling

**20KG EACH
CONCAVE WHEEL
25MM DIAM**

Suits Lidco



S81216

PACK OF 1

Corrosion Resistant - Heavy Duty

Carriage for Aluminium framed doors. Bottom rolling

**40KG EACH
CONCAVE WHEEL
32MM DIAM**

Suits Dowell and others

CARRIAGES



S81350
PACK OF 1
Carriage for Aluminium
framed doors. Bottom rolling
20KG EACH
CONCAVE WHEEL
32MM DIAM
Suits Capral & G James




S81380
PACK OF 1
Carriage for Aluminium framed
doors. Bottom rolling
20KG EACH
CONCAVE WHEEL
25MM DIAM
Suits BGC MK2



S81410
PACK OF 1
Corrosion Resistant
Aluminium framed doors.
Bottom rolling
20KG EACH
CONCAVE WHEEL
28MM DIAM
Suits Various doors

CARRIAGES



S94900
PACK OF 1
Aluminium framed doors. Bottom rolling
25KG EACH
CONCAVE WHEEL
36MM DIAM
Suits Boral, Cyclone, G James & others



S95300
PACK OF 2
Carriage for Internal doors. Bottom rolling
50KG PER PAIR
CONCAVE WHEEL
32MM DIAM
Suits Cowdroy track TT613




S95400
PACK OF 1
Carriage for Internal doors. Bottom rolling
20KG EACH
CONCAVE WHEEL
32MM DIAM
Suits Trimview, Alcan, Clearview, Airlite & others



S95500
PACK OF 2
Carriage for Aluminium framed doors. Bottom rolling
50KG EACH
CONCAVE WHEEL
36MM DIAM
Suits Boral, Cyclone, G James & others

CARRIAGES



S95600

PACK OF 2

Carriage for Aluminium framed doors. Bottom rolling

**40KG EACH
CONCAVE WHEEL
32MM DIAM**

Suits Cowdroy track TT613



S95800

PACK OF 1

Carriage for Aluminium framed doors. Bottom rolling

**25KG EACH
CONCAVE WHEEL
32MM DIAM**

Suits Boka, Comalco and others

CARRIAGES



S96500

PACK OF 1

Carriage for Aluminium framed doors.
Bottom rolling - R/Hand

**25KG EACH
CONCAVE WHEEL
27MM DIAM**

Suits Stegbar and others



S96600

PACK OF 1

Carriage for Aluminium framed doors.
Bottom rolling - L/Hand

**25KG EACH
CONCAVE WHEEL
27MM DIAM**

Suits Stegbar and others




S96200

PACK OF 1

Carriage for Aluminium framed doors. Bottom rolling

**25KG EACH
CONCAVE WHEEL
32MM DIAM**

Suits Dowell and others




S96400

PACK OF 1

Carriage for Aluminium framed doors. Bottom rolling

**25KG EACH
CONCAVE WHEEL
29MM DIAM**

Suits Boral and others



S96700


PACK OF 1

Heavy Duty

Carriage for Heavy internal doors. Bottom rolling

**100KG EACH
CONCAVE WHEEL
35MM DIAM**

Suits Cowdroy track TT612



S98700

PACK OF 2

Carriage for Internal doors. Bottom rolling

**50KG PER PAIR
CONCAVE WHEEL
32MM DIAM**

Suits Cowdroy track TT612

CARRIAGES



TT65200

LOOSE

Corrosion Resistant - Heavy Duty
Carriage for Internal & external doors. Bottom rolling

**100KG EACH
CONCAVE WHEEL
32MM DIAM**

Suits Cowdroy track TT612




TT65500

LOOSE

Corrosion Resistant - Heavy Duty
Carriage for Internal & external doors. Bottom rolling

**113KG EACH
CONCAVE WHEEL
35MM DIAM**

Suits Cowdroy track TT612



TT65700

LOOSE

Corrosion Resistant - Heavy Duty

Carriage for Internal & external doors. Bottom rolling

**100KG EACH
CONCAVE WHEEL
35MM DIAM**

Suits Cowdroy track TT612

CARRIAGES



TT66300

LOOSE

Corrosion Resistant

Carriage for Internal & external windows & doors. Bottom rolling

**30KG EACH
CONCAVE WHEEL
25MM DIAM**

Suits Cowdroy track TT612



TT66500

LOOSE

Heavy Duty

Carriage for Internal & external doors. Bottom rolling

**50KG EACH
CONCAVE WHEEL
32MM DIAM**

Suits Cowdroy track TT612



TT95700

LOOSE

Carriage for Internal doors. Bottom rolling

**20KG EACH
CONCAVE WHEEL
32MM DIAM**

Suits Hammonds, Wunderlich and others

HANGERS



S331CS

PACK OF 2

Hanger for Internal sliding doors. Top hung

**50KG PER PAIR
CONVEX WHEEL
19MM DIAM**

Suits Cowdroy ForeRunner



S337CS

PACK OF 2

Hanger for Internal sliding doors. Top hung Quick Release

**80KG PER PAIR
CONVEX WHEEL
19MM DIAM**

Suits Cowdroy Triumph Sliding



S33700

PACK OF 2

Hanger for Internal folding doors. Top hung Quick Release

**UP TO 25KG PER PANEL
CONVEX WHEEL
19MM DIAM**

Suits Cowdroy Triumph Folding




S81920

PACK OF 1

Hanger for Shed doors. Top Hung

12KG EACH | FLAT WHEEL | 21MM DIAM

Suits Absco, Span Built & others



S82106


1 SET

Hanger for Internal doors. Bi-folding

**10KG EACH
CONVEX WHEEL
21MM DIAM**

Suits Superfold

HANGERS



S96800

PACK OF 2

Hanger for Shed doors. Top Hung

**5KG PER PAIR
CONVEX WHEEL
20MM DIAM**

Suits Treco and others



S96900



PACK OF 1

Hanger for Internal doors. Top hung

**60KG EACH
CONVEX WHEEL
29MM DIAM**

Centor, Trak, Sylon & others

GUIDES



P20900

PACK OF 1

Guide - Wall & floor fixed. Top hung timber doors

NYLON & STEEL | ADJUSTABLE

Suits Doors with bottom groove

P20700


PACK OF 1

Guide - Floor fixed. Top hung doors

**ALUMINIUM
ADJUSTABLE**

Suits Doors without bottom groove

GUIDES




P21300

PACK OF 1

Guide - Wall & floor fixed. Top hung doors
ALUMINIUM | ADJUSTABLE
Doors without bottom groove


GUIDES



S03200

PACK OF 1


Guide - Wall & floor fixed. Top hung timber doors
NYLON | ADJUSTABLE
Suits Doors with bottom groove



S03300

PACK OF 1

Guide - Floor fixed. Top hung cavity doors
NYLON
Suits 19-35mm Doors with bottom groove



S03000

PACK OF 2

Guide - Floor fixed. Top hung timber doors
**NYLON
LIGHT DUTY**
Suits Doors with bottom groove



S03100

PACK OF 1

Guide - Floor fixed. Top hung timber doors
**NYLON
LIGHT DUTY**
Suits Doors with bottom groove



S03500

PACK OF 1

Guide - Wall fixed. Top hung timber doors
STEEL | ADJUSTABLE
Suits 16-45mm Doors with bottom groove



S20800

PACK OF 1

Guide - Floor fixed. Top hung timber doors
NYLON
Suits Doors with bottom groove


GUIDES




S31000
PACK OF 2
Guide - Internal folding door bottom guide
NYLON & STEEL | SPRING LOADED
Suits Cowdroy D32141 Channel




S31500
PACK OF 1
Guide - Internal doors. Bi-folding
UP TO 13KG | TOP GUIDE | SPRING LOADED
Suits Cowdroy Barracuda




S68400
1 PAIR
Guide - Jamb fixed. Top hung cavity doors
NYLON ADJUSTABLE
Suits Doors without bottom groove



S81640
1 PAIR
Guide - Top guide set for windows
NYLON
Suits Jasons and Wunderlich




S82940
PACK OF 1
Guide - Internal doors. Bi-folding
NYLON & STEEL
Suits Stegbar



TT21600
LOOSE
Heavy Duty
Guide - Floor fixed. Top hung timber doors
ALUMINIUM 150MM LONG
Suits Treco and others


STOPS



P75600
PACK OF 1
Track fixed door stop
NYLON
Suits Quad-Ball, 4-Ball



S64900
PACK OF 1
General purpose stop for sliding doors
PLASTIC BRACKET NYLON BUMPER
Suits Cowdroy systems and others




S81760
PACK OF 1
General purpose stop for sliding doors
METAL BRACKET RUBBER BUMPER
Suits Cowdroy systems and others



TT16600
LOOSE
General purpose stop for sliding doors
METAL BRACKET PLASTIC BUMPER
Suits Cowdroy ForeRunner




TT32700
LOOSE
Clip stop assembly for sliding doors
NYLON
Suits Cowdroy Triumph



TT37500
PACK OF 1
Door stop for sliding doors
METAL BRACKET
Suits Cowdroy Triumph

SETS



P315CS

SET

Components set for Internal sliding doors. Top hung
80KG PER PAIR
SINGLE DOOR
Suits Cowdroy Triumph

P370CH

SET

Starter set for Internal folding doors. Pivotted
UP TO 25KG
2 STARTER DOORS
CHROME HINGES
Suits Cowdroy Triumph



SETS



P372CH


SET

Add-on set for Internal folding doors. Pivotted
UP TO 25KG
2 ADD-ON DOORS
CHROME HINGES
Suits Cowdroy Triumph

S31200

SET

Bottom pivot set for Internal folding doors. Pivotted
UP TO 13KG
ADJUSTABLE
Suits Cowdroy Barracuda




S31100

SET

Top-Pivot set for Internal folding doors. Pivotted
UP TO 13KG
ADJUSTABLE
Suits Cowdroy Barracuda

ACCESSORIES



CMS30309

PACK OF 1
Rubber strip for bottom door seal
RUBBER
920MM
Suits Cowdroy CM3, CM5, Raven and others



CMS39500

PACK OF 4
Striker disc for automatic door seal
PLASTIC
OFFSET HOLE
Suits Cowdroy CM3, Raven and others



D003BR

LOOSE
Fast fix hinge for Internal folding and hinged doors
STEEL
BRASS PLATED
Suits Cowdroy Triumph, Barracuda & others



D003CH

LOOSE
Fast fix hinge for Internal folding and hinged doors
STEEL
CHROME PLATED
Suits Cowdroy Triumph, Barracuda & others



D003SI


LOOSE
Fast fix hinge for Internal folding and hinged doors
STEEL
SILVER POWDER COAT
Suits Cowdroy Triumph, Barracuda & others

ACCESSORIES




TT35604

LOOSE
End cap for track
NYLON
GREY
Suits Cowdroy Triumph




TT61800

PACK OF 100
Screw for Bronze and Brass track
BRASS
6G X 16MM CSK
Suits Cowdroy track TT612 & TT611



TT61900

PACK OF 100
Screw for Bronze and Brass track
BRASS
6G X 19MM CSK
Suits Cowdroy track TT612 & TT611



TT65408

LOOSE
Screw access hole plug.
PLASTIC
8MM HOLE
Suits 8mm hole



TT65900

LOOSE
Top mount anti-rattle guide block for guides 2.5mm thick
PLASTIC
NARROW OPENING
Suits Cowdroy pelmet guide TT658



TT66900

LOOSE
Top mount anti-rattle guide block for guides 4mm thick
PLASTIC
WIDE OPENING
Suits Cowdroy aluminium T guide & others

ROLLERS




S84148

PACK OF 1

Corrosion Resistant - Heavy Duty
Roller with axle for door carriages

35KG EACH
CONCAVE WHEEL
32MM DIAM

Suits Various carriages



S84240

PACK OF 1

Roller with axle for flyscreen
door carriages

12KG EACH
CONCAVE WHEEL
24MM DIAM

Suits Dowell and others



S84251

PACK OF 1

Roller with axle for flyscreen
door carriages

12KG EACH
CONCAVE WHEEL
24MM DIAM

Suits Various carriages



S91800

PACK OF 2

Roller with axle for screen doors

30KG PER PAIR
CONCAVE WHEEL
29MM DIAM

Suits Clearview, Stegbar & others



S92800

PACK OF 2

Roller with axle for screen
doors

24KG PER PAIR
CONCAVE WHEEL
23MM DIAM

Suits Various carriages



S94000

PACK OF 2

Roller with axle for screen
doors

30KG PER PAIR
CONCAVE WHEEL
27MM DIAM

Suits Jasons

CARRIAGES



S81206

PACK OF 1

Carriage for Aluminium framed
screens. Bottom rolling

25KG EACH
CONCAVE WHEEL 32MM
DIAM

Suits Bradnams



S81207

PACK OF 1

Carriage for Aluminium framed
screens. Bottom rolling

25KG EACH
CONCAVE WHEEL
32MM DIAM

Suits Bradnams



S83030

PACK OF 1

Carriage for Aluminium framed
screens. Bottom rolling

25KG EACH
CONCAVE WHEEL
32MM DIAM

Suits many aluminium screens



S83411

PACK OF 1

Corrosion Resistant

Carriage for Aluminium framed screens. Bottom rolling

12KG EACH
CONCAVE WHEEL
16MM DIAM

Suits various screens

CARRIAGES



S83080

PACK OF 1

Carriage for Aluminium framed screens. Bottom rolling

15KG EACH
CONCAVE WHEEL
23MM DIAM

Suits various screens

CARRIAGES



S83100

PACK OF 1

Carriage for Aluminium framed screens. Bottom rolling

15KG EACH
CONCAVE WHEEL
28MM DIAM

Suits various screens


CARRIAGES



S83110


PACK OF 1
Carriage for Aluminium framed screens. Bottom rolling
15KG EACH
CONCAVE WHEEL
23MM DIAM
Suits various screens

CARRIAGES



S94100

PACK OF 2
Carriage for Aluminium framed screens. Bottom rolling
30KG PER PAIR
CONCAVE WHEEL
27MM DIAM
Suits Jasons



S94200

PACK OF 2
Carriage for Aluminium framed screens. Bottom rolling
30KG PER PAIR
CONCAVE WHEEL
24MM DIAM
Suits various screens



S94300

PACK OF 2
Carriage for Aluminium framed screens. Bottom rolling
30KG PER PAIR
CONCAVE WHEEL
24MM DIAM
Suits various screens



S94400

PACK OF 2
Carriage for aluminium framed screens. Bottom rolling
20KG PER PAIR
CONCAVE WHEEL
23MM DIAM
Suits various screens



S95100

PACK OF 1
Carriage for aluminium framed screens. Bottom rolling
15KG EACH
CONCAVE WHEEL
29MM DIAM
Suits Boral, G.James, Trend & others

CARRIAGES




S95200

PACK OF 1
Carriage for aluminium
framed screens. Bottom
rolling
25KG EACH
CONCAVE WHEEL
32MM DIAM
Suits many aluminium
screens




S96300

PACK OF 1
Carriage for Aluminium
framed screens. Bottom
rolling
30KG PER PAIR
CONCAVE WHEEL
27MM DIAM
Suits Trend and others



S98400

PACK OF 1
Carriage for aluminium framed
screens. Bottom rolling
8KG EACH
CONCAVE V
29MM DIAM
Suits various screens



S98600

PACK OF 2
Carriage for aluminium framed
screens. Bottom rolling
30KG PER PAIR
CONCAVE WHEEL
36MM DIAM
Suits various screens



HANGERS



S83150

1 PAIR
Hanger for aluminium framed
screens. Top hung
10KG EACH
CONVEX WHEEL
19MM DIAM
Suits Stegbar



S83161

PACK OF 1
Hanger for aluminium framed
screens. Top hung
15KG EACH
CONVEX WHEEL
19MM DIAM
Suits Bradnams



S96000

PACK OF 1
Hanger for Aluminium framed
screens. Top hung
15KG EACH
CONVEX WHEEL
19MM DIAM
Suits Various Screens



S96100

1 PAIR
Hanger for Aluminium framed
screens. Top hung
20KG PER PAIR
CONVEX WHEEL
19MM DIAM
Suits Wideline and others

GUIDES



S03400
PACK OF 2
Bottom guide for screen doors
NYLON
Suits various screens



S83380
PACK OF 1
Top guide for aluminium framed screens
NYLON
Suits Dowell, Boral and others




S98800
PACK OF 2
Top guide for screen doors
NYLON
SPRING LOADED
Suits Boral and others



S98900
PACK OF 2
Guide for Aluminium framed screens. Bottom rolling
NYLON
SPRING LOADED
Suits Boral and others



S99000
PACK OF 2
Guide for Aluminium framed screens. Bottom rolling
PLASTIC BRACKET
SPRING LOADED
Suits Trimview, Trend & others




S94600
PACK OF 2
Top roller guide for screen doors
14KG PER PAIR
FLAT WHEEL
16MM DIAM
Suits Comalco

ACCESSORIES

S81692

PACK OF 2
Guide button or spacer button for screens
NYLON
5MM DIAM
Suits various screens



S83631

PACK OF 1
Retaining spring for Aluminium framed screens. Spring fit
NYLON
Suits various screens



S86060
PACK OF 1
Door Pull for screen doors
NYLON
Suits Dowell and Boral



S83180

PACK OF 1
Top corner stake for Aluminium framed screens
NYLON
Suits various screens

ACCESSORIES



S86281

PACK OF 1
Door Catch for Screen doors - left handed
METAL
Suits Dowell



S88060

PACK OF 1
Door Pull for
Screen doors
NYLON
Suits various
screen doors



S88081

1 SET
Door latch for Screen doors
**NYLON
STEEL**
Suits various screen doors

ROLLERS



S90200

PACK OF 2
Roller with axle & screw for
shower doors
20KG PER PAIR
CONVEX WHEEL
20MM DIAM
Suits various hangers



S91000

PACK OF 2
Roller with axle & screw for
shower doors
10KG PER PAIR
FLAT WHEEL
19MM DIAM
Suits various hangers



S91100

PACK OF 2
Roller with axle & screw for
shower doors
10KG PER PAIR
FLAT WHEEL BLUE
19MM DIAM
Suits various hangers



S92700

PACK OF 2
Roller with axle & screw for
shower screen hangers
24KG PER PAIR
CONCAVE WHEEL
24MM DIAM
Suits various hangers



S93000

PACK OF 2
Roller with axle & screw for
shower doors
10KG PER PAIR
CONVEX WHEEL
19MM DIAM
Suits various hangers




S93100

PACK OF 2
Roller with bore for shower
hangers
20KG PER PAIR
CONVEX WHEEL
20MM DIAM
Suits various hangers



S93200

PACK OF 2
Roller with axle & screw for
shower doors
10KG PER PAIR
CONVEX WHEEL
19MM DIAM
Suits various hangers



S93300

PACK OF 2
Roller with axle & screw for
shower doors
20KG PER PAIR
FLAT WHEEL
19MM DIAM
Suits various hangers

CARRIAGES



S87010


PACK OF 1
Carriage for shower screen doors.
Bottom rolling
8KG EACH
CONVEX WHEEL
19MM DIAM
Suits Boral and Elite

ACCESSORIES




S87165

1 SET
Guides & pick-up block for multi-panel shower screens
NYLON
Suits classic



S87310

PACK OF 1
Guides for multi-panel shower screens
NYLON
Suits BGC



S87300

PACK OF 1
Pick-up block for multi-panel shower screens
NYLON
Suits BGC

ROLLERS

S23300

PACK OF 2
Roller with axle & nut for door hangers
25KG PER PAIR
CONVEX WHEEL
20MM DIAM
Suits Cowdroy Quick-Fix, Silent Glide & others



S45400

PACK OF 2
Roller with axle & nut for door hangers
16KG PER PAIR
CONVEX WHEEL
19MM DIAM
Suits Cowdroy Silent Glide & others

CARRIAGES



S58400

PACK OF 1
Carriage for Internal wardrobe doors. Bottom rolling
25KG EACH
CONVEX WHEEL
42MM DIAM
Suits Cowdroy Robemaker & others



S81320

PACK OF 1
Carriage for wooden wardrobe doors. Bottom rolling
20KG EACH
CONCAVE WHEEL
42MM DIAM
Suits Dowell and others

S82120

PACK OF 1
Carriage for Cupboard doors. Bottom rolling
5KG EACH
CONVEX WHEEL
19MM DIAM
Suits Trola #7011



CARRIAGES



S82710

PACK OF 1

Carriage for Internal wardrobe doors. Bottom rolling

**20KG EACH
CONCAVE WHEEL
36MM DIAM**

Suits various wardrobes

TT58700

PACK OF 1

Hush Soft-Tyre Roller Assembly for wardrobe doors. Bottom rolling

**25KG EACH
CONVEX WHEEL
42MM DIAM**

Suits Cowdroy Robemaker & others



S82720

PACK OF 1

Carriage for wardrobe doors. Bottom rolling

**25KG EACH
CONVEX WHEEL
32MM DIAM**

Suits MCK Pacific & others




S90500

PACK OF 1

Internal doors. Bottom rolling

**25KG EACH
CONVEX WHEEL
42MM DIAM**

Suits Cowdroy MirrorRobe and others



S95900

PACK OF 1

Carriage for aluminium framed doors. Bottom rolling

**20KG EACH
CONCAVE WHEEL
38MM DIAM**

Suits Hammonds, Wunderlich and others



S98300

PACK OF 1

Carriage for Internal doors. Bottom rolling

**25KG EACH
CONCAVE WHEEL
36MM DIAM**

Suits Cowdroy track TT613

CARRIAGES




TT18400

LOOSE

Carriage for Internal cupboard doors. Bottom rolling

**10KG EACH
CONVEX WHEEL
25MM DIAM**

Suits Cowdroy Cabinetmaker



TT40000

LOOSE

Carriage for Wooden cupboard doors. Bottom rolling

**12.5KG EACH
CONCAVE WHEEL
16MM DIAM**

Suits Cowdroy track TT416

HANGERS



S23200

PACK OF 1

Hanger for Internal wardrobe doors. Top hung

**12.5KG EACH
CONVEX WHEEL
20MM DIAM**

Suits Cowdroy Quick Fix & others

S82170

PACK OF 1

Hanger for Internal wardrobe doors. Top hung - front door

**15KG EACH
CONVEX WHEEL
23MM DIAM**

Suits various wardrobes



HANGERS



S82180

PACK OF 1

Hanger for Internal wardrobe doors. Top hung - back door

**15KG EACH
CONVEX WHEEL
23MM DIAM**

Suits various wardrobes



TT48500

LOOSE

Hanger for Internal wardrobe doors. Top hung 2mm offset

**25KG EACH
CONVEX WHEEL
21MM DIAM**

Suits Cowdroy Manhattan & others



TT48600

LOOSE

Hanger for Internal wardrobe doors. Top hung 12.5mm offset

**25KG EACH
CONVEX WHEEL
21MM DIAM**

Suits Cowdroy Manhattan & others



TT55000

LOOSE

Hanger for Internal wardrobe doors. Top hung

**10KG EACH
CONVEX WHEEL
15MM DIAM**

Suits Cowdroy Tudor

GUIDES



S58600

PACK OF 2
Guide for Internal wardrobe doors. Bottom rolling
NYLON
42MM DIAM
Suits Cowdroy Robemaker & others



TT18600

LOOSE
Guide for Internal cupboard doors. Bottom rolling
NYLON
20MM DIAM
Suits Cowdroy Cabinetmaker



TT56600

LOOSE
Guide for Mirror wardrobe doors. Bottom rolling
NYLON
WITH SCREW
Suits Cowdroy MirrorRobe and others

SETS

P23200

SET
Components set for Internal doors. Top hung
25KG PER PAIR
CONVEX WHEEL
Suits Cowdroy Quick Fix & others

P58500

SET
Components set for Internal wardrobe doors. Bottom rolling
50KG PER PAIR
SINGLE DOOR
Suits Cowdroy Robemaker & others



ROLLERS

S90000


PACK OF 2
Roller with axle for window carriages
20KG PER PAIR
CONCAVE WHEEL
16MM DIAM
Suits various carriages



S97000

PACK OF 2
Roller with axle for window carriages
24KG PER PAIR
CONCAVE V WHEEL
16MM DIAM
Suits Trimview and others

CARRIAGES



S85141

PACK OF 1
Carriage for aluminium framed windows. Bottom rolling
10KG EACH
CONCAVE WHEEL
13.5MM DIAM
Suits Bradnams



S85200

PACK OF 2
Carriage for aluminium framed windows. Bottom rolling
10KG EACH
FLAT WHEEL
9MM DIAM
Suits Boral




S85170

PACK OF 2
Carriage for aluminium framed windows. Bottom rolling
10KG EACH
FLAT WHEEL
16MM DIAM
Suits Boral, Cyclone & others



S85220

PACK OF 2
Carriage for aluminium framed windows. Bottom rolling
8KG EACH
FLAT WHEEL
9MM DIAM
Suits Comalco, Wunderlich & others



S85191

PACK OF 1
Carriage for aluminium framed windows. Bottom rolling
10KG EACH
CONCAVE WHEEL
15MM DIAM
Suits Jason



S85230

PACK OF 2
Carriage for aluminium framed windows. Bottom rolling
8KG EACH
CONCAVE WHEEL
12MM DIAM
Suits various windows

CARRIAGES



S85270

1 PAIR

Carriage for aluminium framed windows. Bottom rolling

**10KG EACH
CONCAVE WHEEL
14MM DIAM**

Suits Jason



S91900

PACK OF 2

Carriage for aluminium framed windows. Bottom rolling

**24KG PER PAIR
FLAT WHEEL
10MM DIAM**

Suits Stegbar, Vincent & others




S93700

PACK OF 2

Carriage for aluminium framed windows. Bottom rolling

**24KG PER PAIR
CONCAVE WHEEL
12MM DIAM**

Suits various windows



S97200

PACK OF 2

Carriage for aluminium framed windows. Bottom rolling

**30KG PER PAIR
CONCAVE WHEEL
10MM DIAM**

Suits Cowdroy Roller Bearing 6

CARRIAGES



S97800

PACK OF 2

Carriage for aluminium framed windows. Bottom rolling

**24KG PER PAIR
CONCAVE V
12MM DIAM**

Suits Vincent, Stegbar & others



S97900

PACK OF 2

Carriage for aluminium framed windows. Bottom rolling

**24KG PER PAIR
CONCAVE V
12MM DIAM**

Suits Vincent, Stegbar & others



S98000

PACK OF 2

Carriage for aluminium framed windows. Bottom rolling

**24KG PER PAIR
CONCAVE WHEEL
10MM DIAM**

Suits Wideline and others



S98100

PACK OF 2

Carriage for aluminium framed windows. Bottom rolling

**24KG PER PAIR
CONCAVE WHEEL
16MM DIAM**

Suits G.James and others



S97300

PACK OF 2

Carriage for aluminium framed windows. Bottom rolling

**24KG EACH
CONCAVE V WHEEL
12MM DIAM**

Suits Lidco, Seaview & others




S97400

PACK OF 2

Carriage for aluminium framed windows. Bottom rolling

**24KG EACH
CONCAVE V WHEEL
16MM DIAM**

Suits Hanlon, Dowell & others



S97600

1 PAIR

Carriage for aluminium framed windows. Bottom rolling

**24KG PER PAIR
CONCAVE V
16MM DIAM**

Suits Trend and others



S97700

PACK OF 2

Carriage aluminium framed windows. Bottom rolling

**24KG PER PAIR
CONCAVE
12MM DIAM**

Suits Airlite and others



TT51510

LOOSE

Carriage for Timber & Aluminium framed doors. Bottom rolling.

**100KG EACH
CONCAVE WHEEL
32MM DIAM**

Suits Cowdroy Roller Bearing 10 & others

GUIDES




S85210

PACK OF 2

Guide for aluminium framed windows. Bottom rolling

NYLON

Suits Dowell



TT52000

LOOSE

Carriage for Aluminium framed windows. Bottom rolling



**29KG EACH
CONCAVE WHEEL
19MM DIAM**

Suits Cowdroy MKII Sashless Windows

ACCESSORIES

S85250

PACK OF 1
Corner stake for
aluminium framed
windows.
NYLON
Suits Trimview



TT04606

LOOSE
End Cap for Aluminium
bottom rail.
**NYLON
WHITE**
Suits Cowdroy Roller
Bearing 6


TT04608

LOOSE
End Cap for Aluminium
bottom rail.
**NYLON
BLACK**
Suits Cowdroy Roller
Bearing 6



TT04613

LOOSE
End Cap for Aluminium bottom rail.
**NYLON
SILVER**
Suits Cowdroy Roller Bearing 6



TT05406

LOOSE
End Cap for Aluminium bottom rail.
**NYLON
WHITE**
Cowdroy MKII Sashless Windows



TT05408

LOOSE
End Cap for Aluminium bottom rail.
**NYLON
BLACK**
Cowdroy MKII Sashless Windows



TT05606

LOOSE
End Cap for Aluminium bottom rail.
**NYLON
WHITE**
Suits Cowdroy Roller Bearing 10



TT05608

LOOSE
End Cap for Aluminium bottom rail.
**NYLON
BLACK**
Suits Cowdroy Roller Bearing 10



TT05613

LOOSE
End Cap for Aluminium bottom rail.
**NYLON
SILVER**
Suits Cowdroy Roller Bearing 10

CAPPING TRACKS

When you replace your window and door rollers it is an ideal time to clean and assess your track.

Old, worn-out tracks are common problems with sliding window and door issues. Often a light sanding and clean will fix it. Sometimes, however, the problem is a lot harder to fix.


Cowdroy can provide a simple, inexpensive solution for those old worn-out tracks, without the need to remove your existing frame. The Cowdroy Stainless Steel Capping Track range is inexpensive and simple to install.

All you do is select the capping track style which suits, cut it to size and fit it on top of your existing track.

The result is a revived track, improved performance of your windows & doors and an increased life-span of your new rollers.



REPAIR THOSE WORN TRACKS

- Fits on top of your existing track
- No need to disturb existing frame
- Simple to install
- Inexpensive





RANGE



TT60200





TT60300





TT60400





TT60500





TT60600



TT60700



TT60800



REPLACEMENTS

DO IT YOURSELF

The Cowdroy range of replacement wheels, rollers and parts are ideal for those worn, stubborn or dysfunctional sliding windows and doors.

Common symptoms of malfunctioning sliding components include the following:

- Excessive noise or grinding sound
- Extensive wear and tear on tracks
- Windows or doors do not slide freely
- Windows or doors feel bumpy when sliding
- Windows or doors are jammed

In most cases these worn parts are simple to replace and maintain.

DEFINITIONS

SMALL (CUPBOARDS & WINDOWS)

Up to 27mm diameter

MEDIUM (DOORS)

28mm to 36mm diameter

LARGE (WARDROBES)

38mm diameter and over

SCREEN DOORS

Up to 15kg

GUIDELINES

It is generally recognised as good maintenance practice to replace components in sets (e.g. pairs of rollers or guides) in order to retain lifespan of replacement parts as well as to maximise sliding performance.

Whether it be sliding flyscreen, patio, security or wardrobe doors, in the majority of instances the procedure of removing rollers is quite similar.

Many rollers are adjustable. This adjustment may be actuated by either a screw or a nut. Generally, bottom sliding systems are screw adjustable and top sliding systems are nut adjustable. (Some roller assemblies are spring loaded and may be removed easily). The following steps will help in the removal and replacement of rollers.

1. Identify the adjustment mechanism (i.e. screws or nuts).
2. Should there be no visible means of adjustment then it may be possible to lift and remove the window or door without altering it's position.
3. Loosen adjustment to allow door to lower. (In screw adjustment turn screw anti-clockwise to lower door. In nut adjustment loosen the nuts on the rear of the race assembly to lower door then re-tighten slightly once door has "dropped").
4. With adjustment now loose you should be able to lift and manouvre the window/door off the track and guides.
5. In some instances, such as glass patio doors, the removal of a fixed panel may be necessary in order to remove the door.
6. Rollers can be removed from panels quite easily as most are either screwed, bolted, clipped or spring loaded.
7. Assess your track for damage and cleanliness. You may want to clean the track and, in some cases, your track may need a light sanding to ensure your rollers run as smooth as possible.
8. Replace rollers and re-install doors by reversal of the above mentioned procedures.
9. It may be necessary to adjust rollers in order to ensure correct operation of latching/locking mechanism if present.
10. Should you not be confident with any aspect of the above procedures we recommend you consult a qualified window or door repairer.



SECTION THREE

WEATHER SEALS

DOORS | WINDOWS | GENERAL PURPOSE | GAP FILLERS | SELECTION GUIDE | RE-ORDER CODES



DOOR SEALS



DRAUGHTS
DUST



COLD



HEAT
SUN



INSECTS
RODENTS



RAIN



NOISE


cowdroy



CM1

ROLLING DOOR SEAL 915mm wide

- Suits single & double hinged doors - inward opening
- Seals gaps up to 19mm
- Seals against heat, cold, dust and draughts
- Especially suited to uneven and rough surfaces
- Available in **915mm** wide



A furry door seal which hangs off hooks at the base of the door and rolls as the door is opened and closed allowing for easy removal and cleaning.


Retail Code	Description	Size	Colour
CM109GR	CM 1 Rolling Door Seal Pack	915 mm	Grey



CM3

AUTOMATIC CAM SEAL 915mm & 1220mm wide

- Suits single hinged doors - inward opening
- Seals gaps up to 16mm
- Seals against heat, cold, dust, draughts and insects
- Automatically lifts & drops
- Available in **915mm & 1220mm** wide



An extruded aluminium door seal with a rubber insert. Cam operation automatically lifts and drops the seal as required.


Retail Code	Description	Size	Colour
CM309BK	CM 3 Automatic (Cam) Door Seal Pack(NEW)	915 mm	Black
CM309BZ	CM 3 Automatic (Cam) Door Seal Pack	915 mm	Bronze
CM309CL	CM 3 Automatic (Cam) Door Seal Pack	915 mm	ClearAnod
CM309GO	CM 3 Automatic (Cam) Door Seal Pack	915 mm	Gold
CM312BZ	CM 3 Automatic (Cam) Door Seal Pack	1220 mm	Bronze
CM312CL	CM 3 Automatic (Cam) Door Seal Pack	1220 mm	ClearAnod
CM312GO	CM 3 Automatic (Cam) Door Seal Pack	1220 mm	Gold
Trade Code	Description	Size	Colour
CMT309BZ	CM 3 Automatic (Cam) Door Seal Box of 12	915 mm	Bronze
CMT309CL	CM 3 Automatic (Cam) Door Seal Box of 12	915 mm	ClearAnod
CMT309GO	CM 3 Automatic (Cam) Door Seal Box of 12	915 mm	Gold
CMT312BK	CM 3 Automatic (Cam) Door Seal Box of 12	1220 mm	Black
CMT312CL	CM 3 Automatic (Cam) Door Seal Box of 12	1220 mm	Clear



CM2A

BRUSH STRIP SEAL 915mm & 1220mm wide

- Suits single & double doors - inward & outward opening
- Seals gaps up to 19mm
- Seals against heat, cold, dust, draughts and insects
- Suitable for sliding doors
- Available in **915mm & 1220mm** wide



An extruded aluminium door seal with a brush strip insert and a self adhesive backing tape. May also be screw fixed.


Retail Code	Description	Size	Colour
CM2A9BZ	CM 2A Brush Strip Door Seal Pack	915 mm	Bronze
CM2A9CL	CM 2A Brush Strip Door Seal Pack	915 mm	ClearAnod
CM2A9GO	CM 2A Brush Strip Door Seal Pack	915 mm	Gold
Trade Code	Description	Size	Colour
CMT2A12BZ	CM 2A Brush Strip Door Seal Box of 12	1220 mm	Bronze
CMT2A12CL	CM 2A Brush Strip Door Seal Box of 12	1220 mm	ClearAnod



CM4

WEATHER PROOF DOOR SEAL 915mm & 1220mm wide

- Suits single & double hinged doors - inward & outward opening
- 25mm gap required between bottom of door and sill
- Seals against rain, heat, cold, dust, draughts, noise, insects and rodents
- Available in **915mm, 1220mm & 1850mm** wide




An extruded 2-part aluminium door seal with rubber inserts. Seal fixes to the door while the tread plate fixes to the floor.

*Note: CM4 is not suitable for doors less than 36 mm
CM4 Tread Plate needs 44 mm*

CM2P

PVC BRUSH STRIP SEAL 915mm wide

- Suits single & double hinged doors - inward & outward opening
- Seals gaps up to 19mm
- Seals against heat, cold, dust, draughts and insects
- Suitable for sliding doors
- Available in **915mm** wide



A P.V.C. door seal with a brush strip insert and a self adhesive backing tape. May also be screw fixed.

Retail Code	Description	Size	Colour
CM2P9BK	CM 2P PVC Brush Strip Door Seal Pack	915 mm	Black
CM2P9WH	CM 2P PVC Brush Strip Door Seal Pack	915 mm	White

Retail Code	Description	Size	Colour
CM409BZ	CM 4 Weather Proof Door Seal Pack	915 mm	Bronze
CM409CL	CM 4 Weather Proof Door Seal Pack	915 mm	ClearAnod
CM409GO	CM 4 Weather Proof Door Seal Pack	915 mm	Gold
CM412BZ	CM 4 Weather Proof Door Seal Pack	1220 mm	Bronze
CM412CL	CM 4 Weather Proof Door Seal Pack	1220 mm	ClearAnod
CM412GO	CM 4 Weather Proof Door Seal Pack	1220 mm	Gold
Trade Code	Description	Size	Colour
CMT409BZ	CM 4 Weather Proof Door Seal Box of 12	915 mm	Bronze
CMT409CL	CM 4 Weather Proof Door Seal Box of 12	915 mm	ClearAnod
CMT412BZ	CM 4 Weather Proof Door Seal Box of 12	1220 mm	Bronze
CMT412CL	CM 4 Weather Proof Door Seal Box of 12	1220 mm	ClearAnod
CMT418CL	CM 4 Weather Proof Door Seal Box of 12	1850 mm	ClearAnod

DOOR SEALS



DRAUGHTS
DUST



COLD



HEAT
SUN



INSECTS
RODENTS




RAIN



NOISE


cowdroy



CM5

RUBBER STRIP DOOR SEAL 915mm & 1220mm wide

- Suits single & double hinged doors - inward & outward opening
- Seals gaps up to 19mm
- Seals against heat, cold, dust, draughts and insects
- Available in **915mm & 1220mm** wide



An extruded aluminium door seal with a rubber insert. Screw fixes to the bottom of the door.


Retail Code	Description	Size	Colour
CM509BZ	CM 5 Rubber Strip Door Seal Pack	915 mm	Bronze
CM509CL	CM 5 Rubber Strip Door Seal Pack	915 mm	ClearAnod
CM509GO	CM 5 Rubber Strip Door Seal Pack	915 mm	Gold
Trade Code	Description	Size	Colour
CMT512CL	CM 5 Rubber Strip Door Seal Box of 12	1220 mm	ClearAnod



CM60

AUTOMATIC SEAL 915mm wide

- Suits single & double hinged doors - inward opening
- Suits gaps up to 15mm
- Seals against rain, heat, cold, dust, draughts, insects and rodents
- Automatically lifts / drops when door is opened / closed
- Available in **915mm** wide



An extruded aluminium door seal with rubber inserts. Pin trigger automatically lifts and drops the seal as required.


Retail Code	Description	Size	Colour
CM609BZ	CM60 Automatic (Pin) Door Seal Pack	915 mm	Bronze
CM609CL	CM60 Automatic (Pin) Door Seal Pack	915 mm	ClearAnod
CM609GO	CM60 Automatic (Pin) Door Seal Pack	915 mm	Gold



CM17

EXTRUDED PVC DOOR SEAL 915mm wide

- Suits single & double hinged doors - inward & outward opening
- Seals gaps up to 15mm
- Seals against heat, cold, dust, draughts and insects
- Self adhesive backing
- Available in **915mm** wide



An extruded P.V.C. door seal with a self adhesive backing tape. May also be screw fixed.


Retail Code	Description	Size	Colour
CM179BR	CM17 Extruded PVC Door Seal Pack	915 mm	Brown
CM179GR	CM17 Extruded PVC Door Seal Pack	915 mm	Grey
CM179WH	CM17 Extruded PVC Door Seal Pack	915 mm	White



CM7

PERIMETER & ACOUSTIC SEAL 2 x 2100mm & 1 x 1220mm

- Self adhesive backing
- Pin hole fixing
- Can be cut to size
- 2 x **2100mm** & 1 x **1220mm**



A co-extruded P.V.C. seal with self adhesive backing. Fixes to the door perimeter.

Retail Code	Description	Size	Colour
CM712BR	CM 7 PVC Extruded Seal Pack 2 x 2100, 1 x 1220	1220 mm	Brown
CM712WH	CM 7 PVC Extruded Seal Pack 2 x 2100, 1 x 1220	1220 mm	White



CM54

WEATHER PROOF SEAL 915mm wide

- Suits single & double hinged doors - inward opening
- 22mm to 25mm gap is required between bottom of door and sill
- Seals against rain, heat, cold, dust, draughts, noise, insects and rodents
- Available in **915mm** wide



An extruded aluminium tread plate which fixes to the floor and extruded rubber seals which fix beneath the door.

Note: CM54 is not suitable for doors less than 32 mm

CM54 Tread Plate needs 46 mm

Retail Code	Description	Size	Colour
CM549CL	CM54 Weather Proof Door Seal Pack	915 mm	ClearAnod

WINDOW & DOOR SEALS


	SUITABLE FOR						PROTECTS AGAINST						
	Hinged Door	Bi-Fold Door	Sliding Door	Security Doors	All Windows		Heat / cold	Dust	Draughts	Insects	Noise	Rain	Rodents
CM14/A/C	•	•	•		•		•	•	•	•			Seals gaps 3mm - 5mm
CM14B	•	•	•		•		•	•	•	•			Seals gaps 8mm - 11mm
CM15A	•	•	•	•	•		•	•	•	•	•	•	Seals gaps up to 6mm
CM15B	•	•	•	•	•		•	•	•	•	•	•	Seals gaps up to 12mm
CM15C	•	•	•	•	•		•	•	•	•	•	•	Seals gaps up to 19mm
CM16	•	•	•	•	•		•	•	•	•	•	•	Seals gaps up to 4.8mm
CM18	•	•	•	•	•			•	•	•		•	Seals gaps up to 8mm
CM19	•	•	•	•	•					•			Seals gaps up to 4mm
CM48	•	•	•				•	•	•	•	•	•	Seals gaps 3mm - 5mm
CM59	•	•	•		•		•	•	•	•	•	•	Seals gaps 2mm - 3mm
CM61	•	•	•	•	•		•	•	•				Seals gaps 3mm - 5mm



CM14

FOAM WINDOW SEAL 5m roll

- Suits most windows & doors
- 5m long in grey & white
- Seals against heat, cold, dust, draughts, noise, insects and rodents
- **CM14** 9mm x 6mm seals gaps 3 to 5mm
- **CM14A** 19mm x 6mm seals gaps 3 to 5mm
- **CM14C** 25mm x 6mm seals gaps 3 to 5mm
- **CM14B** 12mm x 12mm seals gaps 8 to 11mm



A continuous foam seal with a self adhesive backing tape. May be fitted to jambs, faces or edges of windows/doors.


Retail Code	Description	Size	Colour
CM145GR	CM14 Foam Window/Door Seal Pack (9 x 6)	5000 mm	Grey
CM145WH	CM14 Foam Window/Door Seal Pack (9 x 6)	5000 mm	White
CM14AGR	CM14A Foam Window/Door Seal Pack (19 x 6)	5000 mm	Grey
CM14AWH	CM14A Foam Window/Door Seal Pack (19 x 6)	5000 mm	White
CM14BGR	CM14B Foam Window/Door Seal Pack (12 x 12)	2500 mm	Grey
CM14BWH	CM14B Foam Window/Door Seal Pack (12 x 12)	2500 mm	White
CM14CGR	CM14C Foam Window/Door Seal Pack (25 x 6)	5000 mm	Grey
CM14CWH	CM14C Foam Window/Door Seal Pack (25 x 6)	5000 mm	White



CM48

RUBBER WINDOW & DOOR SEAL 5m roll

- Suits most windows & doors
- Will seal gaps 3mm to 5mm
- Seals against rain, heat, cold, dust, draughts, noise, insects and rodents
- Self adhesive backing
- **5m long** (2 x 2.5m) in brown, white & grey



A continuous rubber seal with a self adhesive backing tape. May be fitted to jambs, faces or edges of windows/doors.

Retail Code	Description	Size	Colour
CM485BR	CM48 Rubber Window/Door Seal Pack	5000 mm	Brown
CM485GR	CM48 Rubber Window/Door Seal Pack	5000 mm	Grey
CM485WH	CM48 Rubber Window/Door Seal Pack	5000 mm	White



CM59

RUBBER WINDOW & DOOR SEAL 5m roll

- Suits most windows & doors
- Will seal gaps 2mm to 3mm
- Seals against rain, heat, cold, dust, draughts, noise, insects and rodents
- Self adhesive backing
- **5m long** (2 x 2.5m) in brown, white & grey



A continuous rubber seal with a self adhesive backing tape. May be fitted to jambs, faces or edges of windows/doors.


Retail Code	Description	Size	Colour
CM595BR	CM59 Rubber Window/Door Seal Pack	5000 mm	Brown
CM595GR	CM59 Rubber Window/Door Seal Pack	5000 mm	Grey
CM595WH	CM59 Rubber Window/Door Seal Pack	5000 mm	White



CM61

BRUSH WINDOW & DOOR SEAL Pack of 1

- Suits most windows & doors
- Will seal gaps 3mm to 5mm
- Seals against heat, cold, dust, draughts, insects and rodents
- Self adhesive backing
- **5m long** (6mm x 7mm) in grey



A continuous brush seal with a self adhesive backing tape. May be fitted to jambs, faces or edges of windows/doors.

Retail Code	Description	Size	Colour
CM615GR	CM61 Brush Window/Door Seal Pack	5000 mm	Grey






CM11

GAP FILLER ROD SEAL

5m roll

- Save time and money on sealants
- Moisture resistant
- Easy to manoeuvre around corners
- Suitable for domestic & commercial applications
- Safe to be used with silicone, oil base, polyurethanes, latex and acrylic caulks & sealants.
- **CM11A** (Suits 3-4mm gaps available in 5m rolls) 6mm diameter
- **CM11D** (Suits 3-4mm gaps available in 5m x 2 rolls) 6mm diameter
- **CM11B** (Suits 6-7mm gaps available in 5m rolls) 10mm diameter
- **CM11C** (Suits 10-12mm gaps available in 5m rolls) 15mm diameter



Retail Code	Description	Size	Colour
CM11AWH	CM11A Gap Filler Rod 6mm	5000 mm	White
CM11BWH	CM11B Gap Filler Rod 10mm	5000 mm	White
CM11CWH	CM11C Gap Filler Rod 15mm	5000 mm	White
CM11DWH	CM11D Gap Filler Rod 6mm (2 @ 5 m)	10000 mm	White






CM15

CLOSED PVC SEAL

3m rolls

- Soft, light foam ideal for anti-rattle and vibration
- Suits various applications
- Available in black
- Seals against heat, cold, dust, draughts, noise, insects and rodents
- Self-adhesive backing
- **CM15A** (6 x 25mm) seals gaps up to 6mm
- **CM15B** (12 x 25mm) seals gaps up to 12mm
- **CM15C** (19 x 25mm) seals gaps up to 19mm



Retail Code	Description	Size	Colour
CM15A3BK	CM15 Closed PVC Foam Seal Pack (25 x 6)	3000 mm	Black
CM15B3BK	CM15 Closed PVC Foam Seal Pack (25 x 12)	3000 mm	Black
CM15C3BK	CM15 Closed PVC Foam Seal Pack (25 x 19)	3000 mm	Black




CM16

CLOSED MEDIUM PVC FOAM SEAL

10m rolls

- Heavy foam seal
- Suits various applications - ideal for warehouse doors, sliding doors and large windows
- Seals gaps up to 4.8mm
- Seals against heat, cold, dust, draughts, noise, insects and rodents
- Self adhesive backing
- **10m roll** (4.8x 25mm) in black



Retail Code	Description	Size	Colour
CM1610BK	CM16 Closed MPVC Foam Seal Pack (25 x 4.8)	10000 mm	Black




CM18

RUBBER SEAL

2m rolls

- Suits various applications - ideal for tool boxes, electric meter boxes, filing cabinets, lockers and boat latches.
- Seals gaps up to 8mm
- Seals against dust, draughts, noise, insects and rodents
- Self adhesive backing
- **2m roll** (8x 15mm) in black, white and grey



Retail Code	Description	Size	Colour
CM182BK	CM18 Rubber General-Purpose Seal	2000 mm	Black
CM182GR	CM18 Rubber General-Purpose Seal	2000 mm	Grey
CM182WH	CM18 Rubber General-Purpose Seal	2000 mm	White




CM19

PURLIN TAPE

10m roll

- Suitable for polycarbonate roofing
- Seals gaps up to 4mm
- Seals against anti-rattle, anti-vibration and creaking noises
- Self adhesive backing
- **10m roll** (4 x 25mm) in white



Retail Code	Description	Size	Colour
CM1910WH	CM19 Closed PE Purlin Tape Pack (25 x 4)	10000 mm	White

SECTION FOUR

INSECT SCREEN


MESH RANGE | SPLINE RANGE | SPLINE ROLLERS | FRAME & CORNERS | ACCESSORIES | DOOR CURTAINS



Cowdroy provides an extensive range of insect screening types to suit all of your window and door screening needs alongside an interactive app 'screenview'.

The range caters for various requirements including simple installation, superior airflow, pet friendly, smaller insect protection, rust proof stainless steel and much more.

The broad range of screening is supported by a comprehensive offering of all the accessories required to assemble new screens or refurbish existing screens including aluminium frame, spline, frame buttons, corners and spline rollers.



MESH REFERENCE CHART


Mesh	Indicative Image	Material	Strand Diam.	Weave (per sq. in)	Open Area	Aperture	Bush Fire Rating	Pre-Pack Roll Sizes	Bulk Roll Sizes
Fibreglass		PVC Coated Fibreglass	0.27mm	18 x 14	69%	2.01mm ²		810mm x 2050mm 810mm x 6000mm 910mm x 2050mm 910mm x 6000mm 1220mm x 2050mm 1220mm x 6000mm 1830mm x 2050mm 1830mm x 6000mm	610mm x 50m 760mm x 50m 810mm x 50m 910mm x 50m 1220mm x 50m
Clear View		PVC Coated Fibreglass	0.20mm	18 x 18	74%	1.64mm ²		910mm x 2050mm 1220mm x 2050mm	
Pet Guard		PVC Coated Polyester	0.60mm	15 x 10	49%	2.52mm ²		910mm x 2050mm 910mm x 6150mm 1220mm x 2050mm 1220mm x 6150mm	
Small Insect		PVC Coated Fibreglass	0.34mm	20 x 20	54%	0.96mm ²		910mm x 2050mm 1220mm x 2050mm	
Pollen Proof		PVC Coated Polyester	0.04mm / 75 denier	18 x 80	85%	0.41mm ²		910mm x 2050mm 1220mm x 2050mm	
Aluminium		Powder Coated Aluminium	0.23mm	18 x 16	72%	1.81mm ²	BAL-29	910mm x 2050mm 910mm x 6000mm 1220mm x 2050mm 1220mm x 6000mm	610mm x 30m 760mm x 30m 810mm x 30m 910mm x 30m 1220mm x 30m
Ultra Tough		Powder Coated Aluminium	0.28mm	18 x 15	67%	1.81mm ²	BAL-29	910mm x 2100mm 1220mm x 2100mm	
S/ Steel		316 Marine Grade Stainless Steel	0.18mm	18 x 16	77%	1.96mm ²	BAL-29	910mm x 2100mm	910mm x 30m 1220mm x 30m

MESH VARIANTS



SPECIFICATIONS

- 18 x 14 weave per 25.4mm²
- 0.27mm strand
- 2.0mm² aperture



FIBREGLASS

- Simple installation with good visibility
- Will not dent
- Colour: Charcoal


Retail Code	Description	Size
IMFG0810002	Fibreglass Insect Screen	810mm x 2.05m
IMFG0810006	Fibreglass Insect Screen	810mm x 6m
IMFG0910002	Fibreglass Insect Screen	910mm x 2.05m
IMFG0910006	Fibreglass Insect Screen	910mm x 6m
IMFG1220002	Fibreglass Insect Screen	1220mm x 2.05m
IMFG1220006	Fibreglass Insect Screen	1220mm x 6m
IMFG1830002	Fibreglass Insect Screen	1830mm x 2.05m
IMFG1830006	Fibreglass Insect Screen	1830mm x 6m

Trade Code	Description	Size
IMFG0610050B	Fibreglass Insect Screen Per Metre	610mm x 50m
IMFG0760050B	Fibreglass Insect Screen Per Metre	760mm x 50m
IMFG0810050B	Fibreglass Insect Screen Per Metre	810mm x 50m
IMFG0910050B	Fibreglass Insect Screen Per Metre	910mm x 50m
IMFG1220050B	Fibreglass Insect Screen Per Metre	1220mm x 50m



SPECIFICATIONS

- 18 x 18 weave per 25.4mm²
- 0.20mm strand
- 1.6mm² aperture



CLEAR VIEW

- Improved visibility with superior airflow
- Simple installation and will not dent
- PVC coated Fibreglass yarn
- Colour: Charcoal


Retail Code	Description	Size
IMCV0910002	Clearview Insect Screen	910mm x 2.05m
IMCV1220002	Clearview Insect Screen	1220mm x 2.05m

MESH VARIANTS



SPECIFICATIONS

- 15 x 10 weave per 25.4mm²
- 0.60mm strand
- 2.5mm² aperture



PETGUARD


- Heavyweight polyester withstands damage from pets and children
- Six times tougher than fibreglass screening
- Colour: Charcoal

Retail Code	Description	Size
IMPG0910002	Petguard Insect Screen	910mm x 2.05m
IMPG0910006	Petguard Insect Screen	910mm x 6.15m
IMPG1220002	Petguard Insect Screen	1220mm x 2.05m
IMPG1220006	Petguard Insect Screen	1220mm x 6.15m



SPECIFICATIONS

- 20 x 20 weave per 25.4mm²
- 0.34mm strand
- 1.0mm² aperture



SMALL INSECT

- Tightly woven fibreglass for small insect protection
- Two times tighter than fibreglass screening
- Colour: Charcoal


Retail Code	Description	Size
IMSI0910002	Small Insect Fibreglass Insect Screen	910mm x 2.05m
IMSI1220002	Small Insect Fibreglass Insect Screen	1220mm x 2.05m

MESH VARIANTS



SPECIFICATIONS

- 18 x 80 weave per 25.4mm²
- 0.04mm strand
- 0.4mm² aperture



POLLEN PROOF


- Unique knit provides a barrier for pollen and dust
- 87% blockage of pollen
- PVC coated Polyester yarn
- Colour: Charcoal

Retail Code	Description	Size
IMPP0910002	Pollen Proof Insect Screen	910mm x 2.05m
IMPP1220002	Pollen Proof Insect Screen	1220mm x 2.05m



SPECIFICATIONS

- 18 x 16 weave per 25.4mm²
- 0.23mm strand
- 1.8mm² aperture



ALUMINIUM MESH

- Powder coated mesh resists harsh weather conditions
- Exova accredited to Australian Standard AS 3959-2009 for Construction of Buildings in Bushfire Prone Areas
- Heavy duty alloy
- Use a spline roller with a convex wheel for precreasing the screening into the frame
- Colour: Charcoal

Retail Code	Description	Size
IMAL0910002	Aluminium Insect Screen	910mm x 2.05m
IMAL0910006	Aluminium Insect Screen	910mm x 6m
IMAL1220002	Aluminium Insect Screen	1220mm x 2.05m
IMAL1220006	Aluminium Insect Screen	1220mm x 6m


Trade Code	Description	Size
IMAL0610030B	Aluminium Insect Screen Per Metre	610mm x 30m
IMAL0760030B	Aluminium Insect Screen Per Metre	760mm x 30m
IMAL0810030B	Aluminium Insect Screen Per Metre	810mm x 30m
IMAL0910030B	Aluminium Insect Screen Per Metre	910mm x 30m
IMAL1220030B	Aluminium Insect Screen Per Metre	1220mm x 30m

MESH VARIANTS



SPECIFICATIONS

- 18 x 15 weave per 25.4mm²
- 0.28mm strand
- 1.8mm² aperture



ULTRA TOUGH


- Heavy gauge wire thickness for greater protection and durability
- Exova accredited to Australian Standard AS 3959-2009 for Construction of Buildings in Bushfire Prone Areas
- More than 20% thicker gauge than standard aluminium mesh
- Powder coated aluminium
- Use a spline roller with a convex wheel for precreasing the screening into the frame
- Colour: Charcoal

Retail Code	Description	Size
IMUT0910002	Ultra Tough Aluminium Insect Screen	910mm x 2.1m
IMUT1220002	Ultra Tough Aluminium Insect Screen	1220mm x 2.1m



SPECIFICATIONS


- 18 x 16 weave per 25.4mm²
- 0.18mm strand
- 2.0mm² aperture



STAINLESS STEEL

- Durable powder coated mesh reduces glare
- Exova accredited to Australian Standard AS 3959-2009 for Construction of Buildings in Bushfire Prone Areas
- Extra resistance against Ember attack / Corrosion
- 316 Marine Grade Stainless Steel
- Use a spline roller with a convex wheel for precreasing the screening into the frame
- Colour: Charcoal

Retail Code	Description	Size
IMSS0910002	Stainless Steel Insect Screen	910mm x 2.1m
Trade Code	Description	Size
IMSS0910030B	Stainless Steel Insect Screen Per Metre	910mm x 30m
IMSS1220030B	Stainless Steel Insect Screen Per Metre	1220mm x 30m



try it for yourself
download from the app store

www.cowdroy-insectscreen.com.au

SPLINE RANGE



FOAM POLYETHYLENE SPLINE

5.7MM DIAMETER

Pack of 1

- Foam density compacts for easy installation
- Suitable for most types of insect screening and all weather conditions
- Install using a spline roller
- Colour: Charcoal

Code	Description	Size	Barcode
ISFM0057006	Foam Polyethylene Spline	5.7mm x 6.5m	9312119143341
ISFM0057013	Foam Polyethylene Spline	5.7mm x 13m	9312119143358




PVC SPLINE

4.5MM DIAMETER

Pack of 1

- Ribbed profile secures screening
- Suitable for thicker gauge insect screening
- Install using a spline roller
- Ribbed PVC Hollow Rubber
- Colour: Charcoal



Code	Description	Size	Barcode
ISPV0045300B	PVC Spline Spool Per Mt	4.5mm x 300mm	9312119143280
ISPV0045006	PVC Spline	4.5mm x 6.5m	9312119143297
ISPV0045030	PVC Spline	4.5mm x 30m	9312119143303




PVC SPLINE

6MM DIAMETER

Pack of 1

- Ribbed profile secures screening
- Suitable for most types of insect screening
- Install using a spline roller
- Ribbed PVC Hollow Rubber
- Colour: Charcoal



Code	Description	Size	Barcode
ISPV0060300B	PVC Spline Spool Per Mt	6mm x 300mm	9312119143310
ISPV0060006	PVC Spline	6mm x 6.5m	9312119143327
ISPV0060030	PVC Spline	6mm x 30m	9312119143334

SPLINE ROLLERS




PLASTIC SPLINE ROLLER

CONCAVE WHEEL

Pack of 1

- Concave wheel
- Parrot Beak for pushing spline into the frame over the screening
- The economic choice
- Colour: Yellow



Code	Description	Size	Barcode
ISRO0010000	Budget Plastic Spline Roller	-	9312119143365




SPLINE ROLLER TWIN WHEELS

CONCAVE & CONVEX

Pack of 1

- Convex wheel creases metallic or aluminium screening into frame
- Concave wheel rolls spline over screening securing into frame
- Suitable for 4mm to 6mm spline thickness
- Colour: Blue



Code	Description	Size	Barcode
ISRO0020000	Convex and Concave Twin Wheel Spline Roller	-	9312119143372




SPLINE ROLLER EASY FEED

CONCAVE

Pack of 1

- Spline is distributed through the roller for fast and effortless fixing
- Concave wheel rolls spline over screening securing into frame
- Parrot beak tip for fixing spline into corners
- Colour: Black




Code	Description	Size	Barcode
ISRO0030000	Easy Feed Flat Tip Spline Roller	-	9312119143389

FRAME & CORNERS

25MM X 11MM X 2.5M INSECT SCREEN FRAME



- Roll formed aluminium
- Use a mitre box to ensure accurate cuts
- Once cut to size the aluminium sections create a strong frame
- Australian Made




Code	Description	Size	Barcode
IFWH2511250	White Screen Frame	25mm x 11mm x 2.5m	9312119143402
IFPR2511250	Primrose Screen Frame	25mm x 11mm x 2.5m	9312119143419
IFBK2511250	Black Screen Frame	25mm x 11mm x 2.5m	9312119143426
IFBZ2511250	Bronze Screen Frame	25mm x 11mm x 2.5m	9312119143433
IFPR2511250	Mill Screen Frame	25mm x 11mm x 2.5m	9312119143440
IFBR2511250	Brown Screen Frame	25mm x 11mm x 2.5m	9312119143471

BUTTONS

FLUSH BUTTONS

CLEAR
Pack of 8 or 100

- Attaches flyscreen inside window frames
- Clear appearance suitable for all frame colours
- Suitable for various flyscreens
- Colour: Clear




Code	Description	Size	Barcode
IACC0002008	Clear Flush Flyscreen Button - 8 Pack	-	9312119143518
IACC0002100B	Clear Flush Flyscreen Button - 100 Pack	-	9312119144096

FLYSCREEN FRAME CORNER INSERTS

ALUMINIUM
Pack of 4 or 50



- Fire resistant aluminium
- Provides secure corner construction
- Specifically designed for 25mm x 11mm flyscreen frame
- Colour: Silver and Black



Code	Description	Size	Barcode
IACC0100004	Aluminium Flyscreen Frame Corner Inserts - 4 Pack	-	9312119143341
IACC0100050B	Aluminium Flyscreen Frame Corner Inserts - 50 Pack	-	9312119144119



TURN BUTTONS

CLEAR
Pack of 8 or 100

- Attaches flyscreen inside window frames
- Clear appearance suitable for all frame colours
- Suitable for various flyscreens
- Colour: Clear




Code	Description	Size	Barcode
IACC0001008	Clear Flyscreen Turn Button - 8 Pack	-	9312119143501
IACC0001100B	Clear Flyscreen Turn Button - 100 Pack	-	9312119144089

FLYSCREEN FRAME CORNER INSERTS

PVC
Pack of 4 or 50



- PVC
- Provides secure corner construction
- Specifically designed for 25mm x 11mm flyscreen frame
- Colour: Black




Code	Description	Size	Barcode
IACC0101004	Black PVC Flyscreen Frame Corner Inserts - 4 Pack	-	9312119143358
IACC0101050B	Black PVC Flyscreen Frame Corner Inserts - 50 Pack	-	9312119143358
IACC0110000	Flyscreen Frame Kit PVC Corners	-	9312119143594



OFFSET BUTTONS

CLEAR
Pack of 8 or 100

- Attaches flyscreen over window frames
- Clear appearance suitable for all frame colours
- Suitable for 25mm x 11mm flyscreen
- Colour: Clear



Code	Description	Size	Barcode
IACC0003008	Clear Offset Flyscreen Button - 8 Pack	-	9312119143525
IACC0003100B	Clear Offset Flyscreen Button - 100 Pack	-	9312119144102

FLYSCREEN REPAIR




FLYSCREEN REPAIR PATCHES

ADHESIVE

Pack of 3

- Self Adhesive
- 100mm x 80mm 3 Pack
- Colour: Charcoal



Code	Description	Size	Barcode
IACC0201003	Flyscreen Repair Patches - 3 Pack	100mm x 80mm	9312119143747




FLYSCREEN REPAIR PATCHES


ADHESIVE

Pack of 3

- Self Adhesive
- 150mm x 200mm 3 Pack
- Colour: Charcoal



Code	Description	Size	Barcode
IACC0202003	Flyscreen Repair Patches - 3 Pack	150mm x 200mm	9312119143754




FLYSCREEN REPAIR ROLL

ADHESIVE

5m x 50mm

- Self Adhesive
- 5m x 50mm
- Colour: Charcoal



Code	Description	Size	Barcode
IACC0200000	Flyscreen Repair Tape	5m x 50mm	9312119143730

ACCESSORIES




FRAME HINGES

CLEAR

Pack of 2

- Attaches flyscreen inside window frames
- Frame can swing open for window access and screen cleaning
- Suitable for 25mm x 11mm flyscreen
- Colour: Clear



Code	Description	Size	Barcode
IACC0130002	Clear Plastic Flyscreen Hinge - 2 Pack	-	9312119143624




LIFT TABS

CLEAR

Pack of 4 or 100

- Ensures simple removal or fixing of flyscreens
- Clear appearance suitable for all frame colours
- Designed to fit tightly into the 25mm x 11mm aluminium frame
- They can be fitted on new screens or old screens by gently lifting the spline and screening and inserting the tab



Code	Description	Size	Barcode
IACC0120004	Clear Plastic Flyscreen Lift Tabs - 4 Pack	-	9312119143600
IACC0120100B	Clear Plastic Flyscreen Lift Tabs - 100 Pack	-	9312119144133




METAL SPRING PINS

GREY

Pack of 4

- Attaches flyscreen inside window frames
- Ensures simple removal or fixing of flyscreens
- Suitable for 25mm x 11mm flyscreen
- Colour: Grey



Code	Description	Size	Barcode
IACC0140004	Metal Flyscreen Spring Pins - 4 Pack	-	9312119143631

ACCESSORIES

FLYSCREEN WINDOW PORTHOLE

BLACK
190mm x 100mm

- For use in outward opening windows
- Allows access to window locks and winders
- 190mm x 100mm
- Includes utility knife
- Colour: Black



Code	Description	Size	Barcode
IACC0160000	Flyscreen Porthole (includes utility knife)	190mm x 100mm	9312119143679




ACCESSORIES

ADJUSTABLE FLYSCREEN

WHITE FRAME AND CHARCOAL MESH
485mm to 925mm

- Expands from 485mm to 925mm
- Can be used horizontally or vertically
- Simply locks into place by closing the window
- PVC Frame
- Fibreglass Mesh
- Colour: White frame and charcoal mesh




Code	Description	Size	Barcode
IACC0180000	Adjustable Flyscreen PVC Frame	485mm - 925mm	9312119143709



MITRE BOX

ALUMINIUM
140mm

- Specifically designed for 25mm width insect screen frame
- Makes 45 and 90 degree cuts
- Includes screws for mounting to bench top surface
- Colour: Silver




Code	Description	Size	Barcode
IACC0150000	Aluminium Flyscreen Mitre Box	140mm	9312119143662



REMOVABLE FLYSCREEN

CHARCOAL
1.3m x 1.5m

- Suitable for Windows up to 1.3m x 1.5m
- Premium Quality Mesh
- Quick Assembly
- Cut to size
- Includes 5.6m Adhesive Hook Tape
- Colour: Charcoal




Code	Description	Size	Barcode
IACC0170000	Removable Insect Screen For Windows	up to 1.3m x 1.5m	9312119143686



FLYSCREEN ROLLER BRUSH

WHITE

- Cleans in seconds
- Roll brush over flyscreen to remove dust and dirt
- Effective without causing damage on all types of screening
- If removing multiple screens mark each frame's window for easy installation
- Colour: White




Code	Description	Size	Barcode
IACC0190000	Flyscreen Roller Brush	-	9312119143716



REMOVABLE FLYSCREEN LARGE

CHARCOAL
2m x 2m

- Suitable for Windows up to 2m x 2m
- Premium Quality Mesh
- Quick Assembly
- Cut to size
- Includes 8m Adhesive Hook Tape
- Colour: Charcoal



Code	Description	Size	Barcode
IACC0171000	Removable Insect Screen For Windows	up to 2m x 2m	9312119143693




DOOR CURTAINS



PVC DOOR CURTAIN

CLEAR
90cm x 200cm x 0.5mm

- 90cm x 200cm x 0.5mm
- Quality PVC curtain that suits most doorways
- Keeps out flies and insects while still allowing good airflow
- Simple to shorten and easy to install
- Colour: Clear




Code	Description	Size	Barcode
ICPV2000090	Clear PVC Door Curtain	90cm x 200cm x 0.5mm	93121 19143785



LIGHT DUTY PVC DOOR CURTAIN

COLOURED STRIPS
86cm x 200cm

- 86cm x 200cm
- Keeps out flies and insects while still allowing good airflow
- Ideal for caravans or the home
- Suits most doorways and easy to install
- Coloured strips




Code	Description	Size	Barcode
ICPV2000086	Fly Curtain PVC Coloured	86cm x 200cm	93121 19143808



FIBREGLASS FLYSCREEN DOOR CURTAIN

CHARCOAL
90cm x 200cm

- 90cm x 200cm
- Premium quality fibreglass mesh curtain that suits most doorways
- Keeps out flies and insects while still allowing good airflow
- Weights added to the bottom of the curtain to restrict movement
- Easy to install
- Colour: Charcoal



Code	Description	Size	Barcode
ICFG2000090	Fibreglass Flyscreen Door Curtain	90cm x 200cm	93121 19143778


DOOR CURTAINS



MAGNETIC FLYSCREEN DOOR CURTAIN

CHARCOAL
96cm x 218cm

- 96cm x 218cm
- Automatically closes with magnetic tabs
- Premium quality polyester mesh curtain that suits most doorways
- Keeps out flies and insects
- Easy to install
- Colour: Charcoal



Code	Description	Size	Barcode
ICMG2180096	Fibreglass Flyscreen Magnetic Door Curtain	96cm x 218cm	9312119143761

INSECT SCREEN

MESH - ACCESSORIES
SPLINE - CURTAINS

PLANOGRAM



SECTION FIVE

GLASS DOOR TRACK SYSTEMS

MKII SASHLESS | ROLLER BEARING | BALL BEARING | PLASTIC TRACK | ACCESSORIES | LOCKS & CATCHES



The Plastic Track double sliding door track is a basic sliding panel system which operates without the use of a rolling mechanism. Panels run simply on the arc of the bottom track while the plastic design reduces friction to allow movement.


The Plastic Track is very easy to install and is ideal for small cabinets and vanities with infrequent use.

FEATURES

- Ideal for small cupboards & cabinets
- Suits glass or mirror panels
- Suits 5mm thick timber panels



TRACK VIEW



GUIDE VIEW



TECH SPECS

<div> <div></div> Included Feature </div> <div> <div></div> Optional Extra </div>			
System Type	Multi-Sliding	External door	
Max. Weight Door/Panel	6kg	Internal door	
Door/Panel width (mm)	Up to 950	Wardrobe doors	
Door Thickness (mm) min.	5	Cupboard doors	
Track Length (mm)	1800	Glass Cabinet doors	
Suits No. of doors	2	Wall mounted track	
Track Type	Plastic brown/white	Top mounted track	
		Floor fixed track	
		Top guide	
		End stop	
		Soft-close	
		Pelmet	
		Max Door Size (m²)	0.562
		Max Door Height (mm)	760

PLASTIC TRACK PACK / SET

1800MM
WIDE
BROWN

P02624:
Packaged Set (2 Doors) - 1800mm - Brown

1800MM
WIDE
WHITE


P02626:
Packaged Set (2 Doors) - 1800mm - White

OPTIONAL EXTRAS



TT07100:
Finger Pull Assembly for
5-6mm Glass

ARCHITECTURAL DRAWINGS



GLASS PREPARATION DETAILS:

Cowdroy recommends all glass have polished edges and rounded or tipped corners.

Double track for 5mm float & mirror glass panels

END VIEW

A simple glass door system using free-running ball bearings inside the bottom track. Designed for simple installation and ideal for cabinets, vanities and small internal windows.


For 2-door application, but can also be used in multiples of 2 by running multiple tracks next to each other.



TRACK VIEW



GUIDE VIEW



TECH SPECS

● Included Feature
○ Optional Extra

System Type	Multi-Sliding
Max. Weight Door/Panel	22kg
Door/Panel width (mm)	Up to 1000
Door Thickness (mm) min.	6-6.38
Track Length (mm)	4500mm
Suits No. of doors	2
Track Type	Aluminium - anodised/ mill finish

External door	
Internal door	
Wardrobe doors	
Cupboard doors	○
Glass Cabinet doors	○
Wall mounted track	
Top mounted track	
Floor fixed track	○
Top guide	○
End stop	
Soft-close	
Pelmet	
No. Balls	92 balls per metre per channel
Max Door Size (m²)	1.40
Max Door Height (mm)	1220


BALL BEARING
COMPONENTS & REPLACEMENT PARTS




TT02011:
Aluminium Double Headguide
with Pile - 4500mm - **Mill**



TT02012:
Aluminium Double Headguide
with Pile - 4500mm - **Clear Anod.**



TT07400:
Nylon Ball



TT07700:
Stainless Ball



TT41511:
Aluminium Double Track -
4500mm - **Mill**




TT41512:
Aluminium Double Track -
4500mm - **Clear Anod.**

OPTIONAL EXTRAS



TT07100:
Finger Pull Assembly for
5-6mm Glass

ARCHITECTURAL DRAWINGS



GLASS PREPARATION DETAILS:

Cowdroy recommends all glass have polished edges and rounded corners to 10mm.

*End stop rivet is only required when doors have an open end(s).
Double track for 6mm float & 6.38mm laminate glass panels

The Roller Bearing 6 double sliding door system is a versatile glass door system which is slimline in design for maximum visibility yet strong enough to carry 60kg glass panels. Ideal for use in cabinets and vanities as well as small reception windows and display windows.

The Roller Bearing 6 single sliding door system is a great compliment to the double track version. It features all of the same characteristics but in a single track. Ideal for use as a third door or as a stand alone panel for single access requirements. It may also be used for small cavity style windows and access openings.



TRACK VIEW



GUIDE VIEW



TECH SPECS

- Included Feature
- Optional Extra

System Type	Multi-Sliding
Max. Weight Door/Panel	60kg
Door/Panel width (mm)	Up to 2000
Door Thickness (mm) min.	6-6.38
Track Length (mm)	4500mm
Suits No. of doors	2
Track Type	Aluminium - anodised/ mill finish

External door	
Internal door	
Wardrobe doors	
Cupboard doors	○
Glass Cabinet doors	○
Wall mounted track	
Top mounted track	
Floor fixed track	○
Top guide	○
End stop	
Soft-close	
Pelmet	
Max Door Size (m²)	3.60
Max Door Height (mm)	1800
Door Width (mm)	Half Opening Width + 25mm (Will give a 50mm overlap)



ROLLER BEARING 6
COMPONENTS & REPLACEMENT PARTS

	TT02111: Aluminium Double Headguide with Pile - 4500mm - Mill		TT02112: Aluminium Double Headguide with Pile - 4500mm - Clear Anod.		TT02311: Aluminium Single Headguide with Pile - 4500mm - Mill
	TT02312: Aluminium Single Headguide with Pile - 4500mm - Clear Anod.		TT02412: Aluminium Head Race - 4500mm - Clear Anod.		TT04606: Nylon End Plate - White
	TT04608: Nylon End Plate - Black		TT04613: Nylon End Plate - Bright Silver		TT04711: Aluminium Double Track - 4500mm - Mill
	TT04712: Aluminium Double Track - 4500mm - Clear Anod.		TT04811: Aluminium Race Section with Pile - 4500mm - Mill		TT04812: Aluminium Race Section with Pile - 4500mm - Clear Anod.
	TT07100: Finger Pull Assembly for 5-6mm Glass		TT08900: Glazing Wedge 40m		TT08910: Glazing Wedge per m
	TT41651: Aluminium Track - 5000mm - Mill		TT50000: Adjustable Sheave (TT500A) - (SS Wheel)		TT50010: Adjustable Sheave (TT500B) - (Nylon Wheel)
	TT41652: Aluminium Track - 5000mm - Clear Anod.				

ARCHITECTURAL DRAWINGS

GLASS PREPARATION DETAILS:

Cowdroy recommends all glass have polished edges and rounded or tipped corners.



The Roller Bearing 10 double sliding door system is an adjustable glass door system which is slimline in design for maximum visibility yet robust enough to carry large 200kg glass panels.


Ideal for use in large cabinets and vanities, reception windows and display windows, the Roller Bearing 10 sliding door system is best suited to 1 and 2 door applications. Alternatively can be used in 3 or 4 door applications by running multiple panels on each track or mulitple tracks.



TRACK VIEW



GUIDE VIEW



TECH SPECS

- Included Feature
- Optional Extra

System Type	Multi-Sliding	External door	
Max. Weight Door/Panel	200kg	Internal door	
Door/Panel width (mm)	Up to 2000	Wardrobe doors	
Door Thickness (mm) min.	10-10.38	Cupboard doors	○
Track Length (mm)	4500mm	Glass Cabinet doors	○
Suits No. of doors	2	Wall mounted track	
Track Type	Aluminium - anodised/ mill finish	Top mounted track	
		Floor fixed track	○
		Top guide	○
		End stop	
		Soft-close	
		Pelmet	
		Max Door Size (m²)	3.35
		Max Door Height (mm)	2400
		Door Width (mm)	Half Opening Width + 50mm (Will give a 100mm overlap)

ROLLER BEARING 10
COMPONENTS & REPLACEMENT PARTS



TT02512:
Aluminium Double Headguide with Pile - 4500mm - Clear Anod.



TT05608:
Nylon End Plate - **Black**



TT05812:
Aluminium Race Section with Pile - 4500mm - Clear Anod.



P51000:
Adjustable Sheave (Nylon Wheel)



TT02912:
Aluminium Head Race - 4500mm - Clear Anod.



TT05613:
Nylon End Plate - **Bright Silver**



TT08800:
Glazing Wedge **40m**



P51500:
Adjustable Twin Roller Sheave (Nylon Wheel) (200kg)



TT05606:
Nylon End Plate - **White**




TT05712:
Aluminium Double Track - 4500mm - Clear Anod.



TT08810:
Glazing Wedge **per m**

ARCHITECTURAL DRAWINGS



GLASS PREPARATION DETAILS:

Cowdroy recommends all glass have polished edges and rounded or tipped corners.

Double Track for 10mm & 10.38mm laminate glass panels

END VIEW

The MKII Sashless window system is designed for maximum visibility. With all framework contained to the outer edges the result is an unobtrusive view and maximum light.

It is best suited for use in partially covered or protected areas (eg. under awnings or eaves) such that protection is afforded against driving wind and rain. Also ideal for use on large cabinets, reception windows and display windows.


The MKII Sashless window system is best suited to 2 panel applications, alternatively used in 4 door applications by running multiple panels on each track or multiple tracks.



TRACK VIEW



GUIDE VIEW



TECH SPECS

●	Included Feature
○	Optional Extra


System Type	Multi-Sliding
Max. Weight Door/Panel	52kg
Door/Panel width (mm)	Up to 2000
Door Thickness (mm) min.	6-6.38
Track Length (mm)	4500mm
Suits No. of doors	2
Track Type	Aluminium - anodised/ mill finish

External door	
Internal door	
Wardrobe doors	
Cupboard doors	○
Glass Cabinet doors	○
Wall mounted track	
Top mounted track	
Floor fixed track	○
Top guide	○
End stop	
Soft-close	
Pelmet	
Max Door Size (m²)	3.25
Max Door Height (mm)	1525
Door Width (mm)	Half Opening Width + 50mm (Will give a 100mm overlap)

MKII SASHLESS
COMPONENTS & REPLACEMENT PARTS

	TT02212: Aluminium Double Headguide with Pile - 4500mm - Clear Anod.		TT05212: Aluminium Race Section with Pile - 4500mm - Clear Anod.		TT05311: Aluminium Double Track - 4500mm - Mill
	TT05312: Aluminium Double Track - 4500mm - Clear Anod.		TT05406: Nylon End Plate - White		TT05408: Nylon End Plate - Black
	TT08900: Glazing Wedge - 40m		TT08910: Glazing Wedge - per m		TT12910: Black P.V.C. Mullion Insert (TT129A) - 30m
	TT12912: Aluminium Mullion Channel - 4500mm - Clear Anod.		TT13012: Alum. Vertical Edge Brace with Pile - 4500mm - Clear Anod.		TT13511: Clear P.V.C. Vertical Edge Brace with Pile - 3000mm
	TT52000: Adjustable Sheave (SS Wheel)				


ARCHITECTURAL DRAWINGS



GLASS PREPARATION DETAILS:

Cowdroy recommends all glass have polished edges and rounded or tipped corners.

Double Track for 6mm & 6.38mm laminate glass panels



END VIEW

LOCKS & CATCHES

All keyed locks are available as Keyed Alike (K/A) or Keyed to Differ (K/D) unless indicated otherwise.

Keyed Alike locks are kept in batches of numbers. However, as batches continually change, Cowdroy cannot guarantee that any particular key number is available at any given time.



F604

KEYED PLUNGER LOCK FOR SLIDING DOORS

Designed suit Roller Bearing 6 and MKII Sashless. Chrome plated. Key blanks are also available. Fits into either end of door race with reversible holder.

- **F60407** Long Pin 23mm Plunger K/A
- **F60417** Long Pin 23mm Plunger K/D
- **F60427** Short Pin 8mm Plunger K/A
- **F60410** Key Blank for F604 locks



F607

KEYED PIN PROJECTION LOCK

Designed to fit directly through door panel. 23mmØ hole required. Satin Chrome finish. Suitable for 6, 8 and 10mm panels.

- **F60700** K/A
- **F60710** K/D



F60907

KEYED CAM LOCK FOR HINGED DOORS

90 degrees swing down mechanism. Short barrel K/A. Chrome finish. Designed to fit directly through door panel. 19.1mm (3/4")Ø min. hole required.



F61407

KEYED PLUNGER LOCK FOR SLIDING DOORS

Long Pin 23mm Plunger K/A. Chrome plated finish. Fits into either end of door race with reversible holder. Suits Roller Bearing 10.



TT76500

KEYLESS PLUNGER CATCH & BRACKET

General purpose catch with angled bracket for sliding panels. May be used with TT07100.



TT85600

KEYLESS PLUNGER CATCH & BRACKET

General purpose catch with straight bracket for sliding panels. May be used with TT07100. While stocks last.



TT07100

Finger Pull Assembly for 5-6mm Glass
Drill Hole: 21mm required

MKII SASHLESS

HIGHLIGHTING FEATURES

- Ideal for small cupboards & cabinets
- Suits glass or mirror panels
- Suits 5mm thick timber panels
- Ideal for small cupboards & cabinets
- Suits glass or mirror panels
- Suits 5mm thick timber panels

The MKII Sashless window system is designed for maximum visibility. With all framework contained to the outer edges the result of an unobtrusive view and maximum light.

It is best suited for use in partially covered or protected areas (eg. under awnings or eaves) such that protection is afforded against driving wind and rain. Also ideal for use on large cabinets, reception windows and display windows.

The MKII Sashless window system is best suited to 2 panel applications, alternatively used in 4 door applications by running multiple panels on each track or multiple tracks.



SECTION SIX

SHELVING SYSTEMS

WALL STRIPPING | SHELF BRACKETS | ANGLE BRACKETS | SHELF RESTS | HANG RAIL | TIMBER SHELVES




The SHELVIT shelving system is one of the most popular DIY shelving systems in Australia. The system is basically comprised of stripping, brackets, shelf rests and shelves. The stripping mounts to the wall or suitable panel and the brackets locate into the stripping to form the basis of the shelf.



WALL STRIPPING

SHELVIT stripping is manufactured from roll-formed steel, is punched in either single or double slot at 40.5mm pitch and is pre-cut to the most popular market sizes.




Code	Description	Size	Colour
SB11916BC	Single Slot 40.5 mm Pitch Barcode	600	White
SB11917	Single Slot 40.5 mm Pitch	600	Chrome
SB11917BC	Single Slot 40.5 mm Pitch Barcode	600	Chrome
SB11926BC	Single Slot 40.5 mm Pitch Barcode	900	White
SB11927	Single Slot 40.5 mm Pitch	900	Chrome
SB11927BC	Single Slot 40.5 mm Pitch Barcode	900	Chrome
SB11936BC	Single Slot 40.5 mm Pitch Barcode	1200	White
SB11937	Single Slot 40.5 mm Pitch	1200	Chrome
SB11946BC	Single Slot 40.5 mm Pitch Barcode	1500	White
SB11947	Single Slot 40.5 mm Pitch	1500	Chrome
SB11956BC	Single Slot 40.5 mm Pitch Barcode	1800	White
SB11957	Single Slot 40.5 mm Pitch	1800	Chrome
SB11957BC	Single Slot 40.5 mm Pitch Barcode	1800	Chrome
SB11966BC	Single Slot 40.5 mm Pitch Barcode	2100	White
SB11967	Single Slot 40.5 mm Pitch	2100	Chrome
SB11967BC	Single Slot 40.5 mm Pitch Barcode	2100	Chrome
SB11976BC	Single Slot 40.5 mm Pitch Barcode	2400	White
SB11977	Single Slot 40.5 mm Pitch	2400	Chrome

STANDARD SHELF BRACKETS

SHELVIT brackets are made from punched steel and incorporate unique self-locking bracket lugs which hold the brackets firmly in the stripping while minimising the lateral shelf movement.

The brackets are made using a 40.5mm pitch (distance between lugs), which is the most common pitch used in Australia. A variety of standard sizes ensures that they are suitable for most decors.



RECOMMENDED WEIGHT LOADINGS

Bracket Size	Max. Load
150mm	90kg per bracket
200mm	70kg per bracket
250mm	60kg per bracket
300mm	60kg per bracket
350mm	80kg per bracket
400mm	75kg per bracket
450mm	60kg per bracket
500mm	45kg per bracket

The recommended maximum loads are based upon a failure point of bracket to wallstrip, not wallstrip to wall. Loadings are assumed to be static loads spread evenly over the entire shelf.


Code	Description	Size	Colour
SB20016	Standard 2 Lug 40.5 mm Pitch	150	White
SB20016BC	Standard 2 Lug 40.5 mm Pitch Barcode	150	White
SB20017	Standard 2 Lug 40.5 mm Pitch	150	Chrome
SB20017BC	Standard 2 Lug 40.5 mm Pitch Barcode	150	Chrome
SB20026	Standard 2 Lug 40.5 mm Pitch	200	White
SB20026BC	Standard 2 Lug 40.5 mm Pitch Barcode	200	White
SB20027	Standard 2 Lug 40.5 mm Pitch	200	Chrome
SB20027BC	Standard 2 Lug 40.5 mm Pitch Barcode	200	Chrome

SB20036	Standard 2 Lug 40.5 mm Pitch	250	White
SB20036BC	Standard 2 Lug 40.5 mm Pitch Barcode	250	White
SB20037	Standard 2 Lug 40.5 mm Pitch	250	Chrome
SB20046	Standard 2 Lug 40.5 mm Pitch	300	White
SB20046BC	Standard 2 Lug 40.5 mm Pitch Barcode	300	White
SB20047	Standard 2 Lug 40.5 mm Pitch	300	Chrome
SB20056	Standard 3 Lug 40.5 mm Pitch	350	White
SB20056BC	Standard 3 Lug 40.5 mm Pitch Barcode	350	White
SB20057	Standard 3 Lug 40.5 mm Pitch	350	Chrome
SB20057BC	Standard 3 Lug 40.5 mm Pitch Barcode	350	Chrome
SB20066	Standard 3 Lug 40.5 mm Pitch	400	White
SB20066BC	Standard 3 Lug 40.5 mm Pitch Barcode	400	White
SB20067	Standard 3 Lug 40.5 mm Pitch	400	Chrome
SB20067BC	Standard 3 Lug 40.5 mm Pitch Barcode	400	Chrome
SB20076	Standard 3 Lug 40.5 mm Pitch	450	White
SB20076BC	Standard 3 Lug 40.5 mm Pitch Barcode	450	White
SB20077	Standard 3 Lug 40.5 mm Pitch	450	Chrome
SB20086	Standard 3 Lug 40.5 mm Pitch	500	White
SB20086BC	Standard 3 Lug 40.5 mm Pitch Barcode	500	White
SB20087	Standard 3 Lug 40.5 mm Pitch	500	Chrome
UW10006	Grooved Wall Bracket Adaptor 3 Lug 40.5 mm		White
UW10007	Grooved Wall Bracket Adaptor 3 Lug 40.5 mm		Chrome
UW20006	Grooved Wall Bracket Adaptor 2 Lug 40.5 mm		White
UW20007	Grooved Wall Bracket Adaptor 2 Lug 40.5 mm		Chrome

HANG RAIL (RING) BRACKETS

These brackets are used to hold a hanging rail (25mm O.D. tube) which is to support items such as coat hangers. The brackets are standard 3-lug type in 280mm and 350mm and have a ring welded to the tip.

This ring will accept up to a 25mm diameter tube and has a thumb screw tapped into one side for stabilisation.




Code	Description	Size	Colour
SG72626	Hang Rail (Ring) Bracket 40.5 mm Pitch	280	White
SG72627	Hang Rail (Ring) Bracket 40.5 mm Pitch	280	Chrome
SG72636	Hang Rail (Ring) Bracket 40.5 mm Pitch	350	White
SG72637	Hang Rail (Ring) Bracket 40.5 mm Pitch	350	Chrome
SG72700	Hang Rail End Stop		

SHELF RESTS

Optional plastic shelf rests can be used with either glass or timber shelves to reduce movement.

The rubber "grommet" helps minimise movement of glass shelves but may also be removed to allow for screwing to a timber shelf.




Code	Description
SB29010	End Clip with Grommet
SB29110	Centre Clip with Grommets
SB29210	Square Clip with Pad
R10100	End Clip (No Grommet)
R10200	Centre Clip (No Grommets)
R10300	Grommet

TIMBER SHELVES

The SHELVIT system can be complimented by our range of timber shelves. These 16mm shelves are manufactured from pineboard and are finished in a coloured melamine.

Shelves are stocked in 600mm, 900mm & 1200mm wide x 150, 200, 250 & 300mm deep and are available in white.




Code	Description	Size	Colour
SB30616	Timber Shelf 600 x 150 mm		White
SB30626	Timber Shelf 600 x 200 mm		White
SB30636	Timber Shelf 600 x 250 mm		White
SB30646	Timber Shelf 600 x 300 mm		White
SB30916	Timber Shelf 900 x 150 mm		White
SB30926	Timber Shelf 900 x 200 mm		White
SB30936	Timber Shelf 900 x 250 mm		White
SB30946	Timber Shelf 900 x 300 mm		White
SB31216	Timber Shelf 1200 x 150 mm		White
SB31226	Timber Shelf 1200 x 200 mm		White
SB31236	Timber Shelf 1200 x 250 mm		White
SB31246	Timber Shelf 1200 x 300 mm		White

DOUBLE WALL STRIPPING
31.7MM PITCH


A sturdy, stable and simple to install shelving range. Made from powder coated steel. Popular 31.7mm retail slot pitch. Double slotted wall stripping with sunken face for added aesthetics. Slimline shelf brackets with double lugs for increased strength.

MAXIMUM LOAD 100KG PER BRACKET
LOADINGS ARE ASSUMED TO BE STATIC LOADS SPREAD EVENLY OVER THE ENTIRE SHELF.



Code	Description	Size	Colour
SB13116	Double Slot 31.7 mm Pitch	420	White
SB13126	Double Slot 31.7 mm Pitch	710	White
SB13136	Double Slot 31.7 mm Pitch	990	White
SB13156	Double Slot 31.7 mm Pitch	1400	White
SB13166	Double Slot 31.7 mm Pitch	1980	White
SB13216	Double Slot 40.5 mm Pitch	1800	White
SB13217	Double Slot 40.5 mm Pitch	1800	Chrome
SB13226	Double Slot 40.5 mm Pitch	2100	White
SB13227	Double Slot 40.5 mm Pitch	2100	Chrome
SB13236	Double Slot 40.5 mm Pitch	2400	White
SB13237	Double Slot 40.5 mm Pitch	2400	Chrome

DOUBLE SHELF BRACKETS
31.7MM PITCH




Code	Description	Size	Colour
SB23116	Double 2 Lug 31.7 mm Pitch	130	White
SB23126	Double 2 Lug 31.7 mm Pitch	180	White
SB23136	Double 2 Lug 31.7 mm Pitch	230	White
SB23146	Double 2 Lug 31.7 mm Pitch	270	White
SB23156	Double 2 Lug 31.7 mm Pitch	320	White
SB23166	Double 2 Lug 31.7 mm Pitch	370	White

AHP PRODUCT RANGE


Code	Description	Size	Colour
36064	Round Tube 19 mm x 0.7 mm Thick	3600	Chrome
36068	Round Tube 25 mm x 0.7 mm Thick	3600	Chrome
36069	Oval Tube 30 x 15 mm x 0.7 mm Thick	3600	Chrome
36078	Towel Pillar Centre for Round Tube 19 mm	-	Chrome
36079	Towel Pillar Centre for Round Tube 25 mm	-	Chrome
36081	Towel Pillar End for Round Tube 19 mm	-	Chrome
36082	Towel Pillar End for Round Tube 25 mm	-	Chrome
36085	Towel Pillar End for Oval Tube 30 x 15 mm	-	Chrome
36086	Towel Pillar Centre for Oval Tube 30 x 15 mm	-	Chrome

EASY TO FIX



STEP 1:

1. Fix stripping to wall ensuring that they are vertical and level. Check that all stripping is the same way up. ie. Check that slots are in line.




STEP 2:

2. Place brackets into slots and knock down firmly with a rubber mallet to lock into place.

STEP 3:

3. Fit plastic clips to front & rear of each bracket and place shelf into position. For timber shelves rubber grommets may be removed and replaced by screws.



SECTION SEVEN

BARRIER DOORS

[SUPERIOR DOOR](#) | [BIRCHGROVE](#) | [FEDERATION](#) | [PADDINGTON](#) | [HARRINGTON](#) | [BALMAIN](#) | [HOW TO ORDER](#)



The Cowdroy Barrier Door range offers a selection of standard and custom built quality screen doors in a range of designs and colours that will enhance and compliment the look of your home.

FEATURES

- Heavy duty extruded aluminium frame
- Double cylinder lock with deadlocking and privacy functions
- 2 hinges per door
- 21 standard powder coat colours to choose from
- A range of popular optional accessories
- Custom made to your sizes
- Australian made
- Warranty information found on the Cowdroy website



TYPES OF BARRIER DOOR

SUPERIOR DOOR

Features a high quality and impact resistant #316 grade woven Stainless steel mesh fitted inside the frame by way of a double locking wedge and an acrylic adhesive.

The "Superior" door combines strength and quality with an unobtrusive view.

BIRCHGROVE

Popular diamond grille door made to order.

PADDINGTON, FEDERATION, HARRINGTON, BALMAIN

Features a decorative cast aluminium panel fitted within the frame and finished with a quality fibreglass mesh.

There are 4 highly popular panel inserts available in the range, each of which are finished in the same durable powdercoat as the frame.

This range combines elegance with quality and will give your home a new look.

OPTIONAL EXTRAS

TRIPLE LOCK

Upgrade your lock option to an Austral EKIT triple lock for increased locking security.



OPTIONAL EXTRAS

DOOR CLOSER

Add a pneumatic door closer to automatically return your door to its closed position.



PET DOORS

Suitable for Superior & Birchgrove doors only.

Pet doors are ideal for those with indoor pets. Available in 3 sizes:

- Small (190x240mm)
- Medium (255x305mm)
- Large (260x400mm)



BUG SEAL

Consider a bug seal to help keep out those unwanted pests. All bug seals are finished in the same colour as your door.



PET MESH

Protect your pet by upgrading your mesh to a pet friendly soft mesh.



HOW TO ORDER YOUR CUSTOM BUILT BARRIER DOOR

CHOOSE YOUR DOOR

Below is the range of Barrier Door styles.

SUPERIOR



CUSTOM MAXIMUM SIZE
2500MM X 1300MM

BIRCHGROVE



MAXIMUM SIZE
2512MM X 1365MM

FEDERATION



MINIMUM SIZE 1940MM X 760MM
MAXIMUM SIZE 2120MM X 920MM

PADDINGTON



MINIMUM SIZE 1950MM X 760MM
MAXIMUM SIZE 2120MM X 920MM

HARRINGTON



MINIMUM SIZE 1850MM X 760MM
MAXIMUM SIZE 2120MM X 920MM

BALMAIN



MINIMUM SIZE 1833MM X 760MM
MAXIMUM SIZE 2120MM X 920MM


CHOOSE COLOURS

DOOR FINISH		HANDLE & OPTIONAL DOOR CLOSER FINISH	
	White		White
	White Birch		White Birch
	Primrose		Primrose
	Stone Beige		Stone Beige
	Paperbark		Black
	Dune		Brown
	Surf Mist		* Woodland Grey
	Silver (Anodised)		* Hawthorn Green
	APO Grey	* Colour options not available for sliding doors	
	Notre Dame		
	Deep Ocean		
	Charcoal		
	Black		
	Monument		
	Jasper		
	Brown		
	Woodland Grey		
	Hawthorn Green		

Choose any combination of door lock & closer from the above colour range.

MEASURE & RECORD YOUR
DETAILS

DOOR OPENING MEASUREMENTS



HEIGHT

L mm

R mm

DIAGONAL

Z mm

Y mm

WIDTH

T mm

C mm

B mm




ALWAYS MEASURE ON THE OTHER SIDE
OF THE JAMB FROM WHICH THE ENTRY
DOOR SITS

LOCK / HANDLE

Check the space between your existing
door lock and the outside face of your
jamb.


The gap required to ensure your new
barrier door fits is minimum 20mm.



HANDLE SIDE

From the outside looking in, choose your
handle side.

Usually the same side as your existing
door.





HANDLE HEIGHT

How high would you like your handle? Enter your distance from the sill up
to the centre of the handle lever.

IMPORTANT

Ensure the height of the handle of
your new barrier door will not collide
with the handle of your existing door
when closed.



HH mm

CUSTOM MADE DOORS

Code	Description	Size	Colour
BAR01SUP	Superior Standard MTM	up to 2500mm x 930mm	colours on request
BAR02SUP	Superior Large MTM	up to 2500mm x 1300mm	colours on request
BAR13COL	Federation Made to Measure	-	colours on request
BAR14COL	Harrington Made to Measure	-	colours on request
BAR34COL	Balmain Made to Measure	-	colours on request
BAR56COL	Paddington Made to Measure	-	colours on request
BAR60BIR	Birchgrove MTM	up to 2512mm x 1365mm	colours on request

OPTIONAL EXTRAS


Code	Description	Size	Colour
BAR901TL	Triple Lock	-	-
BAR902DC	Door Closer	-	-
BAR903BS	Bug Seal	-	-
BAR904PS	Pet Door - Small (Superior & Birchgrove ONLY)	-	-
BAR905PM	Pet Door - Medium (Superior & Birchgrove ONLY)	-	-
BAR906PL	Pet Door - Large (Superior & Birchgrove ONLY)	-	-
BAR907MP	Mesh - Pet Mesh (Excl. Superior)	-	-
BAR909MS	Mesh - Stainless Steel (Excl. Superior - Comes standard with Superior)	-	-

STANDARD INCLUSIONS

Using the guide to the left complete this form to order your new barrier door.
Note: Take extra care with your measurements as your door cannot be altered once it has been made.

1. Select door style

What style of door would you like?



1: Max 2500H x 930W
Min 1800H x 500W
2: Max 2500H x 1300W
Min 1800H x 900W

* Large SUPERIOR doors may require a mid support rail.

2. Which colour finish would you like your door (options on page 2)

3. Enter your door opening sizes in column A
OR your existing door size in column B

A		OR		B	
Door Opening		Less		Existing Door Size	
Y	mm			TYPE OF ARCHITRAVE	
Z	mm			<input type="radio"/> Timber <input type="radio"/> Steel	
L	mm	-10mm			
R	mm	-10mm			
T	mm	-7mm			
C	mm	-7mm			
B	mm	-7mm			

4. Select your handle colour. Available colours shown below

White White Birch Primrose Stone Beige Black Brown Wood Grey Hawth. Green

5. Select your handleside. (From the outside looking inwards)

☐ LEFT ☐ RIGHT

6. Enter your handle height. (From bottom of sill to centre of lock tongue)
min 600mm / max 1500mm

HH mm

(NOTE: For Triple Lock option - fittings will be located at an equal distance above and below this nominated handle height)

For warranty details please visit www.cowdroy.com.au

OPTIONAL ACCESSORIES

Optional Extras not for Individual Sale

A. Extra security - Triple lock
(Hinged Doors Only)

☐

B. Stainless Steel Mesh

☐

Upgrade for all doors. Included as standard for Superior Doors
Max height 2507mm (Not available for Birchgrove Door)

C. Pet Mesh

☐

Not available for Superior Door

D. Perspex Pet Door
(Available for Superior & Birchgrove
Doors Only)

☐ SMALL
☐ MEDIUM
☐ LARGE

HINGE SIDE ☐ HANDLE SIDE ☐

E. Door Closer (Hinged Doors Only)

☐

Select colour (Available colours shown below)

White White Birch Primrose Stone Beige Black Brown Wood Grey Green Hawth

F. Bug Seal

☐

Please email your completed form to:
cowdroy@cowdroy.com.au

Order No.	
Customer name	
Customer contact No.	
Store	
Suburb	
Staff member	
Date	
Customer Signature	*

* By signing this I understand that the measurements I have provided are correct.

Once order is placed with Cowdroy no further alterations can be made after 24 hours of receipt.

1 MEASURE YOUR EXISTING DOOR

EXISTING DOOR

HEIGHT

L mm

R mm

DIAGONAL

Z mm

Y mm

WIDTH

T mm

C mm

B mm

2 CURRENT HANDLE SIDE

From the outside looking in, nominate your handle side.



☐ L/H Side



☐ R/H Side

3 HANDLE HEIGHT

EXISTING SLIDING DOOR

HEIGHT

HH mm

600mm min. - 1500mm max.


Measure from bottom of door frame to centre of lock tongue

Supplied with 4 x concave rollers (2 x top & 2 x bottom)

For warranty details please visit www.cowdroy.com.au

STANDARD INCLUSIONS

1. Select door style



1: Max 2500H x 930W
Min 1800H x 500W
2: Max 2500H x 1300W
Min 1800H x 900W

* Large SUPERIOR doors may require a mid support rail.

2. Confirm your door sizes
(Make-to size)

L mm

R mm

Z mm

Y mm

T mm

C mm

B mm

3. Enter door colour

(Refer colour range on page 2.)

4. Current handle side

(From the outside looking inwards)

☐ LEFT ☐ RIGHT

5. Enter handle height

(From bottom of door frame to centre of lock tongue)

HH mm

6. Select handle colour

(Available colours shown below)

White White Birch Primrose Stone Beige Black Brown

OPTIONAL EXTRAS

(Optional Extras not for Individual Sale)

A. Pet Mesh (Birchgrove Door only)

☐

B. Perspex Pet Door

(Available for Superior & Birchgrove
Doors Only)

☐ SMALL
☐ MEDIUM
☐ LARGE

HINGE SIDE ☐ HANDLE SIDE ☐

C. Bug Seal

☐

Order No.	
Customer name	
Customer contact No.	
Store	
Suburb	
Staff member	
Date	
Customer Signature	*

* By signing this I understand that the measurements I have provided are correct and that this is for a replacement door only.
No tracks will be included.

Once order is placed with Cowdroy no further alterations can be made after 24 hours of receipt.

Door Track Systems		Page 5
Arrow		Page 7
Maximum Panel Weight	35kg	
Maximum Panel Width	915mm	
Minimum Door Thickness	25mm	
Description	Code	Page #
Packaged Sets - Galvanised Steel - Single Door		
up to 915mm	P68000	7
up to 915mm - Trade Box of 15	TR68010	7
Pelmet Sets - Aluminium - White		
1830mm	P67710	42
3660mm	P67720	42
Wheel Assemblies		
Wheels with Axle & Nut - Pack of 2	S68100	49
Wheel Assembly with Anti-Lift Bracket	TT68200	7
Door Guides		
Standard Duty Door Guide - Pack of 1 - Retail Pack	S20800	57
Standard Duty Door Guide - Loose	TT20800	-
Door Stops		
General Purpose Door Stop - Pack of 1 - Retail Pack	S64900	58
General Purpose Door Stop - Loose	TT64900	41
Other		
Adjustment Spanner 8 & 10 mm	TT34600	7
Centurion		Page 8
Maximum Panel Weight	60kg	
Maximum Panel Width	1220mm	
Minimum Door Thickness	30mm	
Description	Code	Page #
Packaged Sets - Galvanised Steel - Single Door		
up to 915mm	P10010	8
up to 1220mm	P10020	8
Pelmet Sets - Aluminium - White		
1830mm	P67710	42
3660mm	P67720	42
Wheel Assemblies		
Wheels with Axle & Nut - Pack of 2	S10400	49
Race Assembly	TT10000	8
Door Guides		
Standard Duty Door Guide - Pack of 1 - Retail Pack	S20800	57
Standard Duty Door Guide - Loose	TT20800	-
Door Stops		
General Purpose Door Stop - Pack of 1 - Retail Pack	S64900	58
General Purpose Door Stop - Loose	TT64900	41

Quad Ball		Page 9
Maximum Panel Weight	50kg	
Maximum Panel Width	920mm	
Minimum Door Thickness	25mm	
Description	Code	Page #
Packaged Sets - Mill - Single Door		
770mm to 920mm	P75020	9
Pelmet Sets - Aluminium - White		
1830mm	P67710	42
3660mm	P67720	42
Wheel Assemblies		
Quad-Ball Carrier Assembly - Pack of 1	P75500	50
Door Guides		
Standard Duty Door Guide - Pack of 1 - Retail Pack	S20800	57
Standard Duty Door Guide - Loose	TT20800	-
Door Stops		
Quad-Ball End Stop - Pack of 1	P75600	58
Forerunner		Page 10 / 11
Maximum Panel Weight	50kg	
Maximum Panel Width	1220mm	
Minimum Door Thickness	22mm	
Description	Code	Page #
Packaged Sets with Pelmet - Wall Mount - Single Door		
up to 915mm - Mill	P16110	11
up to 915mm - White	P16116	11
up to 1220mm - Mill	P16120	11
up to 1220mm - White	P16126	11
Wheel Assemblies		
Wheel Assembly - Pack of 2 - Retail Pack	S331CS	56
Wheel Assembly - Loose	TT331CS	-
Door Guides		
Standard Duty Door Guide - Pack of 1 - Retail Pack	S20800	57
Standard Duty Door Guide - Loose	TT20800	-
Door Stops		
Clip Stop Assembly - Loose	TT32700	58
Brackets		
Door Side Fix Bracket	TT32500	11
Universal Pelmet - 5560mm - Aluminium		
Clear Anodised	TT31472	42
White	TT31476	42
Universal Pelmet Cap		
Grey	TT31502	12

White	TT31506	12
Other		
Adjustment Spanner 8 & 10 mm	TT34600	11
Triumph Sliding		Page 12
Maximum Panel Weight	80kg	
Maximum Panel Width	1500mm	
Minimum Door Thickness	18mm	
Description	Code	Page #
Packaged Sets - up to 915mm - Clear Anodised - Single Door		
Wall Mount	P30110	12
Top Mount	P30610	12
Components Pack		
Components Pack for Single Door	P315CS	59
Top Mount Track - Aluminium - Mill		
2000mm	TT31011	-
2500mm	TT31021	12
3400mm	TT31031	-
4500mm	TT31041	12
5560mm - Clear Anodised	TT31072	12
Wall Mount Track - Aluminium - Mill		
2000mm	TT31311	-
2500mm	TT31321	12
3400mm	TT31331	-
4500mm	TT31341	12
5560mm - Clear Anodised	TT31372	12
Universal Pelmet - 5560mm - Aluminium		1
Clear Anodised	TT31472	42
White	TT31476	42
Universal Pelmet Cap		
Grey	TT31502	12
White	TT31506	12
Wheel Assemblies		
QR (Quick Release) Wheel Assembly - Pack of 2 - Retail Pack	S337CS	56
QR (Quick Release) Wheel Assembly - Loose	TT337CS	
Door Guides		
Standard Duty Door Guide - Pack of 1 - Retail Pack	S20800	57
Standard Duty Door Guide - Loose	TT20800	
Door Stops		
Clip Stop Assembly - Loose	TT32700	58
Triumph Rubber Bumper	TT33600	12
Door Stop with Clamp - Pack of 1	TT37500	58
Brackets		1
Door Stop Bracket	TT32100	41
QR (Quick Release) Door Side Fix Bracket	TT33800	12

End Cap - Nylon		
Grey	TT35604	60
Soft Close		
Actuator Bracket	TT35700	44
Pack for 2 Doors	TT59800	44
Barn Door		Page 13
Maximum Panel Weight	90kg	
Maximum Panel Width	1500mm	
Minimum Door Thickness	34mm	
Description	Code	Page #
Packaged Sets - Black - Single Door		
up to 1000mm	TT25028	13
Track Extension - 1200mm - Black		
Track Extension Kit	TT25008	13
Soft Close - Black		
Kit for One Sliding Door	TT25210	13
Exposed		Page 14
Maximum Panel Weight	110kg	
Maximum Panel Width	1500mm	
Minimum Door Thickness	34mm	
Description	Code	Page #
Packaged Sets - Single Door		
up to 1220mm - Stainless Steel	TT26020	14
up to 1220mm - Black	TT26028	14
up to 1500mm - Stainless Steel	TT26030	14
up to 1500mm - Black	TT26038	14
Track Joiner Kits		
Track Joiner with Screws - Black	TT268BK	14
Track Joiner with Screws - Stainless Steel	TT268SS	14
Soft Close - Black		
Kit for One Sliding Door	TT25210	14
Trojan		Page 15
Maximum Panel Weight	120kg	
Maximum Panel Width	1500mm	
Minimum Door Thickness	28mm	
Description	Code	Page #
Packaged Sets - Mill - Single Door		
up to 1500mm	P53030	15
Components Pack		
Components Builder's Pack for a Single Door	P53100	15
Frameless Glass Door Components Pack (80 kg)	P54000	15
Top Mount Track - Aluminium - Mill		
3000mm	TT53031	-
4500mm	TT53011	15
6000mm	TT53061	15

Door Guides		
Aluminium Heavy Duty Guide - Loose	TT21600	58
Brackets		
Track Wall Mount Bracket	AW82200	42
Door Side Fix Bracket	TT52500	15
Low Clearance 175		Page 16
Maximum Panel Weight	175kg	
Maximum Panel Width	2500mm	
Minimum Door Thickness	32mm	
Description	Code	Page #
Top Mount Track - Aluminium - Mill		
6000mm	TT82021	16
Wheel Assemblies		
Wheel Assembly with Top Hanger Bracket	TT83100	16
Door Guides		
Roller Guide	AW21600	16
PVC Guide Channel Insert - 6500mm - Black	TT84618	16
Aluminium Guide Channel - 6500mm - Clear Anodised	TT84762	16
Aluminium Clip-On Ceiling Panel Rest - 6000mm - Clear Anodised	TT81922	16
Door Stops		
Door Stop - Metal - Pack of 1	S81760	58
Brackets		
Track Wall Mount Bracket	AW82200	16
Door Stop Bracket	TT32100	41
Door Mount Bracket Set - Pack of 2	TT82500	16
Allweather Sliding		Page 17
Maximum Panel Weight	240kg	
Maximum Panel Width	3000mm	
Minimum Door Thickness	30mm	
Description	Code	Page #
Top Mount Track - Aluminium - Clear Anodised		
6000mm	AW82062	17
Components Pack		
Frameless Glass Door Components Pack (80 kg)	P54000	-
Wheel Assemblies		
Wheel Assembly with Top Hanger Bracket	AW83100	17
Door Guides		
End Fix Roller Guide	AW84200	-
Glass Door Guide	AW84700	-
PVC Guide Channel Insert - 6500mm - Black	TT84618	17
Aluminium Guide Channel - 6500mm - Clear Anodised	TT84762	17
Door Stops		
Concealed Nylon Door Stop	AW82600	41
Brackets		
Track Wall Mount Bracket	AW82200	17
Door Side Fix Bracket	AW85000	17

Weather Seals		
Perimeter Seal Q-48 Suits Gaps 2 - 3 mm - Per m - Black	AW80600	17
Perimeter Seal Q-21 Suits Gaps 5 - 7.5 mm - Per m - White/Black	AW80800	17
Brush Seal Suits Gaps up to 25 mm - 3000mm - Black	AW81200	17
Other		
Track End Cap	AW83600	17
Glidemaster		Page 18
Maximum Panel Weight	272kg	
Maximum Panel Width	2500mm	
Minimum Door Thickness	38mm	
Description	Code	Page #
Wall Mount Track - Aluminium - Mill		
5000mm	TT21551	18
6500mm	TT22061	-
Wheel Assemblies		
Wheel with Axle, Nut & Washers	TT21751	-
Race Assembly - Clear Anodised	TT22510	18
Door Guides		
Roller Guide	AW21600	18
Aluminium Heavy Duty Guide - Loose	TT21600	58
PVC Guide Channel Insert - 6500mm - Black	TT84618	18
Aluminium Guide Channel - 6500mm - Clear Anodised	TT84762	18
Door Stops		
Aluminium End Stop with Rubber Bumper	TT22610	41
Industro		Page 19
Maximum Panel Weight	450kg	
Maximum Panel Width	2900mm	
Minimum Door Thickness	32mm	
Description	Code	Page #
Top Mount Track - Galvanised Steel		
5800mm	OM56111	19
Wheel Assemblies		
2 Wheel Assembly with M12 x 110 Thread	OM51100	19
4 Wheel Assembly with M12 x 110 Thread	OM51200	19
4 Wheel Assembly with M12 x 60 Thread	OM51300	19
2 Wheel Assembly with Bracket & M16 x 60 Bolt	OM51400	19
4 Wheel Assembly with Bracket & M16 x 60 Bolt	OM51500	19
Door Guides		
Brass Roller Guide	OM55100	19
Galvanised Steel Guide Channel - 5800mm - Galvanised Steel	OM57111	19
Door Stops		
Door Stop with Clamp	OM54100	41
Brackets		
Top Hanger Bracket with M16 Thread	OM52100	19
Top Hanger Bracket with M12 Thread	OM52200	19

Track Wall Mount Bracket with Bolt	OM53100	19
Track Top Mount Bracket with Bolt	OM53200	19
Dual Track Wall Mount Bracket with Bolts	OM53300	19
Track Joiner Kits		
Track Joiner with Screws	OM53400	19
Barracuda		Page 20
Maximum Panel Weight	13kg	
Maximum Panel Width	450mm	
Minimum Door Thickness	19mm	
Description	Code	Page #
Packaged Sets - Mill		
up to 915mm - 2 Leaf	P42210	20
Pivot Sets		
Top Pivot Set	S31100	59
Bottom Pivot Set	S31200	59
Door Guides		
Aluminium Guide Channel - 4500mm - Mill	D32141	42
Spring Loaded Guide - Pack of 2	S31000	58
Top Guide Assembly - Pack of 1	S31500	58
Hinges		
75 x 47 x 1.6 mm Hirline Hinge with Screws - Brass Plated	D003BR	60
75 x 47 x 1.6 mm Hirline Hinge with Screws - Chrome Plated	D003CH	60
75 x 47 x 1.6 mm Hirline Hinge with Screws - P/C Silver	D003SI	60
Other		
Adjustment Spanner 8 & 10 mm	TT34600	20
Triumph Stealth		Page 21
Maximum Panel Weight	22kg	
Maximum Panel Width	600mm	
Minimum Door Thickness	16mm	
Description	Code	Page #
Components Pack		
Components Builder's Pack	P38500	21
Top Mount Track - Aluminium - Mill		
2000mm	TT31011	-
2500mm	TT31021	21
3400mm	TT31031	-
4500mm	TT31041	21
5560mm - Clear Anodised	TT31072	21
Wheel Assemblies		
Wheel Assembly	TT38500	21
Hinges		
Adjustable Concealed Intermediate (Centre) Hinge	TT38200	21
Clip On Concealed Hinge with Back Plate	TT38700	21
Other		
Triumph Fold Starter Pack - Chrome Plated	HD373CH	-
Adjustment Spanner 8 & 10 mm	TT34600	21

Overlay Concealed		Page 22
Maximum Panel Weight	25kg	
Maximum Panel Width	600mm	
Minimum Door Thickness	16mm	
Description	Code	Page #
Top Mount Track - Aluminium		
3000mm - Clear Anodised	TT39032	22
3000mm - White	TT39036	22
Wheel Assemblies		
Double Wheel Assembly	TT39600	22
Door Guides		
Roller Guide Assembly	TT39800	22
Aluminum Guide Angle 20 x 12 x 1.6 x 3000mm	TT41332	22
Hinges		
Adjustable Concealed Intermediate (Centre) Hinge	TT38200	22
Clip On Concealed Hinge with Back Plate	TT38700	22
Triumph Folding		Page 23
Maximum Panel Weight	25kg	
Maximum Panel Width	820mm	
Minimum Door Thickness	25mm	
Description	Code	Page #
Packaged Sets - Clear Anodised		
up to 1220mm - 2 Leaf	P36020	23
up to 1830mm - 4 Leaf - One Way	P36030	23
Components Pack - Chrome Plated		
Components Starter Pack - First 2 Leaves	P370CH	59
Components Add-on Pack - Additional 2 Leaves	P372CH	59
Top Mount Track - Aluminium - Mill		
2000mm	TT31011	-
2500mm	TT31021	23
3400mm	TT31031	-
4500mm	TT31041	23
5560mm - Clear Anodised	TT31072	23
Wheel Assemblies		
QR (Quick Release) Wheel Assembly - Pack of 2 - Retail Pack	S33700	56
QR (Quick Release) Wheel Assembly - Loose	TT33700	56
Triumph Stainless Steel Hanger	TT337SS	23
Pivot Sets		
Top Pivot Set with End Hanger Bracket	TT37000	23
Bottom Pivot Set	TT37100	23
Door Guides		
Aluminium Guide Channel - 4500mm - Mill	D32141	42
Spring Loaded Guide - Pack of 2	S31000	58
Brackets		
QR (Quick Release) Door Side Fix Bracket	TT33800	23

Hinges		
75 x 47 x 1.6 mm Hirline Hinge with Screws - Brass Plated	D003BR	60
75 x 47 x 1.6 mm Hirline Hinge with Screws - Chrome Plated	D003CH	60
75 x 47 x 1.6 mm Hirline Hinge with Screws - P/C Silver	D003SI	60
Other		
Adjustment Spanner 8 & 10 mm	TT34600	23
Allweather Internal		Page 24
Maximum Panel Weight	90kg	
Maximum Panel Width	900mm	
Minimum Door Thickness	32mm	
Description	Code	Page #
Packaged Sets - Stainless Steel		
2 doors (one way) - 3000mm opening	MAWI220	24
4 doors (one way) - 6000mm opening	MAWI440	24
6 doors (one way) - 6000mm opening	MAWI660	24
8 doors (one way) - 6000mm opening	MAWI880	-
4 doors (2+2) - 6000mm opening	MAWI422	24
6 doors (4+2) - 6000mm opening	MAWI642	24
8 doors (4 way) - 6000mm opening	MAWI844	-
Top Mount Track - Aluminium - Clear Anodised		
6000mm	AW82062	24
Wheel Assemblies		
Wheel Assembly with End Hanger Bracket	AW83500	24
Hinge Sets - 100mm - Stainless Steel		
Intermediate Hinges Set	AW482SS	24
Intermediate Hinges & Handle Set	AW483SS	24
Pivot Sets - Stainless Steel		
Top Pivot Set with End Hanger Bracket	AW87000	24
Bottom Pivot Set	AW87100	24
Door Guides		
End Fix Roller Guide	AW84200	24
PVC Guide Channel Insert - 6500mm - Black	TT84618	24
Aluminium Guide Channel - 6500mm - Clear Anodised	TT84762	24
Brackets		
Track Wall Mount Bracket	AW82200	24
Door Side Fix Bracket	AW85000	24
Weather Seals		
Perimeter Seal Q-48 Suits Gaps 2 - 3 mm - Per m - Black	AW80600	24
Perimeter Seal Q-21 Suits Gaps 5 - 7.5 mm - Per m - White/Black	AW80800	24
Perimeter Seal Q-21 Suits Gaps 5 - 7.5 mm - 250m - Brown	CMTQ21BR	-
Perimeter Seal Q-21 Suits Gaps 5 - 7.5 mm - 250m - Black	CMTQ21BK	-
Perimeter Seal Q-21 Suits Gaps 5 - 7.5 mm - 250m - White	CMTQ21WH	-
Perimeter Seal Q-21 Suits Gaps 5 - 7.5 mm - 250m - Beige	CMTQ21BE	-
Perimeter Seal Q-48 Suits Gaps 2 - 3 mm - 250m - Brown	CMTQ48BR	-
Perimeter Seal Q-48 Suits Gaps 2 - 3 mm - 250m - Black	CMTQ48BK	-
Perimeter Seal Q-48 Suits Gaps 2 - 3 mm - 250m - White	CMTQ48WH	-

Perimeter Seal Q-48 Suits Gaps 2 - 3 mm - 250m - Beige	CMTQ48BE	-
Brush Seal Suits Gaps up to 25 mm - 3000mm - Black	AW81200	24
Other		
Track End Cap	AW83600	24
Allweather External		Page 25
Maximum Panel Weight	90kg	
Maximum Panel Width	900mm	
Minimum Door Thickness	35mm	
Description	Code	Page #
Packaged Sets - Stainless Steel		
3 doors (2+1) - 3000mm opening	MAWE321	25
3 doors (one way) - 3000mm opening	MAWE330	25
4 doors (2+2) - 6000mm opening	MAWE422	25
4 doors (3+1) - 6000mm opening	MAWE431	25
4 doors (one way) - 6000mm opening	MAWE440	25
4 doors (floating) - 6000mm opening	MAWE440FL	26
5 doors (3+2) - 6000mm opening	MAWE532	25
5 doors (4+1) - 6000mm opening	MAWE541	26
5 doors (one way) - 6000mm opening	MAWE550	25
6 doors (3+3) - 6000mm opening	MAWE633	25
6 doors (4+2) - 6000mm opening	MAWE642	26
6 doors (5+1) - 6000mm opening	MAWE651	26
6 doors (one way) - 6000mm opening	MAWE660	25
7 doors (4+3) - 6000mm opening	MAWE743	25
7 doors (5+2) - 6000mm opening	MAWE752	26
7 doors (6+1) - 6000mm opening	MAWE761	26
7 doors (one way) - 6000mm opening	MAWE770	25
8 Doors (4+4) - 6000mm opening	MAWE844	26
8 Doors (5+3) - 6000mm opening	MAWE853	26
8 Doors (6+2) - 6000mm opening	MAWE862	26
8 Doors (7+1) - 6000mm opening	MAWE871	26
8 Doors (one way) - 6000mm opening	MAWE880	25
8 Doors (floating) - 6000mm opening	MAWE880FL	26
Top Mount Track - Aluminium - Clear Anodised		
6000mm	AW82062	25
Wheel Assemblies - Stainless Steel		
End Wheel & Guide Box Set	AW885SS	25
Intermediate Wheel & Guide Set	AW886SS	25
Meeting Wheel & Guide Set	AW888SS	25
Hinge Sets - 100mm - Stainless Steel - Set of 3		
Intermediate Hinges Set	AW482SS	25
Intermediate Hinges & Handle Set	AW483SS	25
Offset Hinges Set	AW487SS	25
Offset Hinges & Handle Set	AW488SS	25
Pivot Sets - Stainless Steel		
Top & Bottom Pivot Box Set	AW883SS	25
Door Guides		
PVC Guide Channel Insert - 6500mm - Black	TT84618	25
Aluminium Guide Channel - 6500mm - Clear Anodised	TT84762	25

Weather Seals		
Perimeter Seal Q-48 Suits Gaps 2 - 3 mm - Per m - Black	AW80600	25
Perimeter Seal Q-21 Suits Gaps 5 - 7.5 mm - Per m - White/Black	AW80800	25
Brush Seal Suits Gaps up to 25 mm - 3000mm - Black	AW81200	25
Quick-Fix		Page 27
Maximum Panel Weight	25kg	
Maximum Panel Width	950mm	
Minimum Door Thickness	19mm	
Description	Code	Page #
Packaged Sets - Mill		
up to 1800mm - 2 Doors	P23030	27
up to 2400mm - 3 Doors	P23040	27
Components Pack		
Components Pack for 1 Door	P23200	70
Top Mount Track - Aluminium - Mill		
3660mm	TT23040	27
Wheel Assemblies		
Hanger - Wardrobe Doors - Pack of 1 - Retail Pack	S23200	69
Wheels with Axle & Nut - Pack of 2	S23300	67
Hanger - Wardrobe Doors - Loose	TT23200	27
Door Guides		
Nylon Door Guide - Pack of 1	S03100	57
Standard Duty Door Guide - Pack of 1 - Retail Pack	S20800	57
Standard Duty Door Guide - Loose	TT20800	-
Other		
Adjustment Spanner 8 & 10 mm	TT34600	27
Manhattan		Page 28
Maximum Panel Weight	50kg	
Maximum Panel Width	1500mm	
Minimum Door Thickness	19mm	
Description	Code	Page #
Top Mount Track - Aluminium - Mill		
4880mm	TT48348	28
Wheel Assemblies		
2mm Offset	TT48500	69
12.5mm Offset	TT48600	69
Door Guides		
Standard Duty Door Guide - Pack of 1 - Retail Pack	S20800	57
Robemaker		Page 29
Maximum Panel Weight	50kg	
Maximum Panel Width	820mm	
Minimum Door Thickness	30mm	

Description	Code	Page #
Packaged Sets		
2 Doors - up to 1620mm - Clear Anodised	P58112	29
2 Doors - up to 1620mm - White	P58116	29
3 Doors - up to 2420mm - Clear Anodised	P58122	29
3 Doors - up to 2420mm - White	P58126	29
4 Doors - up to 3240mm - White	P58136	29
3 Bi-Passing Doors - up to 2420mm - White	P59126	30
Components Pack		
Components Pack for 1 Door	P58500	29, 30
Components Bag for 3 Bi-Passing Doors	P58020	-
Floor Mount Track - 5000mm - Aluminium		
Multi Track - Clear Anodised	TT59312	30
Multi Track - White	TT59316	30
Add-on Track - Clear Anodised	TT59412	30
Add-on Track - White	TT59416	30
Snap-in Cover Strip - Mill	TT57310	29, 30
Wheel Assemblies		
Adjustable Roller Sheave (50kg) - Pack of 1 - Retail Pack	S58400	67
Soft Tyre Hush Robemaker (40kg)	TT58700	68
Door Guides		
Multi Headguide Channel - 5000mm - Clear Anodised	TT59112	30
Multi Headguide Channel - 5000mm - White	TT59116	30
Add-on Headguide Channel - 5000mm - Clear Anodised	TT58912	30
Add-on Headguide Channel - 5000mm - White	TT58916	30
Door Guide - Pack of 2 - Retail Pack	S58600	70
Soft Close		
Pack for 2 Doors	TT59800	44
Mirror Robe		Page 31
Maximum Panel Weight	50kg	
Maximum Panel Width	900mm	
Minimum Door Thickness	4mm	
Description	Code	Page #
Floor Mount Track - 5000mm - Aluminium		
Double Track - White	TT56316	31
Snap-in Cover Strip - Mill	TT57310	31
Wheel Assemblies		
Wardrobe Door Sheave Assembly - Loose	TT90500	31
Wardrobe Door Sheave Assembly - Pack of 1 - Retail Pack	S90500	68
Door Guides - 5000mm - Aluminium		
Double Headguide Channel - White	TT56116	31
Door Guide with Anti-Lift Block (use with 8G Screw) - Loose	TT56600	70
Door Frame Components - 5000mm - Aluminium		
Door Frame Upright Handle - White	TT56516	31
Door Frame Top / Bottom Rail - White	TT56716	31

Other		
PVC Handle Bumper - 100mm - White	TT56506	31
P. V. C. Glazing Wedge for 4 mm Glass - 20mm - Black	TT79318	31
Cabinetmaker		Page 32
Maximum Panel Weight	20kg	
Maximum Panel Width	650mm	
Minimum Door Thickness	15mm	
Description	Code	Page #
Packaged Sets - up to 1800mm - 3 Doors		
Clear Anodised	P18152	32
White	P18156	32
Floor Mount Track - Aluminium		
Double Track - 4900mm - Clear Anodised	TT18812	32
Double Track - 4900mm - White	TT18816	32
Snap-in Cover Strip - 5000mm - Mill	TT57310	32
Wheel Assemblies		
Adjustable Roller Sheave	TT18400	69
Door Guides		
Double Headguide Channel - 4880mm - Clear Anodised	TT18712	32
Double Headguide Channel - 4880mm - White	TT18716	32
Door Guide - Loose	TT18600	70
Tudor		Page 33
Maximum Panel Weight	20kg	
Maximum Panel Width	650mm	
Minimum Door Thickness	16mm	
Description	Code	Page #
Top Mount Track - Aluminium - Mill		
4500mm	TT55241	33
Wheel Assemblies		
Dual-Wheel Assembly	TT55000	69
Door Guides		
Nylon Light Duty Door Guides - Pack of 2 - Retail Pack	S03000	57
Nylon Light Duty Door Guide - Loose	TT03000	33
Easy Roller		Page 34
Maximum Panel Weight	25kg	
Maximum Panel Width	800mm	
Minimum Door Thickness	12mm	
Description	Code	Page #
Floor Mount Track - Aluminium		
2500mm - Mill	TT41621	34
5000mm - Mill	TT41651	34
5000mm - Clear Anodised	TT41652	34
Wheel Assemblies		
Sheave Block (Nylon Wheel)	TT40000	69
Door Guides - Aluminium		

Headguide - 2500mm - Mill	TT41921	34
Headguide - 5000mm - Mill	TT41951	34
Headguide - 5000mm - Clear Anodised	TT41952	34
Joinery Sheave		Page 35
Maximum Panel Weight	60kg	
Maximum Panel Width	1500mm	
Minimum Door Thickness	22mm	
Description	Code	Page #
Floor Mount Track - Brass		
6000mm	TT61150	35
6000mm - Pre-Drilled	TT61151	35
Wheel Assemblies		
Carriage - Stainless Steel Wheel - Corrosion Resistant	TT66300	55
Pelmet Sets - Aluminium		
6000mm - Clear Anodised	TT65832	42
6000mm - Bronze Anodised	TT65834	42
Door Guides - Aluminium		
Headguide - 6000mm - Clear Anodised	TT20852	35
Headguide - 6000mm - Clear Anodised - Pre-Drilled	TT20872	35
Flat Bar Headguide - 32 x 3 x 4000mm - Clear Anodised	TT61742	35
Guide Block - Nylon	TT65900	60
Head Guide Block - Nylon	TT66900	60
Door Collector Seals - 3000mm		
Aluminium Door Collector with Pile - Clear Anodised	TT67412	35
Aluminium Door Collector with Pile - Bronze Anodised	TT67414	35
Brass Screw 6G - Bag of 100		
16 mm (5/8") CSK	TT61800	60
19 mm (3/4") CSK	TT61900	60
Other		
Adjustment Access Hole Plug for 8 mm Hole	TT65408	60

Horizon		Page 36
Maximum Panel Weight	120kg	
Maximum Panel Width	2500mm	
Minimum Door Thickness	25mm	
Description	Code	Page #
Components Pack		
60kg - Nylon Wheels for 1 Door - No Track	P66100	50
120kg - Steel Wheels for 1 Door - No Track	P67100	50
Floor Mount Track		
2500mm - Manganese Bronze	TT61210	-
3000mm - Manganese Bronze	TT61220	-
4500mm - Manganese Bronze	TT61240	-
6000mm - Manganese Bronze	TT61250	-
4500mm - Manganese Bronze - Pre-Drilled	TT61241	-
6000mm - Manganese Bronze - Pre-Drilled	TT61251	-
6000mm - Brass	TT61150	36
6000mm - Brass - Pre-Drilled	TT61151	36
Floor Mount Track - Aluminium - Mill		
2500mm	TT61311	-
4500mm	TT61341	-
6000mm	TT61351	36
4500mm - Pre-Drilled	TT61361	-
6000mm - Pre-Drilled	TT61371	36
Pelmet Sets - Aluminium		
6000mm - Clear Anodised	TT65832	42
6000mm - Bronze Anodised	TT65834	42
Door Guides - Aluminium		
Headguide - 2500mm - Mill	TT20811	-
Headguide - 4500mm - Mill	TT20841	-
Headguide - 6000mm - Clear Anodised	TT20852	36
Headguide - 6000mm - Clear Anodised - Pre-Drilled	TT20872	36
Flat Bar Headguide - 32 x 3 x 4000mm - Clear Anodised	TT61742	36
Guide Block - Nylon	TT65900	60
Head Guide Block - Nylon	TT66900	60
Door Collector Seals - 3000mm		
Aluminium Door Collector with Pile - Clear Anodised	TT67412	36
Aluminium Door Collector with Pile - Bronze Anodised	TT67414	36
Brass Screw 6G - Bag of 100		
16 mm (5/8") CSK	TT61800	60
19 mm (3/4") CSK	TT61900	60

Coastline		Page 37
Maximum Panel Weight	100kg	
Maximum Panel Width	2500mm	
Minimum Door Thickness	30mm	
Description	Code	Page #
Floor Mount Track		
2500mm - Manganese Bronze	TT61210	-
3000mm - Manganese Bronze	TT61220	-
4500mm - Manganese Bronze	TT61240	-
6000mm - Manganese Bronze	TT61250	37
4500mm - Manganese Bronze - Pre-Drilled	TT61241	-
6000mm - Manganese Bronze - Pre-Drilled	TT61251	37
6000mm - Brass	TT61150	-
6000mm - Brass - Pre-Drilled	TT61151	-
Floor Mount Track - Aluminium - Mill		
2500mm	TT61311	-
4500mm	TT61341	-
6000mm	TT61351	-
4500mm - Pre-Drilled	TT61361	-
6000mm - Pre-Drilled	TT61371	-
Wheel Assemblies		
Heavy Duty Carriage - 50kg - Stainless Steel Wheel	TT66500	55
Door Guides - Aluminium		
Roller Guide	AW21600	37
Headguide - 2500mm - Mill	TT20811	-
Headguide - 4500mm - Mill	TT20841	-
Headguide - 6000mm - Clear Anodised	TT20852	37
Headguide - 6000mm - Clear Anodised - Pre-Drilled	TT20872	37
Guide Block - Nylon	TT65900	60
Head Guide Block - Nylon	TT66900	60
PVC Guide Channel Insert - 6500mm - Black	TT84618	37
Aluminium Guide Channel - 6500mm - Clear Anodised	TT84762	37
Pelmet Sets - Aluminium		
6000mm - Clear Anodised	TT65832	42
6000mm - Bronze Anodised	TT65834	42
Door Collector Seals - 3000mm		
Aluminium Door Collector with Pile - Clear Anodised	TT67412	37
Aluminium Door Collector with Pile - Bronze Anodised	TT67414	37
Other		
Flat Bar Headguide 32 x 3 mm - Aluminium - 4000mm - Clear Anodised	TT61742	37
16 mm (5/8") CSK Brass Screw 6G - Bag of 100	TT61800	60
19 mm (3/4") CSK Brass Screw 6G - Bag of 100	TT61900	60
Adjustment Access Hole Plug for 8 mm Hole	TT65408	37

Twin-Roll/Timberline/Maxi-Roller		Page 38 / 39 / 40
Maximum Panel Weight	120kg / 200kg / 227kg	
Maximum Panel Width	3000mm	
Minimum Door Thickness	30mm	
Description	Code	Page #
Floor Mount Track		
2500mm - Manganese Bronze	TT61210	-
3000mm - Manganese Bronze	TT61220	-
4500mm - Manganese Bronze	TT61240	-
6000mm - Manganese Bronze	TT61250	38, 39, 40
4500mm - Manganese Bronze - Pre-Drilled	TT61241	-
6000mm - Manganese Bronze - Pre-Drilled	TT61251	38, 39, 40
6000mm - Brass	TT61150	-
6000mm - Brass - Pre-Drilled	TT61151	-
Floor Mount Track - Aluminium - Mill		
2500mm	TT61311	-
4500mm	TT61341	-
6000mm	TT61351	-
4500mm - Pre-Drilled	TT61361	-
6000mm - Pre-Drilled	TT61371	-
Door Guides - Aluminium		
Roller Guide	AW21600	38, 39, 40
Headguide - 2500mm - Mill	TT20811	-
Headguide - 4500mm - Mill	TT20841	-
Headguide - 6000mm - Clear Anodised	TT20852	38, 39, 40
Headguide - 6000mm - Clear Anodised - Pre-Drilled	TT20872	38, 39, 40
Guide Block - Nylon	TT65900	60
Head Guide Block - Nylon	TT66900	60
PVC Guide Channel Insert - 6500mm - Black	TT84618	38, 39, 40
Aluminium Guide Channel - 6500mm - Clear Anodised	TT84762	38, 39, 40
Pelmet Sets - Aluminium		
6000mm - Clear Anodised	TT65832	42
6000mm - Bronze Anodised	TT65834	42
Door Collector Seals - 3000mm		
Aluminium Door Collector with Pile - Clear Anodised	TT67412	38, 39, 40
Aluminium Door Collector with Pile - Bronze Anodised	TT67414	38, 39, 40
Other		
Flat Bar Headguide 32 x 3 mm - Aluminium - 4000mm - Clear Anodised	TT61742	38, 39, 40
16 mm (5/8") CSK Brass Screw 6G - Bag of 100	TT61800	60
19 mm (3/4") CSK Brass Screw 6G - Bag of 100	TT61900	60
Adjustment Access Hole Plug for 8 mm Hole	TT65408	60
Twin-Roll Exclusive		Page 38
Wheel Assemblies		
Zinc Steel Wheel Assembly with Nylon Tyres	TT65000	55
Adjustable Roller Sheave (SS Wheel)	TT65200	55
Stainless Steel Wheel Assembly with Nylon Tyres	TT65300	55

Timberline Exclusive		Page 39
Wheel Assemblies		
Adjustable Roller Sheave with Bronze Wheel	TT65700	55
Maxi-Roller Exclusive		Page 40
Wheel Assemblies		
Sheave with Bronze Wheel	TT65500	55
Replacement Parts		Page 45
Description	Code	Page #
Wheels, Rollers & Sheaves		
Adjustable Roller Sheave - Nylon Wheel - Pack of 2	P51000	-
Adjustable Twin Roller Sheave - Nylon - Pack of 2	P51500	-
Carriage with Screws - Nylon Wheel - Pack of 2 - 60kg	P66100	-
Carriage with Screws Pack - Steel Wheel - Pack of 2 - 120kg	P67100	50
Carriage - Quad-Ball - Pack of 1 - Retail Pack	P75500	50
Wheels with Axle & Nut - Pack of 2	S10400	49
Hanger - Wardrobe Doors - Quick-Fix - Pack of 1	S23200	69
Roller with Axle & Nut - Quick-Fix - Pack of 2	S23300	67
Hanger - Forerunner - Triumph - Pack of 2	S331CS	56
Hanger - QR (Quick Release) - Triumph - Pack of 2 - Retail Pack	S337CS	56
Hanger - QR (Quick Release) - Triumph - Pack of 2 - Retail Pack	S33700	56
Roller with Axle & Nut - Silent-Glide Wheel - Pack of 2	S45400	67
Carriage - Wardrobe Doors - Nylon Roller - Robemaker - Pack of 1	S58400	67
Roller with Axle & Nut - Pack of 2	S68100	49
Heavy Duty Carriage - 40kg - Corrosion Resistant - Pack of 1	S81018	50
Carriage - 17mm wide - Pack of 1	S81040	51
Heavy Duty Carriage - 20kg - Corrosion Resistant - Pack of 1	S81078	51
S/S Heavy Duty Carriage - 40kg - Corrosion Resistant - Pack of 1	S81089	51
Carriage - Glass Door - BGC/Jasons - Pack of 1	S81090	51
Carriage - Nylon Wheel - Pack of 1	S81110	51
Carriage - Glass Door - Pack of 1	S81120	51
Carriage - Glass Door - Pack of 1	S81121	51
Carriage with Roller - Pack of 1	S81150	51
Carriage with Roller - Pack of 1	S81170	52
Carriage - Stainless Steel Wheel - Pack of 1	S81200	52
Carriage - Bradnams - Pack of 1	S81206	61
Carriage - No Spring - Bradnams - Pack of 1	S81207	61
Heavy Duty Carriage - 40kg - Corrosion Resistant - Dowell - Pack of 1	S81216	52
Carriage - Nylon Wheel - Boral - Pack of 1	S81240	52
Heavy Duty Carriage - Stainless Steel Wheel - Pack of 1	S81241	52
Carriage - A&L Windows - Pack of 1	S81310	52
Carriage - Nylon Wheel - Pack of 1	S81319	52
Carriage - Wardrobe Doors - Pack of 1	S81320	67
Carriage - Capral - Pack of 1	S81350	53
Carriage - Glass Door - Nylon Wheel - Pack of 1	S81361	52
Carriage - BGC - Pack of 1	S81380	53
Carriage - Corrosion Resistant - Pack of 1	S81410	53

Hanger - Shed - Nylon Wheel - Pack of 1	S81920	56
Hanger - Superfold Assembly Trolley - 1 Set	S82106	56
Carriage - Cupboard Doors - Trola #7011 - Pack of 1	S82120	67
Hanger - Wardrobe Doors - White Wheel - Pack of 1	S82170	69
Hanger - Wardrobe Doors - Black Wheel - Pack of 1	S82180	69
Carriage - Wardrobe Doors - Pack of 1	S82710	68
Carriage - Wardrobe Doors - Convex Wheel - Pack of 1	S82720	68
Heavy Duty Carriage - Pack of 1	S83030	61
Corner Stake Carriage - 16 x 30mm - Pack of 1	S83080	62
Corner Stake Carriage - 16 x 42mm - Pack of 1	S83100	62
Corner Stake Carriage - 16 x 42mm - Pack of 1	S83110	63
Hanger - Screen Doors - L&R - Stegbar - 1 Pair	S83150	64
Hanger - Screen Doors - Bradnams - Pack of 1	S83161	64
Carriage - Screen Doors - Concave Wheel - Pack of 1	S83411	61
Roller with Bore - Door Carriages - Pack of 1	S84050	49
Heavy Duty Roller with Bore - Door Carriages - Corrosion Resistant - Pack of 1	S84068	49
Heavy Duty Roller with Axle - 36 x 6.4mm - Corrosion Resistant - Pack of 1	S84138	49
Heavy Duty Roller with Axle - 32 x 6.4mm - Corrosion Resistant - Pack of 1	S84148	61
Roller with Axle - Stainless Steel - Corrosion Resistant - Pack of 1	S84191	49
Heavy Duty Roller with Bore - Stainless Steel - Corrosion Resistant - Pack of 1	S84200	49
Heavy Duty Roller with Axle - Stainless Steel - Corrosion Resistant - Pack of 1	S84210	49
Roller with Axle - Screen Doors - Pack of 1	S84240	61
Roller with Axle - Screen Doors - Pack of 1	S84251	61
Roller with Axle - Door Hangers - Pack of 1	S84370	49
Roller with Axle & Nut - Door Hangers - Pack of 1	S84390	49
Carriage - Windows - Bradnams - Pack of 1	S85141	70
Carriage - Windows - Boral - Pack of 2	S85170	70
Carriage - Windows - Jason - Pack of 1	S85191	70
Carriage - Windows - Boral - Pack of 2	S85200	70
Carriage - Windows - Comalco - Pack of 2	S85220	70
Carriage - Windows - Narrow Multi-Fit - Pack of 2	S85230	70
Carriage - Windows - 1 Pair	S85270	71
Carriage - Shower Doors - Boral - Pack of 1	S87010	67
Roller with Axle - Windows - Pack of 2	S90000	70
Roller with Axle & Screw - Shower Doors - Pack of 2	S90200	66
Sheave Assembly - Wardrobe Doors - Pack of 1	S90500	68
Roller with Axle & Screw - Shower Doors - White Wheel - Pack of 2	S91000	66
Roller with Axle & Screw - Shower Doors - Blue Wheel - Pack of 2	S91100	66
Roller with Axle & Nut - Door Hangers - Flat Wheel - Pack of 2	S91200	49
Roller with Axle & Nut - Door Hangers - Round Wheel - Pack of 2	S91300	49
Roller with Axle - Screen Doors - Pack of 2	S91800	61
Sliding Window Flat Wheel Sheave - Pack of 2	S91900	71
Carriage - Windows - 4.7 mm Axle - Pack of 2	S92000	49
Roller with Axle - Door Carriages - 6.4 mm Axle - Pack of 2	S92100	49
Roller with Bore - Door Carriages - 6.4 mm Bore - Pack of 2	S92200	49
Heavy Duty Roller with Axle - ZZ Bearing - 6.4 mm Axle - Pack of 2	S92300	49

Roller with Bore - Door Carriages - 6.4 mm Bore - Pack of 2	S92400	50
Roller with Axle - Door Carriages - 6.4 mm Axle - Pack of 2	S92500	50
Roller with Bore - Door Carriages - 6.4 mm Bore - Pack of 2	S92600	50
Roller with Axle & Screw - Shower Hangers - Pack of 2	S92700	66
Roller with Axle - Screen Doors - 4.9 mm Axle - Pack of 2	S92800	61
Roller with Axle & Screw - Shower Doors - Pack of 2	S93000	66
Roller with Bore - Shower Hangers - 4.7 mm Bore - Pack of 2	S93100	66
Roller with Axle & Screw - Shower Doors - Round Wheel - Pack of 2	S93200	66
Roller with Axle & Screw - Shower Doors - Flat Wheel - Pack of 2	S93300	66
Roller with Axle & Nut - Door Hangers - Pack of 2	S93600	50
Carriage - Windows - Pack of 2	S93700	71
Roller with Axle - Screen Doors - 4.9 mm Axle - Pack of 2	S94000	61
Carriage - Screen Windows - Concave Wheel - Pack of 2	S94100	63
Narrow Carriage - Screen Windows - Concave Wheel - Pack of 2	S94200	63
Wide Carriage - Screen Windows - Concave Wheel - Pack of 2	S94300	63
Corner Stake Carriage - 64 x 13.3 x 26mm - Pack of 2	S94400	63
Heavy Duty Roller with Axle - 4.7 mm Axle - Stainless Steel - Pack of 2	S94800	50
Carriage & Bracket - Concave Wheel - Pack of 1	S94900	53
Carriage - Screen Doors - Concave Wheel - Pack of 1	S95100	63
Carriage - Screen Doors - Concave Wheel - Pack of 1	S95200	64
Carriage - Concave Wheel - Pack of 2	S95300	53
Carriage - Concave Wheel - Pack of 1	S95400	53
Carriage - Concave Wheel - Pack of 2	S95500	53
Carriage - Concave Wheel - Pack of 2	S95600	54
Carriage - Concave Wheel - Pack of 1	S95800	54
Carriage - Wardrobe Doors - Concave Wheel - Pack of 1	S95900	68
Hanger - Screen Doors - Convex Wheel - Pack of 1	S96000	64
Hanger - Screen Doors - Convex Wheel - 1 Pair	S96100	64
Carriage - Concave Wheel - Pack of 1	S96200	54
Carriage - Screen Doors - Concave Wheel - Pack of 1	S96300	64
Carriage - Concave Wheel - Pack of 1	S96400	54
Carriage - Concave Wheel - Right Hand - Pack of 1	S96500	54
Carriage - Concave Wheel - Left Hand - Pack of 1	S96600	54
Heavy Duty Carriage - Brass - Pack of 1	S96700	54
Hanger - Sheds - Pack of 2	S96800	56
Hanger - Anti-Lift Bracket - Convex Wheel - Pack of 1	S96900	56
Roller with Axle - Windows - Concave Wheel - Pack of 2	S97000	70
Carriage - Windows - Concave Wheel - Pack of 2	S97200	71
Carriage - 38 x 9.5 x 12mm - Windows - Concave Wheel - Pack of 2	S97300	71
Carriage - Windows - Concave Wheel - Pack of 2	S97400	71
Carriage - Windows - Concave Wheel - 1 Pair	S97600	71
Carriage - 15 x 8.0 x 32mm - Windows - Concave Wheel - Pack of 2	S97700	71
Carriage - Windows - Concave Wheel - Pack of 2	S97800	71
Carriage - Windows - Concave Wheel - Pack of 2	S97900	71
Carriage - Windows - Concave Wheel - Pack of 2	S98000	71
Carriage - 22 x 8.0 x 35mm - Windows - Concave Wheel - Pack of 2	S98100	71

Carriage - Wardrobe Doors - Concave Wheel - Pack of 1	S98300	68
Carriage - Screen Doors - Concave Wheel - Pack of 1	S98400	64
Carriage - 57 x 15.5 x 34mm - Screen Doors - Concave Wheel - Pack of 2	S98600	64
Carriage - Brass - Pack of 2	S98700	54
Adjustable Carriage - Cupboard Doors - Convex Wheel - Loose	TT18400	69
Wheel with Axle, Nut & Washers	TT21751	-
Hanger - Forerunner - Triumph	TT331CS	-
Hanger - QR (Quick Release) - Triumph - Loose	TT337CS	-
Hanger - QR (Quick Release) - Triumph - Loose	TT33700	-
Wheel Assembly	TT38500	21
Double Wheel Assembly	TT39600	22
Carriage - Cupboard Doors - Nylon Wheel - Loose	TT40000	69
Hanger - Wardrobe Doors - 2mm Offset - Convex Wheel - Loose	TT48500	69
Hanger - Wardrobe Doors - 12.5mm Offset - Convex Wheel - Loose	TT48600	69
Adjustable Roller Sheave - TT500A - SS Wheel	TT50000	92
Adjustable Roller Sheave - TT500B - Nylon Wheel	TT50010	92
Carriage - 100kg - Concave Wheel - Roller Bearing 10	TT51510	71
Carriage - Windows - TT520A - Stainless Steel Wheel	TT52000	71
Hanger - Wardrobe Doors - Convex Wheel - Loose	TT55000	69
Carriage - Wardrobe Doors - Nylon Roller - Robemaker	TT58400	29
Soft Tyre Hush Robemaker	TT58700	68
Zinc Steel Wheel Assembly - 60kg - Nylon Tyres	TT65000	55
Heavy Duty Carriage - 100kg - Stainless Steel Wheel - Corrosion Resistant	TT65200	55
Stainless Steel Wheel Assembly - 60kg - Nylon Tyres	TT65300	55
Heavy Duty Carriage - 113kg - Bronze Wheel - Corrosion Resistant	TT65500	55
Heavy Duty Carriage - 100kg - Bronze Wheel - Corrosion Resistant	TT65700	55
Carriage - Stainless Steel Wheel - Corrosion Resistant	TT66300	55
Heavy Duty Carriage - 50kg - Stainless Steel Wheel	TT66500	55
Carriage - Quad-Ball - Loose	TT75500	-
Wheel Assembly with Top Hanger Bracket	TT83100	16
Roller with Axle & Screw - Shower Doors	TT90200	-
Sheave Assembly - Wardrobe Doors - Loose	TT90500	31
36 mm Concave Wheel - 6.4 mm Axles	TT92150	-
32mm Concave Wheel with Axle	TT92350	-
32 mm Concave Wheel - 6.4 mm Bore	TT92450	-
32 mm Concave Wheel - 6.4 mm Axles	TT92550	-
Nylon Wheel with Screw - 19mm	TT93050	-
19 mm Wheel - 4.7 mm Bore	TT93150	-
Nylon Wheel 19mm & Screw - 6mm Offset Hub	TT93250	-
29 mm Wheel with Nut & Washer	TT93650	-
Carriage - Screen Windows - Concave Wheel	TT94100	-
Heavy Duty Roller with Axle - 4.7 mm Axle - Stainless Steel	TT94800	-
Carriage - Concave Wheel	TT95400	-
Sliding Door Concave Wheel Sheave	TT95550	-
Carriage - Concave Wheel	TT95600	-
Carriage - Concave Wheel - Hammonds	TT95700	55
Carriage - Concave Wheel	TT95800	-

Carriage - Wardrobe Doors - Concave Wheel	TT95900	-
Hanger - Screen Doors - Convex Wheel	TT96000	-
Carriage - Concave Wheel	TT96200	-
Carriage - Screen Doors - Concave Wheel	TT96300	-
Carriage - Concave Wheel	TT96400	-
Carriage - Concave Wheel - Right Hand	TT96500	-
Carriage - Concave Wheel - Left Hand	TT96600	-
Heavy Duty Carriage - Brass	TT96700	-
Hanger - Anti-Lift Bracket - Convex Wheel	TT96900	-
Roller with Axle - Windows - Concave Wheel	TT97000	-
Carriage - Wardrobe Doors - Concave Wheel	TT98300	-
Carriage - Screen Doors - Concave Wheel	TT98400	-
Carriage - Brass	TT98700	-
Capping Tracks - 2400mm - Concave Wheel		
Sample Set	TT60100	-
14mm for R2.8	TT60200	72
10mm for R2.8	TT60300	72
23mm for R2.8	TT60400	72
18mm for R2.8	TT60500	72
15mm for R1.5	TT60600	72
9mm for R1.5	TT60700	72
7mm for R2.8	TT60800	72
Door Stops		
Quad-Ball End Stop - Pack of 1	P75600	58
General Purpose Door Stop - Pack of 1 - Retail Pack	S64900	58
Door Stop - Metal - Pack of 1	S81760	58
Door Stop Assembly - Loose	TT16600	58
Aluminium End Stop with Rubber Bumper	TT22610	41
Door Stop Bracket	TT32100	41
Clip Stop Assembly - Loose	TT32700	58
Door Stop with Clamp - Pack of 1	TT37500	58
General Purpose Door Stop - Loose	TT64900	41
Door Guides		
Aluminium Guide Channel - 4500mm - Mill	D32141	42
Adjustable Door Guide - Pack of 1	P20700	56
Nylon Adjustable Wall Mount Door Guide - Pack of 1	P20900	56
Adjustable Wall Mount Door Guide - Pack of 1	P21300	57
Nylon Light Duty Door Guides - Pack of 2 - Retail Pack	S03000	57
Nylon Adjustable Door Guide - Pack of 1	S03100	57
Nylon Adjustable Wall Mount Door Guide - Pack of 1	S03200	57
Nylon Adjustable Cavity Door Guide - Pack of 1 - Retail Pack	S03300	57
Nylon Screen Door Guides - Pack of 2	S03400	65
Steel Adjustable Wall Mount Door Guide - Pack of 1	S03500	57
Standard Duty Door Guide - Pack of 1 - Retail Pack	S20800	57
Spring Loaded Guide - Pack of 2	S31000	58
Top Guide Assembly - Pack of 1	S31500	58

Guide - Wardrobe Doors - Robemaker - Pack of 2	S58600	70
Nylon Cavity Door Guide Set - 1 Pair	S68400	58
Top Guide Set - Windows - Jasons - 1 Pair	S81640	58
Guide Button - Plastic - Black - Pack of 2	S81692	65
Guide - Bi-folding Doors - Pack of 1	S82940	58
Top Corner Stake - Screen Doors - Pack of 1	S83180	65
Top Guide - Screen Doors - Dowell - Pack of 1	S83380	65
Retaining Spring - Screen Doors - Pack of 1	S83631	65
Guide - Aluminium Framed Windows - Pack of 2	S85210	71
Corner Stake - Aluminium Framed Windows - Nylon - Trimview - Pack of 1	S85250	72
Guides & Pick-up Block - Shower Doors - 1 Set	S87165	67
Pick-up Block - Shower Doors - Pack of 1	S87300	67
Guides - Shower Doors - Pack of 1	S87310	67
Top Guide - Screen Doors - Comalco - Pack of 2	S94600	65
Top Hanger Guide - Screen Doors - Nylon - Pack of 2	S98800	65
Bottom Guide - Screen Doors - Nylon - Pack of 2	S98900	65
Plunger Guide - Screen Doors - Pack of 2	S99000	65
Nylon Adjustable Cavity Door Guide - Loose	TT03300	-
Double Headguide Channel - 4880mm - Clear Anodised	TT18012	32
Double Headguide Channel - 4880mm - White	TT18016	32
Door Guide - Loose	TT18600	70
Standard Duty Door Guide - Loose	TT20800	28
Aluminium Headguide (TT208A) - 2500 mm - Mill	TT20811	42
Aluminium Headguide (TT208A) - 4500 mm - Mill	TT20841	42
Aluminium Headguide (TT208A) - 6000 mm - Clear Anodised	TT20852	42
Aluminium Headguide (TT208A) (Drilled) - 6000 mm - Clear Anodised	TT20872	42
Aluminium Heavy Duty Guide - Loose	TT21600	58
Roller Guide Assembly	TT39800	22
Aluminium Headguide - 2500mm - Mill	TT41921	34
Aluminium Headguide - 5000mm - Mill	TT41951	34
Aluminium Headguide - 5000mm - Clear Anodised	TT41952	34
Silent - Guide Race Assembly	TT45300	-
Door Guide with Anti-Lift Block (use with 8G Screw) - Loose	TT56600	70
Double Headguide Channel - 5000mm - Clear Anodised	TT59112	29
Double Headguide Channel - 5000mm - White	TT59116	29
Door Guide - Loose	TT58600	29
Add-on Headguide Channel - 5000mm - Clear Anodised	TT58912	29
Add-on Headguide Channel - 5000mm - White	TT58916	29
Flat Bar Headguide - 32 x 3 mm - Aluminium - 4000mm - Clear Anodised	TT61742	35, 36, 37, 38, 39, 40
Guide Block - Nylon	TT65900	60
Head Guide Block - Nylon	TT66900	60
Nylon Cavity Door Guide Set - LH & RH	TT68420	-
PVC Guide Channel Insert - 6500mm - Black	TT84618	16, 17, 18, 24, 25, 37, 39, 40
Aluminium Outer Guide Channel - 6500mm - Clear Anodised	TT84762	16, 17, 18, 24, 25, 37, 39, 40
Door Locks, Latches, Pulls & Catches		
Keyed Plunger Lock - Long Pin - 23mm Plunger - KA - Chrome Plated	F60407	95

Key Blank for F604 / F614	F60410	95
Keyed Plunger Lock - Long Pin - 23mm Plunger - KD - Chrome Plated	F60417	95
Keyed Plunger Lock - Short Pin - 8mm Plunger - KA - Chrome Plated	F60427	95
Keyed Pin Projection Lock - KA - Satin Chrome	F60700	95
Keyed Pin Projection Lock - KD - Satin Chrome	F60710	95
Keyed Cam Lock - Short Barrel - KA - Chrome Plated	F60907	95
10mm Keyed Plunger Lock - Long Pin - 23mm Plunger - KA - Chrome Plated	F61407	95
Privacy Latch Pack - Satin Chrome	P688SC	43
Passage Pull Pack - Satin Chrome	P689SC	43
Passage/Connector Latch Pack - Satin Chrome	P690SC	43
Sliding Cavity Door Finger Pull - Satin Chrome	P703SC	43
Flush Pulls - Round End - Pack of 2 - Polished Chrome	P705PC	43
Flush Pulls - Round End - Pack of 2 - Black	P705SBK	43
Flush Pulls - Round End - Pack of 2 - Satin Chrome	P705SC	43
Flush Pulls - Square End - Pack of 2 - Polished Chrome	P706PC	43
Flush Pulls - Square End - Pack of 2 - Black	P706SBK	43
Flush Pulls - Square End - Pack of 2 - Satin Chrome	P706SC	43
Screen Door Latch	P71600	43
Door Pull - Screen Doors - Pack of 1	S86060	65
Door Catch - Screen Doors - Left Hand - Pack of 1	S86281	66
Door Pull - Screen Doors - Pack of 1	S88060	66
Door Latch - Screen Doors - 1 Set	S88081	66
Keyed Latch Lock Pack - Satin Chrome	TT697SC	43
Flush Pull - Rectangle - Stainless Steel - Black	TT701BK	43
Flush Pull - Round - Stainless Steel - Black	TT702BK	43
Patio Door Deadlock (Pin) Pack - Black	TT71308	43
Component Packs		
Components Starter Pack - First 2 Leaves - Chrome - Triumph	P370CH	59
Components Add-on Pack - Additional 2 Leaves - Chrome - Triumph	P372CH	59
Components Pack for 1 Door - Quick-Fix	P23200	70
Components Pack for Single Door - Triumph Sliding	P315CS	59
Components Pack for 1 Door - Robemaker	P58500	70
Flush Bolts		
Round End - Non-Lock Pack - 140 mm - Satin Nickel	TT731SN	25
Square End - Keyed Lock Pack - 140 mm - Satin Nickel	TT732SN	-
Slimline Keeper - 140 mm - Satin Nickel	TT734SN	-
Round End - Keyed Lock Pack - 210 mm - Satin Nickel	TT735SN	-
Round End - Non-Lock Pack - 210 mm - Satin Nickel	TT736SN	-
Square End - Keyed Lock Pack - 210 mm - Satin Nickel	TT737SN	-
Square End - Non-Lock Pack - 210 mm - Satin Nickel	TT738SN	-
Offset - Round End - Non-Lock Pack - 210 mm - Satin Nickel	TT741SN	-
Offset - Square End - Non-Lock Pack - 210 mm - Satin Nickel	TT743SN	-
Round End - Non-Lock Pack - 400 mm - Satin Nickel	TT746SN	-
Square End - Non-Lock Pack - 400 mm - Satin Nickel	TT748SN	-
Router Bit - 26 mm (HSS)	TT79926	-
Router Bit - 41 mm (HSS)	TT79941	-

Nylon End Plate		
White - Roller Bearing 6	TT04606	72
Black - Roller Bearing 6	TT04608	72
Bright Silver - Roller Bearing 6	TT04613	72
White - MKII Sashless	TT05406	72
Black - MKII Sashless	TT05408	72
White - Roller Bearing 10	TT05606	72
Black - Roller Bearing 10	TT05608	72
Bright Silver - Roller Bearing 10	TT05613	72
Grey - Triumph Sliding - End Cap	TT35604	60
Hinges		
75 x 47 x 1.6 mm Hirline Hinge with Screws - Brass Plated	D003BR	60
75 x 47 x 1.6 mm Hirline Hinge with Screws - Chrome Plated	D003CH	60
75 x 47 x 1.6 mm Hirline Hinge with Screws - P/C Silver	D003SI	60
Window Restrictors		
Universal Window Restriction	WP500BK	-
Double Hung Window Restrictor Lockable - Pack of 2	WP25920	-
Pelmets		
1830mm - White	P67710	42
3660mm - White	P67720	42
5560mm - Clear Anodised	TT31472	42
5560mm - White	TT31476	42
6000mm - Clear Anodised	TT65832	42
6000mm - Bronze Anodised	TT65834	42
Universal Pelmet Cap		
Grey	TT31502	12
White	TT31506	12
Pivot Sets		
Top Pivot Set - Barracuda	S31100	59
Bottom Pivot Set - Barracuda	S31200	59
AHP Product Range		
Ambulant Indicator Bolt (with Disabled Option) - Chrome Plated	11462	-
Ambulant Indicator Bolt (with Disabled Option) - Satin Chrome	11463	-
Magnetic Door Stop - Satin Chrome	99067	-
Door Collector Seals - 3000mm		
Aluminium Door Collector with Pile - Clear Anodised	TT67412	35, 36, 37, 38, 39, 40
Aluminium Door Collector with Pile - Bronze Anodised	TT67414	35, 36, 37, 38, 39, 40
Weather Seals		
Loose Rubber Strip for CM3 & CM5 - 920mm	CM30309	-
Packaged Rubber Strip for CM3 & CM5 - 920mm	CMS30309	60
Loose Auto Cam Disc for CM3	CM39500	-
Packaged Auto Cam Disc for CM3 - Pack of 4	CMS39500	60
Door Closers		
Security Door Closer With One Touch Release	TT725BK	-
Other		
Wheelie Bin Latch - Lockable	BL100BK	-

Adjustment Spanner 8 & 10 mm	TT34600	7, 10, 11, 12, 20, 21, 23, 27
16 mm (5/8") CSK Brass Screw 6G - Bag of 100	TT61800	60
19 mm (3/4") CSK Brass Screw 6G - Bag of 100	TT61900	60
Adjustment Access Hole Plug for 8 mm Hole	TT65408	60
Weather Seals		Page 74
Door Seals		Page 75
Description	Code	Page #
CM1 - Rolling Door Seal		
915mm - Grey	CM109GR	75
CM2 - Brush Strip Door Seal - 915mm		
Aluminium - Bronze	CM2A9BZ	75
Aluminium - Clear Anodised	CM2A9CL	75
Aluminium - Gold	CM2A9GO	75
PVC - Black	CM2P9BK	75
PVC - White	CM2P9WH	75
CM3 - Automatic Cam		
915 mm - Black	CM309BK	75
915 mm - Bronze	CM309BZ	75
915 mm - Clear Anodised	CM309CL	75
915 mm - Gold	CM309GO	75
1220 mm - Bronze	CM312BZ	75
1220 mm - Clear Anodised	CM312CL	75
1220 mm - Gold	CM312GO	75
CM4 - Weather Proof		
915 mm - Bronze	CM409BZ	75
915 mm - Clear Anodised	CM409CL	75
915 mm - Gold	CM409GO	75
1220 mm - Bronze	CM412BZ	75
1220 mm - Clear Anodised	CM412CL	75
1220 mm - Gold	CM412GO	75
1856mm - Double Door - Clear Anodised	CMT41801CL	-
CM5 - Rubber Strip - 915mm		
Bronze	CM509BZ	76
Clear Anodised	CM509CL	76
Gold	CM509GO	76
CM17 - Extruded PVC - 915mm		
Brown	CM179BR	76
Grey	CM179GR	76
White	CM179WH	76
CM54 - Weather Proof		
915 mm - Clear Anodised	CM549CL	76
CM60 - Automatic Pin - 915mm		
Bronze	CM609BZ	76
Clear Anodised	CM609CL	76
Gold	CM609GO	76

CM7 - Extruded PVC - 2x2100mm + 1x1220mm		
Brown	CM712BR	76
White	CM712WH	76
Replacement Parts		
Loose Rubber Strip for CM3 & CM5	CM30309	-
Packaged Rubber Strip for CM3 & CM5	CMS30309	60
Loose Auto Cam Disc for CM3	CM39500	-
Packaged Auto Cam Disc for CM3 - Pack of 4	CMS39500	60
Door Seals - Trade Packs of 12		
Description	Code	Page #
CM2A - Brush Strip Door Seal - 1220mm		
Bronze	CMT2A12BZ	75
Clear Anodised	CMT2A12CL	75
CM3 - Automatic Cam		
915 mm - Bronze	CMT309BZ	75
915 mm - Clear Anodised	CMT309CL	75
915 mm - Gold	CMT309GO	75
1220 mm - Black	CMT312BK	75
1220 mm - Clear Anodised	CMT312CL	75
CM4 - Weather Proof		
825mm - Clear Anodised	CMT408-002CL	-
915 mm - Bronze	CMT409BZ	75
915 mm - Clear Anodised	CMT409CL	75
925mm - Clear Anodised	CMT409-002CL	-
1220 mm - Bronze	CMT412BZ	75
1220 mm - Clear Anodised	CMT412CL	75
1850 mm - Clear Anodised	CMT418CL	75
CM4 - Weather Proof - Double Doors		
1856mm - Bronze	CMT418-002BZ	-
1856mm - Clear Anodised	CMT418-002CL	-
CM5 - Rubber Strip		
1220mm - Clear Anodised	CMT512CL	76
Window & Door Seals		Page 77
Description	Code	Page #
CM14 - Foam		
CM14 - 9 x 6 x 5000mm - Grey	CM145GR	77
CM14 - 9 x 6 x 5000mm - White	CM145WH	77
CM14A - 19 x 6 x 5000mm - Grey	CM14AGR	77
CM14A - 19 x 6 x 5000mm - White	CM14AWH	77
CM14B - 12 x 12 x 2500mm - Grey	CM14BGR	77
CM14B - 12 x 12 x 2500mm - White	CM14BWH	77
CM14C - 25 x 6 x 5000mm - Grey	CM14CGR	77
CM14C - 25 x 6 x 5000mm - White	CM14CWH	77

CM48 - Rubber - 5000mm		
Brown	CM485BR	77
Grey	CM485GR	77
White	CM485WH	77
CM59 - Rubber - 5000mm		
Brown	CM595BR	77
Grey	CM595GR	77
White	CM595WH	77
CM61 - Brush		
5000mm - Grey	CM615GR	77
General Purpose Seals		Page 78
Description	Code	Page #
CM11 - Gap Filler - 5000mm - White		
6mm	CM11AWH	78
10mm	CM11BWH	78
15mm	CM11CWH	78
6mm - Pack of 2	CM11DWH	78
CM15 - Closed PVC Foam - 3000mm - Black		
25 x 6mm	CM15A3BK	78
25 x 12mm	CM15B3BK	78
25 x 19mm	CM15C3BK	78
CM16 - Closed PVC Foam - 10000mm - Black		
25 x 4.8mm	CM1610BK	78
CM18 - Rubber - 2000mm		
Black	CM182BK	78
Grey	CM182GR	78
White	CM182WH	78
CM19 - Purlin Tape - 10000mm - White		
25 x 4mm	CM1910WH	78
Insect Screen		Page 79
Mesh Range		Page 80
Description	Code	Page #
Fibreglass		
610mm x 50m	IMFG0610050B	80
760mm x 50m	IMFG0760050B	80
810mm x 50m	IMFG0810050B	80
910mm x 50m	IMFG0910050B	80
1220mm x 50m	IMFG1220050B	80
810mm x 2.05m	IMFG0810002	80
810mm x 6m	IMFG0810006	80
910mm x 2.05m	IMFG0910002	80
910mm x 6m	IMFG0910006	80
1220mm x 2.05m	IMFG1220002	80
1220mm x 6m	IMFG1220006	80

1830mm x 2.05m	IMFG1830002	80
1830mm x 6m	IMFG1830006	80
Aluminium		
610mm x 30m	IMAL0610030B	81
760mm x 30m	IMAL0760030B	81
810mm x 30m	IMAL0810030B	81
910mm x 30m	IMAL0910030B	81
1220mm x 30m	IMAL1220030B	81
910mm x 2.05m	IMAL0910002	81
910mm x 6m	IMAL0910006	81
1220mm x 2.05m	IMAL1220002	81
1220mm x 6m	IMAL1220006	81
Stainless Steel		
910mm x 30m	IMSS0910030B	82
1220mm x 30m	IMSS1220030B	82
910mm x 2.1m	IMSS0910002	82
Clear View		
910mm x 2.05m	IMCV0910002	80
1220mm x 2.05m	IMCV1220002	80
Pet Guard		
910mm x 2.05m	IMPG0910002	81
910mm x 6.15m	IMPG0910006	81
1220mm x 2.05m	IMPG1220002	81
1220mm x 6.15m	IMPG1220006	81
Pollen Proof		
910mm x 2.05m	IMPP0910002	81
1220mm x 2.05m	IMPP1220002	81
Small Insect		
910mm x 2.05m	IMSI0910002	81
1220mm x 2.05m	IMSI1220002	81
Ultra Tough		
910mm x 2.1m	IMUT0910002	82
1220mm x 2.1m	IMUT1220002	82
Accessories		Page 83
Description	Code	Page #
Frames - Aluminium - 25mm x 11mm x 2.5m		
Black	IFBK2511250	84
Brown	IFBR2511250	84
Bronze	IFBZ2511250	84
Mill	IFMI2511250	84
Primrose	IFPR2511250	84
White	IFWH2511250	84
Spline		
5.7mm x 6.5m - Foam Polyethylene	ISFM0057006	83
5.7mm x 13m - Foam Polyethylene	ISFM0057013	83

4.5mm x 6.5m - PVC	ISPV0045006	83
4.5mm x 30m - PVC	ISPV0045030	83
4.5mm x 300m - PVC	ISPV0045300B	83
6mm x 6.5m - PVC	ISPV0060006	83
6mm x 30m - PVC	ISPV0060030	83
6mm x 300m - PVC	ISPV0060300B	83
Spline Rollers		
Budget Plastic	ISRO0010000	83
Convex and Concave Twin Wheel	ISRO0020000	83
Easy Feed Flat Tip	ISRO0030000	83
Buttons - Clear		
Turn - Pack of 8	IACC0001008	84
Turn - Pack of 100	IACC0001100B	84
Flush - Pack of 8	IACC0002008	84
Flush - Pack of 100	IACC0002100B	84
Offset - Pack of 8	IACC0003008	84
Offset - Pack of 100	IACC0003100B	84
Frame Corner Inserts		
Aluminium - Pack of 4	IACC0100004	84
Aluminium - Pack of 50	IACC0100050B	84
PVC - Black - Pack of 4	IACC0101004	84
PVC - Black - Pack of 50	IACC0101050B	84
Frame Kit - PVC - Black - (4 x Corners, 4 x Offset buttons, 2 x Hinges)	IACC0110000	84
Usability		
Lift Tabs - Plastic - Clear - Pack of 4	IACC0120004	85
Lift Tabs - Plastic - Clear - Pack of 100	IACC0120100B	85
Hinge - Plastic - Clear - Pack of 2	IACC0130002	85
Spring Pins - Metal - Pack of 4	IACC0140004	85
Mitre Box - Aluminium	IACC0150000	86
Porthole - 190 x 100mm	IACC0160000	86
Maintenance/Repairs		
Roller Brush	IACC0190000	86
Repair Tape - 5m x 50mm	IACC0200000	85
Repair Patches - 100mm x 80mm - Pack of 3	IACC0201003	85
Repair Patches - 150mm x 200mm - Pack of 3	IACC0202003	85
Removable Insect Screen		
1.3 x 1.5m	IACC0170000	86
2 x 2m	IACC0171000	86
Adjustable Flyscreen - 485 to 925mm - PVC Frame	IACC0180000	86
Door Curtains		
Fireglass - 90 x 200cm	ICFG2000090	87
Magnetic - 96 x 218cm	ICMG2180096	87
PVC - Coloured - 86 x 200cm	ICPV2000086	87
PVC - Clear - 90cm x 200cm x 0.5mm	ICPV2000090	87

Glass Door Track Systems		Page 89
Plastic Track		Page 90
Maximum Panel Weight	6kg	
Maximum Panel Width	950mm	
Minimum Door Thickness	5mm	
Description	Code	Page #
Packaged Sets - 1800mm - 2 doors		
Brown	P02624	90
White	P02626	90
Other		
Finger Pull Assembly for 5-6mm Glass	TT07100	95
Ball Bearing		Page 91
Maximum Panel Weight	22kg	
Maximum Panel Width	1000mm	
Minimum Door Thickness	6mm	
Description	Code	Page #
Floor Mount Track - 4500mm - Aluminium		
Mill	TT41511	91
Clear Anodised	TT41512	91
Door Guides - 4500mm - Aluminium - Pile		
Headguide - Mill	TT02011	91
Headguide - Clear Anodised	TT02012	91
Balls - Bags of 440 for 1/2 Track		
Nylon	TT07400	91
Stainless Steel	TT07700	91
Other		
Finger Pull Assembly for 5-6mm Glass	TT07100	95
Roller Bearing 6		Page 91
Maximum Panel Weight	60kg	
Maximum Panel Width	2000mm	
Minimum Door Thickness	6mm	
Description	Code	Page #
Floor Mount Track - Aluminium		
Double Track - 4500mm - Mill	TT04711	92
Double Track - 4500mm - Clear Anodised	TT04712	92
Single Track - 2500mm - Mill	TT41621	-
Single Track - 5000mm - Mill	TT41651	92
Single Track - 5000mm - Clear Anodised	TT41652	92
Wheel Assemblies		
Adjustable Roller Sheave (TT500A) (SS Wheel)	TT50000	92
Adjustable Roller Sheave (TT500B) (Nylon Wheel)	TT50010	92
Door Guides - 4500mm - Aluminium - Pile		
Double Headguide - Mill	TT02111	92
Double Headguide - Clear Anodised	TT02112	92

Single Headguide - Mill	TT02311	92
Single Headguide - Clear Anodised	TT02312	92
Race - 4500mm - Aluminium		
Head Race - Clear Anodised	TT02412	92
Race Section - Mill	TT04811	92
Race Section - Clear Anodised	TT04812	92
Nylon End Plate		
White	TT04606	72
Black	TT04608	72
Bright Silver	TT04613	72
Glazing Wedge		
40 m	TT08900	92
per m	TT08910	92
Other		
Finger Pull Assembly for 5-6mm Glass	TT07100	95
Roller Bearing 10		Page 93
Maximum Panel Weight	200kg	
Maximum Panel Width	2000mm	
Minimum Door Thickness	10mm	
Description	Code	Page #
Floor Mount Track - 4500mm - Aluminium		
Clear Anodised	TT05712	93
Wheel Assemblies - Nylon Wheel		
Adjustable Single Roller Sheave - Pack of 2	P51000	93
Adjustable Twin Roller Sheave - Pack of 2 - 200kg	P51500	93
Door Guides - 4500mm - Aluminium - Pile		
Double Headguide - Clear Anodised	TT02512	93
Race - 4500mm - Aluminium - Clear Anodised		
Head Race	TT02912	93
Race Section	TT05812	93
Nylon End Plate		
White	TT05606	72
Black	TT05608	72
Bright Silver	TT05613	72
Glazing Wedge		
100 m	TT08800	93
per m	TT08810	93

MKII Sashless			Page 94
Maximum Panel Weight	52kg		
Maximum Panel Width	2000mm		
Minimum Door Thickness	6mm		
Description	Code		Page #
Floor Mount Track - 4500mm - Aluminium			
Mill	TT05311		94
Clear Anodised	TT05312		94
Wheel Assemblies - Stainless Steel Wheel			
Adjustable Roller Sheave (TT520A)	TT52000		71
Door Guides - 4500mm - Aluminium - Pile			
Double Headguide - Clear Anodised	TT02212		94
Race - 4500mm - Aluminium - Clear Anodised			
Race Section with Pile	TT05212		94
Mullion			
Insert (TT129A) - 30m - PVC - Black	TT12910		94
Channel - 4500mm - Aluminium - Clear Anodised	TT12912		94
Vertical Edge Brace with Pile			
4500mm - Aluminium - Clear Anodised	TT13012		94
3000mm - PVC - Clear	TT13511		94
Nylon End Plate			
White	TT05406		72
Black	TT05408		72
Glazing Wedge			
40 m	TT08900		94
per m	TT08910		94
Other			
Universal Window Restriction	WP500BK		-
Handiframe Mirror Frame			
Description	Code		Page #
Frame - Aluminium - Clear Anodised			
4500mm	A31312		-
Glazing Wedge - 4mm Glass - PVC - Black			
20 m	TT79318		-
Other - Nylon			
Wall Fixing Clip	A31400		-
Corner Joiner	A31900		-
Shelving Systems / Shelvit			Page 96
Description	Code		Page #
Wall Stripping - Single Slot - 40.5mm Pitch			
600mm - White - Barcoded	SB11916BC		97
600mm - Chrome	SB11917 *		97
900mm - White - Barcoded	SB11926BC		97

* Chrome plated items with barcode label are available to order

900mm - Chrome	SB11927 *	97
1200mm - White - Barcoded	SB11936BC	97
1200mm - Chrome	SB11937 *	97
1500mm - White - Barcoded	SB11946BC	97
1500mm - Chrome	SB11947 *	97
1800mm - White - Barcoded	SB11956BC	97
1800mm - Chrome	SB11957 *	97
2100mm - White - Barcoded	SB11966BC	97
2100mm - Chrome	SB11967 *	97
2400mm - White - Barcoded	SB11976BC	97
2400mm - Chrome	SB11977 *	97
Wall Stripping - Double Slot - 31.7mm Pitch - White		
420mm	SB13116	98
710mm	SB13126	98
990mm	SB13136	98
1400mm	SB13156	98
1980mm	SB13166	98
Wall Stripping - Double Slot - 40.5mm Pitch		
1800mm - White	SB13216	98
1800mm - Chrome	SB13217	98
2100mm - White	SB13226	98
2100mm - Chrome	SB13227	98
2400mm - White	SB13236	98
2400mm - Chrome	SB13237	98
Grooved Wall Bracket Adaptors - 40.5mm Pitch		
3 Lug - White	UW10006	97
3 Lug - Chrome	UW10007	97
2 Lug - White	UW20006	97
2 Lug - Chrome	UW20007	97
Timber Shelves - White		
600 x 150mm	SB30616	97
600 x 200mm	SB30626	97
600 x 250mm	SB30636	97
600 x 300mm	SB30646	97
900 x 150mm	SB30916	97
900 x 200mm	SB30926	97
900 x 250mm	SB30936	97
900 x 300mm	SB30946	97
1200 x 150mm	SB31216	97
1200 x 200mm	SB31226	97
1200 x 250mm	SB31236	97
1200 x 300mm	SB31246	97
Single Shelf Brackets - 2 Lug - 40.5mm Pitch		
150mm - White	SB20016	97
150mm - White - Barcoded	SB20016BC	97

* Chrome plated items with barcode label are available to order

150mm - Chrome	SB20017 *	97
200mm - White	SB20026	97
200mm - White - Barcoded	SB20026BC	97
200mm - Chrome	SB20027 *	97
250mm - White	SB20036	97
250mm - White - Barcoded	SB20036BC	97
250mm - Chrome	SB20037 *	97
300mm - White	SB20046	97
300mm - White - Barcoded	SB20046BC	97
300mm - Chrome	SB20047 *	97
Single Shelf Brackets - 3 Lug - 40.5mm Pitch		
350mm - White	SB20056	97
350mm - White - Barcoded	SB20056BC	97
350mm - Chrome	SB20057 *	97
400mm - White	SB20066	97
400mm - White - Barcoded	SB20066BC	97
400mm - Chrome	SB20067 *	97
450mm - White	SB20076	97
450mm - White - Barcoded	SB20076BC	97
450mm - Chrome	SB20077 *	97
500mm - White	SB20086	97
500mm - White - Barcoded	SB20086BC	97
500mm - Chrome	SB20087 *	97
Double Shelf Brackets - 2 Lug - 31.7mm Pitch - White		
130mm	SB23116	98
180mm	SB23126	98
230mm	SB23136	98
270mm	SB23146	98
320mm	SB23156	98
370mm	SB23166	98
Hang Rail (Ring) Brackets - 40.5mm Pitch		
280mm - White	SG72626	97
280mm - Chrome	SG72627	97
350mm - White	SG72636	97
350mm - Chrome	SG72637	97
End Stop	SG72700	97
Shelf Rests		
End Clip with Grommet	SB29010	97
Centre Clip with Grommets	SB29110	97
Square Clip with Pad	SB29210	97
End Clip (No Grommet)	R10100	97
Centre Clip (No Grommets)	R10200	97
Grommet	R10300	97
AHP Product Range - Rails - Chrome		
Round Tube - 19 x 3600mm - 0.7mm Thick	36064	98

* Chrome plated items with barcode label are available to order

Round Tube - 25 x 3600mm - 0.7mm Thick	36068	98
Oval Tube - 30 x 15 x 3600mm - 0.7mm Thick	36069	98
Towel Flange - 19 mm	36071	-
Towel Pillar Centre - Round Tube - 19mm	36078	98
Towel Pillar Centre - Round Tube - 25mm	36079	98
Towel Pillar End - Round Tube - 19mm	36081	98
Towel Pillar End - Round Tube - 25mm	36082	98
Towel Pillar End - Oval Tube - 30 x 15mm	36085	98
Towel Pillar Centre - Oval Tube - 30 x 15mm	36086	98

Barrier DoorsPage 99

Description	Code	Page #
Custom Made Doors - Colours on Request - Made to Measure		
Superior Standard - up to 2500 x 930mm	BAR01SUP	100
Superior Large - up to 2500 x 1300mm	BAR02SUP	100
Federation	BAR13COL	100
Harrington	BAR14COL	100
Balmain	BAR34COL	100
Paddington	BAR56COL	100
Birchgrove - up to 2512 x 1365mm	BAR60BIR	100
Optional Extras		
Triple Lock	BAR901TL	100
Door Closer	BAR902DC	100
Bug Seal	BAR903BS	100
Pet Door - Small - Superior & Birchgrove Only	BAR904PS	100
Pet Door - Medium - Superior & Birchgrove Only	BAR905PM	100
Pet Door - Large - Superior & Birchgrove Only	BAR906PL	100
Mesh - Pet Mesh - Excluding Superior	BAR907MP	100
Mesh - Stainless Steel - Comes Standard with Superior	BAR909MS	100

Wetline

Description	Code	Page #
Advanced Polymer Board - 2440 x 1220mm		
12mm	LW12.122.244WH	-
16mm	LW16.122.244WH	-
18mm	LW18.122.244WH	-
25mm	LW25.122.244WH	-

NOTES

H.M. Cowdroy Pty Ltd. ABN 47 000 033 947

COWDROY

DOOR TRACKS - WEATHERSEALS - SHELKIT
REPLACEMENTS - BARRIER DOOR - INSECT SCREEN



**Trusted by Australians
since 1890**



www.cowdroy.com.au

cowdroy

Cowdroy is an Australian company supplying industry leading products across residential and commercial properties.

Established in 1890, Cowdroy specialises in door tracking systems, weather seals, insect screen, replacement wheels & rollers and more products for a wide range of applications.

For all our product information visit the Cowdroy website at:
www.cowdroy.com.au

HEAD OFFICE SYDNEY

38 Redfern St
Wetherill Park, NSW 2164
Phone: (02) 9604 3000
Fax: (02) 9604 8129
Sales Fax: (02) 9609 3694

WEBSITE

www.cowdroy.com.au
www.cowdroy-insectscreen.com.au

EMAIL

sales@cowdroy.com.au

NATIONAL CALL

1800 COWDROY (1800 269 376)

Perth

1 Modal Crescent
Canning Vale, WA 6155
Ph: (08) 9455 5354
Fax: (08) 9455 5461

Christchurch NZ

56 Treffers Road, Sockburn
Christchurch 8042
Phone: (03) 943 2060
Fax: (03) 943 2061

Auckland NZ

18 Kerwyn Ave, East Tamaki
Auckland 2013
Phone: (09) 274 7279
Fax: (09) 274 4453



cowdroy

**ALCHIN
LONG
GROUP**