

cowdroy

WEATHER SEALS



IMPROVES ENERGY
EFFICIENCY
IN YOUR HOME



**ALCHIN
LONG
GROUP**

1800 COWDROY
www.cowdroy.com.au

TRUSTED BY
AUSTRALIANS
SINCE **1890**

Why should you use a window/door seal?

Fitting a weather seal to your window or door may help eliminate or minimise problems such as light, sound, dust, draughts, wind, rain, insects and rodents.

Which seal is the right one for you?

Before selecting your window or door seal you need to know which seal will do the job you require.

CHECKLIST

1) Window Door

2) Hinged Sliding

3) *For hinged:* *Opens Inwardly* *Opens Outwardly*

4) *Size of gap:* mm

5) *Seal functions which apply:*

- | | | | |
|----------------------------------|--------------------------------|--------------------------------|-----------------------------------|
| <input type="checkbox"/> Light | <input type="checkbox"/> Sound | <input type="checkbox"/> Dust | <input type="checkbox"/> Draughts |
| <input type="checkbox"/> Wind | <input type="checkbox"/> Rain | <input type="checkbox"/> Noise | <input type="checkbox"/> Insects |
| <input type="checkbox"/> Rodents | | | |

6) *Width of door:* mm

7) What colour is your existing door furniture (locks, hinges etc)?

If you are unsure which seal is best for you ask your store assistant for help or call your nearest Cowdroy office or showroom.

WEATHER SEALS

DOOR SEALS

CODE	DESCRIPTION	PAGE
CM1	Rolling Door Seal	4
CM2A	Brush Strip Door Seal	5
CM2P	Brush Strip Plastic Door Seal	6
CM3	Automatic Door Seal	7
CM4	Weather Proof Door Seal	8
CM5	Rubber Strip Door Seal	9
CM7	Perimeter Door Seal	10
CM17	Extruded PVC Door Seal	11
CM54	Weather Proof Door Seal	12
CM60	Automatic Door Seal	13

WEATHER SEALS

CM14 Series	Foam Window/Door Seal	14
CM48	Rubber Window/Door Seal	19
CM59	Rubber Window/Door Seal	20
CM61	Brush Window/Door Seal	21

GENERAL PURPOSE

CM15 Series	General Purpose Foam - Light	15
CM16	General Purpose Foam - Heavy	16
CM18	General Purpose Strip - Rubber	17
CM19	General Purpose Tape - Purlin	18

GAP FILLER RODS

CM11A	Gap Filler (6mm dia.)	22
CM11B	Gap Filler (10mm dia.)	23
CM11C	Gap Filler (15mm dia.)	23
CM11D	Gap Filler (6mm dia. x 2 rolls)	22

CM1

ROLLING DOOR SEAL

The CM1 is a rolling fur door seal and is suitable for all single and double hinged doors - Inward Opening.



DRAUGHTS/
DUST



COLD



HEAT/
SUN

This easy to install product attaches to the base of the door via a hook system, allowing for easy removal and cleaning.

Product Benefits


- Seals gaps up to 19mm
- Especially suited for uneven and rough surfaces

Technical Specifications

Width: 915mm

Material: Nylon Fur

Colours: Grey



SINGLE & DOUBLE
HINGED DOOR




INWARD OPENING

CM2A

BRUSH STRIP DOOR SEAL

The CM2A is an aluminium brush strip door seal and is suitable for all single and double hinged doors - Inward & Outward Opening.



DRAUGHTS/
DUST



INSECTS/
RODENTS



COLD



HEAT/
SUN

This easy to install product comes complete with a self adhesive backing tape and can also be screw fixed if necessary.

Product Benefits


- Suitable also for sliding doors and security screens
- Seals gaps up to 19mm
- Self adhesive backing

Technical Specifications

Width: 915mm

Material: Aluminium & Nylon Brush


Colours: Bronze Anodised, Clear Anodised, Gold Anodised



SINGLE & DOUBLE
HINGED DOOR



INWARD & OUTWARD
OPENING



SLIDING DOOR

CM2P

BRUSH STRIP PLASTIC DOOR SEAL

The CM2P is a P.V.C. brush strip door seal and is suitable for all single and double hinged doors - Inward & Outward Opening.



DRAUGHTS/
DUST



INSECTS/
RODENTS



COLD



HEAT/
SUN

This easy to install product comes complete with a self adhesive backing tape and can also be screw fixed if necessary.

Product Benefits


- Suitable also for sliding doors and security screens
- Seals gaps up to 19mm
- Self adhesive backing

Technical Specifications

Width: 915mm

Material: P.V.C. & Nylon Brush


Colours: Black and White



SINGLE & DOUBLE
HINGED DOOR



INWARD & OUTWARD
OPENING




SLIDING DOOR

CM3

AUTOMATIC DOOR SEAL

The CM3 automatic door seal comes complete with rubber insert and is suitable for all single hinged doors - Inward Opening.



DRAUGHTS/
DUST



INSECTS/
RODENTS



COLD



HEAT/
SUN

Cam operated ensuring the seal automatically lifts and drops as required.

Product Benefits


- Seals gaps up to 16mm
- Easy to install

Technical Specifications

Width: Available in 915mm & 1220mm

Material: Aluminium & Rubber

Colours: Bronze Anodised, Clear Anodised, Gold Anodised



SINGLE
HINGED DOOR



INWARD
OPENING

CM4

WEATHER PROOF DOOR SEAL

The CM4 is a weather proof door seal that is suitable for all single and double hinged doors - Inward & Outward Opening.



DRAUGHTS/
DUST



INSECTS/
RODENTS



COLD



HEAT/
SUN



NOISE



RAIN

This extruded two-part aluminium door seal with rubber inserts fixes to the door whilst the tread plate is fixed to the floor.

Product Benefits


- Seals gaps up to 25mm (Minimum gap required)
- Easy to install

Technical Specifications

Width: Available in 915mm & 1220mm

Material: Aluminium & Rubber

Colours: Bronze Anodised, Clear Anodised, Gold Anodised



SINGLE & DOUBLE
HINGED DOOR




INWARD & OUTWARD
OPENING

CM5

RUBBER STRIP DOOR SEAL

The CM5 is an aluminium extruded door seal complete with rubber insert for all single & double hinged doors - Inward & Outward Opening.



DRAUGHTS/
DUST



INSECTS/
RODENTS



COLD



HEAT/
SUN

This aluminium and rubber seal is fixed to the bottom of doors using screws.

Product Benefits


- Suitable also for sliding security and screen doors
- Easy to install
- Seals gaps up to 19mm

Technical Specifications

Width: 915mm

Material: Aluminium & Rubber

Colours: Bronze Anodised, Clear Anodised, Gold Anodised



SINGLE & DOUBLE
HINGED DOOR



INWARD & OUTWARD
OPENING



SLIDING DOOR

CM7

PERIMETER DOOR SEAL

The CM7 is a perimeter door seal that is suitable for all single and double hinged doors.



DRAUGHTS/
DUST



INSECTS/
RODENTS



COLD



NOISE


This P.V.C. and rubber seal fits around the door frame for added insulation. Self adhesive backing with optional nails.

Product Benefits

- Simply cut to size
- Self-adhesive
- Can be painted

Technical Specifications

Width: Suits doors up to 2100mm (H) x 1000mm (W)
Material: P.V.C. and rubber
Colours: White & brown



SINGLE & DOUBLE
HINGED DOOR




INWARD & OUTWARD
OPENING

CM17

EXTRUDED PVC DOOR SEAL

The CM17 is an extruded PVC door seal and is suitable for all single and double hinged doors - Inward & Outward Opening.



DRAUGHTS/
DUST



INSECTS/
RODENTS



COLD



HEAT/
SUN

This easy to install product comes complete with self adhesive backing tape to secure onto the door, but can also be screw fixed if necessary.

Product Benefits


- Suitable also for sliding security and screen doors
- Seals gaps up to 15mm

Technical Specifications

Width: 915mm

Material: PVC


Colours: Brown, Grey, White



SINGLE & DOUBLE
HINGED DOOR



INWARD & OUTWARD
OPENING




SLIDING DOOR

CM54

WEATHER PROOF DOOR SEAL

The CM54 is a weather proof door seal that is suitable for all single and double hinged doors - Inward Opening



DRAUGHTS/
DUST



INSECTS/
RODENTS



COLD



HEAT/
SUN



NOISE



RAIN

Complete with both extruded aluminium tread plate for the floor and extruded rubber seals which are easily installed beneath the door.

Product Benefits


- Seals gaps from 22mm to 25mm (Minimum gap required)
- Ideal for doors exposed to the elements

Technical Specifications

Width: 915mm

Material: Aluminium & Rubber

Colours: Clear Anodised



SINGLE & DOUBLE
HINGED DOOR



INWARD
OPENING

CM60

AUTOMATIC DOOR SEAL

The CM60 automatic door seal comes complete with rubber insert and is suitable for all single and double hinged doors
- Inward Opening



DRAUGHTS/
DUST



INSECTS/
RODENTS



COLD



HEAT/
SUN



NOISE

Pin operated ensuring the seal automatically lifts and drops as required.

Product Benefits


- Seals gaps up to 15mm
- Easy to install

Technical Specifications

Width: 915mm

Material: Aluminium & Rubber

Colours: Bronze Anodised, Clear Anodised, Gold Anodised



SINGLE & DOUBLE
HINGED DOOR




INWARD
OPENING


CM14

FOAM WINDOW/DOOR SEAL


The CM14 is a continuous foam seal that can be fitted to jambs, faces and edges and is suitable for most windows and doors. Easy to install, complete with self adhesive backing tape and available in 3 different sizes.




CM14



CM14A



CM14B



CM14C



**DRAUGHTS/
DUST**



**INSECTS/
RODENTS**



COLD



**HEAT/
SUN**



NOISE

Product Benefits

- CM14, CM14A & CM14C seals gaps of 3-5mm
- CM14B seals gaps of 8-11mm

Technical Specifications - (height) x (width)

CM14

Size: 6mm x 9mm
Length: 5m
Colours: Grey and White

CM14B

Size: 12mm x 12mm
Length: 2.5m
Colours: Grey and White

CM14A

Size: 6mm x 19mm
Length: 5m
Colours: Grey and White


CM14C

Size: 6mm x 25mm
Length: 5m
Colours: Grey and White


CM15

GENERAL PURPOSE SEAL - LIGHT FOAM


The CM15 is a general purpose seal suitable for a wide range of user determined purposes. A soft, light foam ideal for anti-rattle and vibration.



CM15A



CM15B



CM15C



DRAUGHTS/
DUST



INSECTS/
RODENTS



COLD



HEAT/
SUN



NOISE

Product Benefits

- CM15A seals gaps up to 6mm
- CM15B seals gaps up to 12mm
- CM15C seals gaps up to 19mm

Technical Specifications - (height) x (width)

CM15A

Size: 6mm x 25mm

Length: 3mm

Colours: Black

CM15C

Size: 12mm x 25mm

Length: 3m

Colours: Black

CM15B

Size: 19mm x 25mm


Length: 3m

Colours: Black

CM16

GENERAL PURPOSE SEAL - HEAVY FOAM

The CM16 is a general purpose heavy foam seal suitable for a wide range of user determined purposes. The seal is suitable for multiple heavy applications and is ideal for warehouse doors, sliding doors and large windows.



CM16



DRAUGHTS/
DUST



INSECTS/
RODENTS



COLD



HEAT/
SUN



NOISE

Product Benefits

- CM16 seals gaps up to 4.8mm
- Multiple heavy applications

Technical Specifications - (height) x (width)

CM16

Size: 4.8mm x 25mm


Length: 10m

Colours: Black

CM18

GENERAL PURPOSE STRIP - RUBBER

The CM18 is a general purpose rubber seal suitable for a wide range of user determined purposes. The rubber strip seals gaps up to 15mm and is ideal for tool boxes, electric meter boxes, filing cabinets, lockers and boat latches.



CM18



DRAUGHTS/
DUST



INSECTS/
RODENTS



NOISE

Product Benefits

- CM18 seals gaps up to 8mm

Technical Specifications - (height) x (width)

CM18

Size: 8mm x 15mm


Length: 2m

Colours: Black & grey

CM19

GENERAL PURPOSE TAPE - PURLIN

The CM19 is a general purpose seal suitable for polycarbonate roofing. Purlin tap is ideal for anti-rattle, anti-vibration and creaking noises in polycarbonate roofing.



CM19



NOISE

Product Benefits

- Seals gaps of up to 4mm
- Used for lining rafters when installing polycarbonate roofing

Technical Specifications - (height) x (width)

CM19

Size: 4mm x 25mm


Length: 10m

Colours: White

CM48

RUBBER WINDOW/DOOR SEAL

The CM48 is a continuous rubber seal that can be fitted to jambs, faces or edges of most windows and doors. Easy to install and comes complete with self adhesive backing tape.



CM48



DRAUGHTS/
DUST



INSECTS/
RODENTS



COLD



HEAT/
SUN



NOISE



RAIN

Product Benefits

- Seals gaps of 3-5mm

Technical Specifications - (height) x (width)

CM48

Size: 6mm x 9mm


Length: 5m (2 x 2.5m)

Colours: Grey, White and Brown

CM59

RUBBER WINDOW/DOOR SEAL

The CM59 is a continuous rubber seal that can be fitted to jambs, faces or edges of most windows and doors. Easy to install and comes complete with self adhesive backing tape.



CM59



DRAUGHTS/
DUST



INSECTS/
RODENTS



COLD



HEAT/
SUN



NOISE



RAIN

Product Benefits

- Seals gaps of 2-3mm

Technical Specifications - (height) x (width)

Size: 4mm x 9mm


Length: 5m (2 x 2.5m)

Colours: White and Brown

CM61

BRUSH WINDOW/DOOR SEAL

The CM61 is a continuous brush seal that can be fitted to jambs, faces or edges of all windows and doors. Easy to install and comes complete with self adhesive backing tape.



CM61



DRAUGHTS/



INSECTS/



COLD



HEAT/
SUN

Product Benefits

- Seals gaps of 3-5mm

Technical Specifications - (height) x (width)

Size: 6mm x 7mm


Length: 5m

Colours: Grey

CM11A & CM11D

GAP FILLER RODS

Gap Filler Rods will save you time and money on expensive sealants and caulks where cracks require filling. It is safe to be used with silicone, oil base, polyurethanes, latex and acrylic caulks and sealants.



CM11A & CM11D



DRAUGHTS/
DUST



INSECTS/
RODENTS



COLD



HEAT/
SUN



NOISE

Product Benefits

- Save time and money on sealants
- Moisture resistant
- Easy to manoeuvre around corners
- Suitable for domestic and commercial applications

Technical Specifications

CM11A

Size: 6mm

Length: 5m

Colours: White

CM11D

Size: 6mm


Length: 5m x 2 Rolls

Colours: White


CM11B & CM11C

GAP FILLER RODS

Similar to the CM11A and CM11D, these Gap Filler Rods will save you time and money on expensive sealants and caulks where large cracks require filling. Available in different sizes to suit larger gaps.



CM11B



CM11C



DRAUGHTS/
DUST



INSECTS/
RODENTS



COLD



HEAT/
SUN



NOISE

Product Benefits

- Save time and money on sealants
- Moisture resistant
- Easy to manoeuvre around corners
- Suitable for domestic and commercial applications

Technical Specifications

CM11B

Size: 10mm

Length: 5m

Colours: White

CM14C

Size: 15mm

Length: 5m

Colours: White

QUICK PRODUCT GUIDE

DOOR SEALS



CM4



CM60



CM3




CM54



CM2A



CM17



CM1



CM5



CM7



CM2A

QUICK PRODUCT GUIDE

WINDOW SEALS

Product	SUITABLE FOR								PROTECTS AGAINST								Seals gaps up to
	Hinged Door	Bi-Fold Door	Sliding Door	Security/Doors	All Windows	Heat / cold	Dust	Draughts	Insects	Noise	Rain	Rodents					
CM14/A/C	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Seals gaps 3mm - 5mm		
CM14B	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Seals gaps 8mm - 11mm		
CM15A	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Seals gaps up to 6mm		
CM15B	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Seals gaps up to 12mm		
CM15C	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Seals gaps up to 19mm		
CM16	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Seals gaps up to 4.8mm		
CM18	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Seals gaps up to 8mm		
CM19	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Seals gaps up to 4mm		
CM48	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Seals gaps 3mm - 5mm		
CM59	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Seals gaps 2mm - 3mm		
CM61	•	•	•	•	•	•	•	•	•	•	•	•	•	•	Seals gaps 3mm - 5mm		

cowdroy

WEATHER SEALS

FOR MORE INFORMATION

WEBSITE: www.cowdroy.com.au/range/seals

CONTACT US: 1800 COWDROY (1800 269 376)
sales @ cowdroy.com.au

COWDROY WEATHER SEALS

Providing a range of seals to suit all windows and doors. Protecting you and your family from the rain, noise, heat, cold, draughts, insects and rodents.



DRAUGHTS/
DUST



INSECTS/
RODENTS



COLD



HEAT/
SUN



RAIN



NOISE

TRUSTED BY
AUSTRALIANS
SINCE 1890

