cowdroy

BARN DOOR RANGE

DECORATIVE SLIDING DOOR HARDWARE



FEATURE PIECE | DIVIDER WALLS | INTERNAL DOORS

BARN DOOR

DECOR SYSTEM FOR THAT UNIQUELY RUSTIC LOOK

Cowdroy's newly upgraded range of Barn Door kits now offers a top-fix option as well as the classic side-fix option.

Featuring a steel track, large rollers and a steel roller guide, this latest range combines smooth and quiet performance with robust design and pleasing aesthetics.

Catering for doors up to 1500mm wide and 90kg in weight, the new Barn Door range is perfect for feature doors in pantries, bedrooms, hallways and room dividers as either a single door or bi-parting double doors.

APPLICATION

Suits:	1 door
Max. Door Width:	1500mm wide
Door Thickness:	34-44mm

Internal **Single** **Bi-Parting**

COLOURS

Black **Satin Nickel**

BARN DOOR

SIDE FIX OPTION

TOP FIX OPTION

CLASSIC YET MODERN BARN DOOR TRACK SYSTEM

An internal sliding door system boasting a 90kg weight capacity paired with easy to follow instructions - your vision will be implemented in no time. Available to suit doors up to 1500mm, the options of side & top fix combined with finishing options of Satin Nickel and powdercoat black - this system strives to compliment all interior styles.

FEATURES

HEAVY DUTY ROLLERS

Robust hangers with large ergonomic wheels for door weights of up to 90kg. Available in side and top fix options.

STRONG, PRE-DRILLED & SIMPLE TRACK

Satin Nickel & Powder Coat Black pre-drilled steel track with wall mount spacers and bolts.

STEEL ROLLER GUIDE & ADJUSTABLE DOOR STOPS

Heavy duty floor-mounted steel roller door guide for improved strength. Adjustable track-mounted door stops with rubber bumpers.

OPTIONAL EXTRAS



QUIET & SAFE SOFT CLOSE

Adding a Soft Close kit to your Barn Door offers gentle and quiet closing performance along with the safety of reducing slamming and jamming fingers. Clamp-on design allows for easier installation. Available in a pack of 2 for Soft Closing at each end of your door.

HASSLE-FREE DOOR TRACK ALIGNER

Ideal for butting tracks, this hassle-free track aligner ensures perfect alignment with simple installation - no drilling required. Available in Black and Satin Nickel.

TECH INFORMATION

ARCHITECTURAL DRAWINGS



TOP FIX - END VIEW



SIDE FIX - END VIEW

TECH SPECS

● Included Feature
○ Optional Extra

System Type	Sliding
Max. Weight Door/Panel	90kg
Door/Panel width (mm)	Up to 1500
Door Thickness (mm) min.	34-44
Track Length (mm)	2000-3000
Suits No. of doors	1
Track Type	Steel Black/ Satin Nickel

External door	
Internal door	○
Wardrobe doors	○
Cupboard doors	
Glass Cabinet doors	
Wall mounted track	○
Top mounted track	
Floor fixed track	
Top hung wheel	○
Bottom rolling wheel	
Door side fix	○
End pivotting	
Centre pivoting	
Bottom guide	○
Top guide	
End stop	○
Soft-close	●
Pelmet	

PACKAGED SETS

For Single Doors

SIDE FIXED

BD25020BK: Doors up to 1000mm wide - Black
BD25020SN: Doors up to 1000mm wide - Satin Nickel
BD25025BK: Doors up to 1250mm wide - Black
BD25025SN: Doors up to 1250mm wide - Satin Nickel
BD25030BK: Doors up to 1500mm wide - Black

TOP FIXED

BD25520BK: Doors up to 1000mm wide - Black
BD25520SN: Doors up to 1000mm wide - Satin Nickel
BD25525BK: Doors up to 1250mm wide - Black
BD25525SN: Doors up to 1250mm wide - Satin Nickel

OPTIONAL ACCESSORIES

Sold Separately

TT269BK: Track Aligner - Black
TT269SN: Track Aligner - Satin Nickel

TT25210: Soft Close Kit for Single Door - Black

HANDLES & PULLS

The Barn Door range offers complimenting pull handles and finger pulls. The pull handle sets consist of a large external pull handle and a slim internal finger pull, both color-matched to the kits which will enhance the traditional barn door aesthetic. The finger pull options offer flexibility in placement on the door, accommodating wider doors where typical handle locations might limit access.

PULL HANDLE SET

Overall height: 300mm
Overall width: 60mm
Suits doors: 35-45mm thick

BH00045BK:
Pull Handle Set - Mild steel - Black

BH00045SN:
Pull Handle Set - Mild steel - Satin Nickel



RECTANGLE FINGER PULL

Dimensions: 120 x 50mm
Overall depth: 12.5mm

BH00104BK:
Rectangle Finger Pull - Stainless steel - Black

BH00104SN:
Rectangle Finger Pull - Stainless steel - Satin Nickel



ROUND FINGER PULL

Dimensions: 65mm diameter
Overall depth: 12.5mm

BH00107BK:
Round Finger Pull - Stainless steel - Black

BH00107SN:
Round Finger Pull - Stainless steel - Satin Nickel



BI-FOLD BARN DOOR

BI-FOLD SYSTEM FOR ALL THOSE TIGHT SPACES

Introducing the Bi-Fold Barn Door System from Cowdroy: With its sleek powder coated black finish, this bi-folding system adds an elegant touch to any space. The minimalistic, bi-folding design allows for the Barn Door look in small doorways, without the need for additional wall to slide along.

Designed as a 4 door system, the kit suits 300mm wide door panels (2 in each direction) and 15kg in weight. As an alternative, the system can be used as a 2 door system with panel widths of up to 600mm.

APPLICATION

Suits:	4 panels (2 each way) 2 panels (one direction)
Max. Panel Width:	300mm wide (4 panels) 600mm wide (2 panels)
Door Thickness (min):	35mm

Internal **Double** **Bi-Folding**

COLOURS

Black

FEATURES

ROBUST HANGERS

Sturdy hangers with top fix pivot plates, designed for durability and a traditional barn door aesthetic. These high-quality components ensure seamless operation and timeless appeal.

STRONG, PRE-DRILLED & SIMPLE TRACK

Powder coated black steel track with wall mount spacers and fixing screws, offering a sleek look and secure installation.



SLIMLINE HINGES

Surface mounted hinges on the rear enable doors to butt up neatly, ensuring a clean and seamless appearance. These hinges offer both functionality, strength and an attractive finish for your doors.

HARDY BOTTOM PIVOTS

Steel bottom pivot plates with steel collars provide robust support and smooth operation. Designed for durability and stability, they are essential for a reliable barn door setup.

ALL BUT THE DOORS

Kits come complete with fixing hardware and detailed installation instructions, ensuring a straightforward and hassle-free setup.

TECH INFORMATION

ARCHITECTURAL DRAWINGS



TOP FIX - END VIEW

TECH SPECS

● Included Feature
○ Optional Extra

System Type	Bi-Folding
Max. Weight Door/Panel	15kg
Door/Panel width (mm)	300 (4 panel) 600 (2 panel)
Door Thickness (mm) min.	34-44
Track Length (mm)	1310
Suits No. of doors	2/4 Panels
Track Type	Steel Black

External door	
Internal door	○
Wardrobe doors	○
Cupboard doors	
Glass Cabinet doors	
Wall mounted track	○
Top mounted track	
Floor fixed track	
Top hung wheel	○
Bottom rolling wheel	
Door side fix	
End pivotting	○
Centre pivoting	
Bottom guide	○
Top guide	
End stop	○
Soft-close	
Pelmet	

PACKAGED SETS

For Single Doors

TOP FIXED

BD42213BK: Suits openings up to 1200mm - Black

NEW KNOCK-DOWN BARN DOOR KIT

Crafted from aluminum with three frosted 4mm tempered glass panels, the knock-down barn door kit effortlessly merges modern construction with classic Barn Door aesthetics. Ideal for contemporary and rustic décors, the knock-down door kits feature essential components for effortless installation: track, rollers, door guide, 2 soft-close kits, and an external pull handle.

Conveniently packaged in a portable box, this DIY kit combines convenience and style.

APPLICATION

Suits:	1 door
Max. Door Width:	914mm wide
Door Thickness:	45mm

Internal

Single

COLOURS

Black

KNOCK-DOWN BARN DOOR

FEATURES

DURABLE ALUMINIUM FRAME

Heavy-duty aluminium frame with a durable powder-coated black finish, ensuring long-lasting strength and a sleek appearance.

FROSTED GLASS

Tempered frosted glass combines safety and privacy with modern aesthetics, offering a sleek option for any space.

TOP FIX HANGERS

Robust, top-fix hangers with screws and anti-jump discs provide secure and reliable support. Designed for durability, they ensure smooth operation and prevent door misalignment.

STRONG, PRE-DRILLED & SIMPLE TRACK

Powder-coated, pre-drilled black steel track with wall mount spacers and fixing screws ensures a sleek appearance. Crafted for longevity and ease of installation.





QUIET & SAFE SOFT CLOSE

The kit comes complete with 2 soft close fittings to suit both open and closed positions. These fittings ensure smooth and quiet door operation for added convenience and comfort.

MODERN PULL HANDLE

A large, modern external pull handle complements the door and ensures easy operation. Stylish and functional, it adds a contemporary touch to this all inclusive kit.

TECH INFORMATION

ARCHITECTURAL DRAWINGS



END VIEW

TECH SPECS

● Included Feature
○ Optional Extra

System Type	Sliding
Max. Weight Door/Panel	30kg
Door/Panel width (mm)	914mm
Door Thickness (mm) min.	45
Track Length (mm)	1830
Suits No. of doors	1
Track Type	Steel Black

External door	
Internal door	○
Wardrobe doors	○
Cupboard doors	
Glass Cabinet doors	
Wall mounted track	○
Top mounted track	
Floor fixed track	
Top hung wheel	○
Bottom rolling wheel	
Door side fix	
End pivotting	
Centre pivoting	
Bottom guide	○
Top guide	
End stop	○
Soft-close	○
Pelmet	

PACKAGED SETS

For Single Doors

TOP FIXED

BD368402BK: Aluminium & Glass Kit - Track & Soft Close - 3-section - Black frame

Cowdroy is an Australian company supplying industry leading products across residential and commercial properties.

Established in 1890, Cowdroy specialises in door tracking systems, weather seals, insect screen, replacement wheels & rollers and more products for a wide range of applications.

For all our product information visit the Cowdroy website at:
www.cowdroy.com.au

HEAD OFFICE SYDNEY
38 Redfern St
Wetherill Park, NSW 2164
Phone: (02) 9604 3000
Fax: (02) 9604 8129
Sales Fax: (02) 9609 3694

WEBSITE
www.cowdroy.com.au

EMAIL
sales@cowdroy.com.au

NATIONAL CALL
1800 COWDROY (1800 269 376)

Perth
1 Modal Crescent
Canning Vale, WA 6155
Ph: (08) 9455 5354
Fax: (08) 9455 5461

Christchurch NZ
19 Kilronan Place, Wigram,
Christchurch 8042
Phone: (03) 943 2060
Fax: (03) 943 2061

Auckland NZ
18 Kerwyn Ave, East Tamaki
Auckland 2013
Phone: (09) 274 7279
Fax: (09) 274 4453